




Spectrum Test Report

Sample : Date : 2024-10-24 11:01:21
Specification : CYLINDPS010UNHD8SC2R3BZP Middle 4 Sam. Statusown :
Sample No. : Standard : LM-79-19
Manufacturer : LEDVANCE LLC Instrument : HaasSuite(EVERFINE)
Remark : Test by : Alan Wang

Test Condition

Temperature : 25.3Deg RH : 65.0%
WL Range : 380nm-780nm IP : 50874 (78%)
Test Mode : Accuracy Test T : 2424 ms

Spectrum : Low



Colorimetric Parameters

Chromaticity Coordinate: $x = 0.3829$ $y = 0.3724$ / $u' = 0.2285$ $v' = 0.5000$ ($duv = -2.75e-03$)

CCT= 3897K Prcp WL: $L_d = 581.0nm$ Purity=26.7%

Peak WL: $L_p = 449nm$ FWHM: $= 21.2nm$ Ratio: R=19.2% G=77.3% B=3.5%

Render Index: $R_a = 84.9$ AvgR = 79.3 TM30: $R_f = 85$ $R_g = 98$

EEL: 0.09299 A++ Highest

R1 =84 R2 =91 R3 =95 R4 =85 R5 =84 R6 =87 R7 =86

R8 =68 R9 =18 R10=77 R11=84 R12=68 R13=86 R14=97 R15=79

Photometric & Radiometric Parameters

Flux = 1096.5 lm Eff. : 136.55 lm/W $F_e = 3.5717 W$

Electrical parameters

V = 120.00 V I = 0.06720 A P = 8.030 W PF = 0.9958 F=60.00 Hz

Dongguan New Testing Centre Co., Ltd

3F, No. 1 the 1st North Industry Road, Songshan Lake Science & Technology Park, Dongguan, Guangdong, China