

# PRODUCT DATASHEET

## SMART+ WIFI GARDEN 3 Pole extension

SMART+ GARDEN POLE | Decorative light poles for outdoor use with WiFi technology



### Areas of application

- Gardens, balconies and other outdoor areas

### Product benefits

- Easy and quick installation
- Colorful garden lighting with smart and intelligent control options

### Product features

- Controllable via LEDVANCE SMART+ WiFi App (with minimum Android 4.4 or iOS 9.0)
- Controllable via voice control available: Google Assistant or Amazon Alexa
- RGB color control, approx. 16 million color options adjustable
- Dimmable
- Color temperature: 3,000 K (Warm White)
- Protection class (pole): IP65
- Protection class (power supply): IP44
- Extension up to maximum 8 poles



## TECHNICAL DATA

### Electrical data

|                        |               |
|------------------------|---------------|
| Nominal wattage        | 3.10 W        |
| Nominal voltage        | 220...240 V   |
| Mains frequency        | 50...60 Hz    |
| Power factor $\lambda$ | > 0.5         |
| Operating mode         | Mains voltage |


### Photometrical data

|                                      |               |
|--------------------------------------|---------------|
| Light color (designation)            | RGBW          |
| Standard deviation of color matching | $\leq 6$ sdcn |
| Nominal luminous flux                | 108 lm        |
| Luminous flux                        | 108 lm        |
| Luminous efficacy                    | 15 lm/W       |
| Color temperature                    | 3000 K        |
| Color rendering index Ra             | $\geq 80$     |

### Light technical data

|               |         |
|---------------|---------|
| Beam angle    | 280 °   |
| Starting time | < 0.5 s |

### Dimensions & Weight



|                |           |
|----------------|-----------|
| Product weight | 550.00 g  |
| Diameter       | 38.00 mm  |
| Width          | 38.00 mm  |
| Height         | 365.00 mm |

### Lifespan

|                            |       |
|----------------------------|-------|
| Number of switching cycles | 12500 |
|----------------------------|-------|

## Colors &amp; materials

|                |                    |
|----------------|--------------------|
| Product color  | Steel              |
| Housing color  | Steel              |
| Body material  | Stainless steel    |
| Cover material | Polycarbonate (PC) |

## Temperatures &amp; operating conditions

|                           |              |
|---------------------------|--------------|
| Ambient temperature range | -20...+40 °C |
|---------------------------|--------------|

## Additional product data

|                   |  |
|-------------------|--|
| Product remark    | Reset settings to default by switching the product on for three seconds and off for three seconds and repeating this five times. |
| Mounting location | Ground   |

## Capabilities

|                                  |                                 |
|----------------------------------|---------------------------------|
| Dimmable                         | Yes                             |
| Type of connection               | Plug, EU                        |
| Compatible smart home technology | Google Assistant / Amazon Alexa |
| LED module replaceable           | Not replaceable                 |



## Certificates &amp; Standards

|                    |                         |
|--------------------|-------------------------|
| Standards          | CE / EAC / REACH / RoHS |
| Protection class   | III                     |
| Type of protection | IP65                    |

## EQUIPMENT / ACCESSORIES

- Power supply included only in basic set
- Control via app or voice control requires compatible Smart home system
- For control via LEDVANCE SMART + WiFi App, a smart phone or Tablet PC is required

## DOWNLOAD DATA

| DOWNLOAD DATA  |  |
|--|--|
|  | User instruction<br>SMART WIFI GARDEN POLE                         |
|  | Declarations of conformity<br>CE_SMART WIFI GARDEN POLE RGBW 3PEXT |

## LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075478251 | Folding box<br>1             | 100 mm x 250 mm x 80 mm              | 604.00 g     | 2.00 dm <sup>3</sup>  |
| 4058075478268 | Shipping box<br>4            | 270 mm x 220 mm x 180 mm             | 2734.00 g    | 10.69 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.