








TRADE RESIDENTIAL LUMINAIRE PROGRAM 2023

CONTENT

	SUN@HOME	24		TABLE LUMINAIRES	224
	CEILING LUMINAIRES	46		ENTERTAINMENT AND FLOOR STANDING LUMINAIRES	246
	PENDANT LUMINAIRES	158		BATHROOM LUMINAIRES	258
	TRACKLIGHTS	170		INDOOR LED STRIPS	282
	SPOTLIGHTS AND DOWNLIGHTS	188		OFFICE LUMINAIRES	290
	WALL LUMINAIRES	204		UNDER CABINET LUMINAIRES	294

Please use the back-button on the following pages to get back to the content page

	FUNCTIONAL LUMINAIRES	320		OUTDOOR LED STRIPS	504
	DAMP-PROOF LUMINAIRES	330		OUTDOOR CAMERA LUMINAIRES	514
	WORKLIGHTS	334		OUTDOOR FLOODLIGHTS	532
	OUTDOOR TABLE LUMINAIRES	348		MOBILE LUMINAIRES	554
	OUTDOOR WALL AND PATHWAY LUMINAIRES	356		ACCESSORIES	596
	OUTDOOR GARDEN LUMINAIRES	478		PLANT CENTRIC LIGHTING	606

INNOVATIVE LIGHTING IDEAS TO SPARK HIGHER SALES

Do you also trust personal recommendations the most? Many people feel that way – so do your customers who may currently be in the middle of a new building or renovation project. They would love to get some tips from a professional like you!

So, tap into the potential of the LEDVANCE residential luminaires for your business success. The range of indoor and outdoor luminaires makes it easy for you because it meets the highest customer requirements and leaves nothing to be desired.

The best example is our large portfolio of socketed indoor and outdoor products – perfect for customers who attach great importance to sustainable lighting solutions. LEDVANCE is a leading light when it comes to safety too, with easy-to-operate outdoor camera luminaires helping you feel safe and sound around your home.

But that's not all. Our aesthetic decorative lights in attractive, trendy designs are an eye-catcher in any setting – just like our modular tracklight systems available in white or black.

High-tech enthusiasts and young, tech-savvy customers will also be delighted with SMART⁺ home entertainment lighting from LEDVANCE for the perfect combination of light and sound.

All in all, our current range is a first-class solution you can recommend to your customers and gives your lighting business a fresh boost. See for yourself.



WHY LEDVANCE? BECAUSE WE ARE ADVANCING LIGHT

LEDVANCE is one of the world's leading companies in the lighting industry. We want to build on our position – and further develop the lighting market together with our customers.

As technology trend experts, we are leading the way in meeting the rapidly changing demands for high-quality and long-lasting light. And as a strong local partner, we are proactive in our support for you in impressing your customers with innovative lighting ideas.

We help you to boost your lighting sales with attractive, user-friendly and intelligent lighting solutions. Let's go forward together and shape the future of light – with agility, courage, speed and flexibility.

LEDVANCE MAKES THE DIFFERENCE



COOPERATIVE

With a large, global sales team and more than 100 years of experience we are always by your side as a committed and cooperative partner.



TRENDSETTING

Through regular market research we know at an early stage what interests customers – and where lighting trends are heading. A good example is our large selection of indoor and outdoor luminaires with sophisticated features for even greater lighting comfort.



COMPREHENSIVE

Modern, smart, decorative, functional, robust and practical – our extensive portfolio meets customer requirements in all categories and virtually every area of application.



UNIQUE

Fresh, dynamic, high-quality and unmistakable – the LEDVANCE brand and its powerful image stand out clearly from the competition and create feelings of affection and trust.



SALES-BOOSTING

Attract attention, encourage purchases. We offer targeted support for your sales with creative, pre-tested marketing concepts.

STRONG STARTING POSITION



INNOVATION FROM TRADITION

We stand for progress and the desire to actively shape the future of light. We combine this courage to tread new paths with our experience from more than 100 years of lighting expertise.



SUCCESSFUL SALES FROM A SINGLE SOURCE


LEDVANCE offers you everything from a single source – LED luminaires, lamps and Smart Home products. In all these areas we are setting new trends with innovative, market-driven products.



FIRST-CHOICE PARTNER

With our extensive portfolio, powerful sales network and outstanding global access to markets we are the ideal strategic partner for your requirements.

GLOBAL PRESENCE



- Sales & Legal Entities
- Sales
- Not present

ACTIVE IN MORE THAN
140
COUNTRIES

OFFICES IN MORE THAN
50
COUNTRIES

LET THERE BE LIGHT!

Never before have innovative LED technology and digitalization opened up more opportunities for you. The range of ultra-modern lighting solutions is more diverse than it has ever been.

This means that you have an unprecedented choice of luminaires, lamps, smart connected lighting and new lighting ideas that will meet the needs of every type of customer. Here's a taste of what you can expect.

HIGHLIGHT

► SUN@HOME

NATURAL LIGHT FOR MORE VITALITY

We spend around 90 % of the day indoors without the health-giving properties of daylight. So we lack energy and don't sleep very well. SUN@HOME SunLike LEDs bring natural light into the home – boosting energy levels and well-being. The range of lamps and luminaires is constantly being expanded. [More on p. 10](#)



► SMART+

With SMART+ you can offer your customers numerous ways to bathe their homes in intelligent connected light: by remote control, an app or voice control. And with a much greater selection of luminaires, lamps and accessories to meet the most diverse customer requirements. [More on p. 12.](#)



► LUMINAIRES

LEDVANCE offers you an extensive product range that is being continually expanded. In top quality, in many attractive designs, for indoors and outdoors, and with guarantees of up to 10 years.



► LIGHTING ACCESSORIES

Wireless control of compatible SMART+ WiFi products via remote control, without voice control or app, including preset scenes. Compact standalone sensors for walls and ceilings with high potential energy savings, e.g. for indoor areas, stairwells, cellars and toilets.



► LAMPS

LEDVANCE is your No. 1 partner for all lamps for general lighting purposes. Our comprehensive OSRAM branded portfolio covers all customer requirements.

All LED lamps come in environmentally friendly, plastic-free boxes.



► INDOOR GARDEN GROW ILLUMINATION

Plant lights and cultivation systems in different versions for kitchens and living rooms. The specially developed LED spectrum boosts photosynthesis in most plants and the automatic timer simulates the day/night cycle.



SUN@HOME: BRING SUNLIGHT INTO YOUR HOME



We spend about 90% of the day indoors and without the health-giving properties of daylight. So we don't sleep well and feel low.

SUN@HOME with SunLike LEDs, on the other hand, has the same effect as natural sunlight and can help improve the physical wellbeing of your customers. Peaceful sleep and a better mood mean they'll have more energy and be able to concentrate better. Its effectiveness has been scientifically proven in various studies.*




**SUN@HOME
IS INVIGORATING:
MORE ENERGY**



**SUN@HOME
MAKES YOU PRODUCTIVE:
BETTER CONCENTRATION**




**SUN@HOME
HELPS YOU RECOVER:
BETTER SLEEP**



* A study on the perception of full spectrum LEDs; Fraunhofer Institute for Building Physics IBP, March 2020; Harvard University Medical School, U.S. Daytime Exposure to Short Wavelength-Enriched Light Improves Cognitive Performance in Sleep-Restricted College-Aged Adults, 2021.


PERFECT FOR CONCENTRATION AND PERFORMANCE:

Optimized color rendering* close to that of natural daylight thanks to SUN@HOME with SunLike LEDs: For vibrant natural colors with a color rendering index (CRI) > 95.



PERFECT FOR WELLBEING AND COMFORT:

Reduced blue component* for better visual comfort and physical wellbeing thanks to SUN@HOME with SunLike LEDs – close to natural light.



SunLike

IN HARMONY WITH NATURAL BIORHYTHMS:

The innovative SunLike full-spectrum LEDs in SUN@HOME products offer a wider range of colors than conventional LEDs – from cozy fireside light to stimulating daylight (2200 – 5000 Kelvin).


SunLike



2500 K in the morning:
Warm light for a relaxing start to the day



5000 K during the day:
Cool white light for full concentration and effective work



2200 K in the evening:
Warm fireside atmosphere with low blue component to encourage better sleep

EASY INSTALLATION AND CONTROL



LEDVANCE
SUN@HOME
PRODUCT



FREE
LEDVANCE
SMART+ APP



NATURAL LIGHT:**
Easy app control: SUN@HOME products offer automatic or individual adjustments that are perfectly matched to the natural course of daylight, such as changes in light colors.

* Compared to conventional LEDs | ** Can also be connected and controlled with Google Nest Hub and Google Nest Mini, other nest speakers or other compatible smart speakers such as Amazon Alexa.

SMART+: THIS IS WHAT ULTRA- MODERN LIGHT LOOKS LIKE TODAY

Your customers' needs are as diverse as your customers themselves. They just want to control their lights from their smartphones. Or even easier still by giving voice commands to a smart speaker. Or perhaps they want to connect their lights to a gateway for full integration in their smart home system. That's why we offer three product lines that can be controlled in four different ways using different technologies.

SMART READY

Most of our SMART+ luminaires have a Smart Ready function which means they can be switched on and off as usual from a light switch. They can also be controlled by an app, voice command or remote control (WiFi).



1 CONTROL BY LIGHT SWITCH



WORKS WITH:



BENEFITS:

All of our smart luminaires can also be switched on or off in the classic way using a light switch. Automatic pairing time 3 minutes.

2 CONTROL VIA SMARTPHONE



WORKS WITH:



BENEFITS:

The easiest way: Just use the free LEDVANCE SMART+ app for our WiFi or Bluetooth range or a partner app for our Zigbee products – and enjoy the numerous possibilities of smart light control.

SMART+ CAN DO ALL OF THIS*:



On/Off
function



Dimming
function



From warm
white to cool
white



Light
color
function

* Depending on product model

3 CONTROL BY VOICE COMMAND




WORKS WITH:



BENEFITS:

For anyone who wants to control their lights by voice, all LEDVANCE SMART+ product lines work with compatible smart speakers such as Google Nest or Amazon Echo. Zigbee compatibility will depend on the partner system.

4 CONTROL BY REMOTE CONTROL



WORKS WITH:



BENEFITS:

For guests or simply because it's convenient: Wireless control of SMART+ WiFi products by remote control.

SMART+ HIGHLIGHTS INDOOR – SEE ROOMS IN A NEW LIGHT

Here's the latest news: LEDVANCE has added lots of new products to its SMART+ portfolio of indoor luminaires. There is now more choice in existing product families, and completely new ranges have been created.


FAMILIAR PRODUCT RANGES GREATLY EXPANDED

The popular SMART+ WIFI DECOR TWIST is now available as pendant and table versions – a two-tone aesthetic highlight with a metal housing coated inside. And the SMART+ WIFI DECOR SWAN family made of real ceramic is now also available as a ceiling luminaire.



MORE SMART+ WIFI DECOR WOOD LUMINAIRES

Wood is and will remain one of the most important trends in interior design, in keeping with the growing awareness of sustainability issues. The DECOR WOOD wall lights have now been joined by pendant, ceiling and table versions, all of which are made from FSC-certified wood.



SMART SUPER-SHALLOW CEILING LIGHTS

Consumers who like things smart, sleek and simple will be impressed by these new low-profile panel lights. With a wide variety of options, such as square or round, backlit or sparkle effect, or a backlit cutout, there is something for everyone.



NEW, MODULAR AND SMART: TRACKLIGHTS

Get the New York loft look. The new Tracklight system in white or black goes perfectly with this latest trend and could not be more modular or straightforward. Your customers just have to choose the basic element (rail or round), the power connection, the linking elements and SMART+ spotlights with integrated LED module – that's all that's needed for the perfect lighting system.



Easy to install – easy to combine

NEW SMART+ HIGHLIGHTS FOR OPTIMUM IMPACT OUTDOORS

LEDVANCE has also unveiled numerous new SMART+ products for outdoors. Each and every one of them is both functional and decorative, making an excellent first impression on visitors. A splendid combination of utmost convenience, control from anywhere and a huge choice of lighting scenarios and automated sequences.

SMART SOLAR LIGHTS FOR ANY SITUATION

Smart outdoor lights with solar functionality and really good output. Every possible need is covered – wall and path lights, mobile lights and lanterns, and small spotlights for borders and flowerbeds.





SMART+ BLUETOOTH TABLEFRAME SOLAR and SMART+ BLUETOOTH SOLAR ALPS




SMART+ BLUETOOTH GARDEN SOLAR

SMART+ BLUETOOTH SOLAR PATH



LARGE, MOBILE FLOOR LIGHT

This large elegant floor light for terrace or garden has been added to the TABLEFRAME range. Colorful light with smart control options, rechargeable via USB for mobile use (cable included, fully charged in 6 hours), with integrated Power-bank function.



THE SMART WAY TO PARTY

Chain of colored lights with 12 lamps, each of which can be controlled individually. Cable length 7.3 m, IP44, warm white light or colored light with dimming function.



SETTING THE TONE: SMART ENTERTAINMENT FLOOR LUMINAIRES

More and more people are getting excited about the interplay between light and sound. All the new floor luminaires in this segment react to sound from TV programs, music or video games, pulsing out light at the appropriate rhythm, all controlled from an app or, away from a network, via a remote control. Either RGB or Tunable White switching between cold and warm white light: An instant hit!



SMART+ WIFI MOOD LIGHT BAR

This set of two floor lights can be positioned vertically or horizontally to provide a light show to the rhythm of the music. They are also ideal as ambient lighting behind a TV.



SMART+ WIFI FLOOR CORNER SLIM

As the name suggests, this particularly slender floor light looks great in corners. Its matt aluminum body, acrylic diffuser and iron base ensure it's rock steady at all times.




SMART+ WIFI FLOOR ROUND

The broad iron base of this floor light offers perfect stability. The matt aluminum body and acrylic diffuser make it a rhythmic eye-catcher.



SMART+ WIFI FLOOR CORNER

The same matt aluminum body and acrylic diffuser mounted on two legs provide perfectly synchronized light and sound in corners.



DECORATIVE SECURITY: SMART OUTDOOR CAMERA LIGHTS

When it comes to security, there is nothing more obvious than putting a camera in intelligent lights around the house. That's why we've added new camera wall and ceiling lights, house number lights and spotlights to our range. Apart from providing an increased sense of security, these new highly decorative camera lights are easy to install and come with numerous additional features. Lights, camera, action!

SMART+ WIFI CLOUD CAMERA

Sleek modern design made of plastic with integrated lighting, max. range 8 m.




SMART+ WIFI ENTRANCE CAMERA

Light with house number option; intercom function, sensor detection at an angle of 90° and maximum detection range of 12 m.




SMART+ WIFI MULTISPOT CAMERA

Features two swivel heads, intercom function, sensor detection at an angle of 90° and maximum detection range of 12 m.



SMART+ WIFI CIRCLE CAMERA CONTROL

Can be used as wall or ceiling light, camera movement can be controlled via an app, intercom function and sensor angle of 150° within a maximum range of 10 m.



SMART+ WIFI GLOBE CAMERA TRACE

This luminaire with a replaceable E27 lamp contributes to sustainability and the circular economy. Features an intercom function, rotating camera with track & trace functionality and a sensor angle of 180° within a maximum range of 8 m.



TIMELESS YET MODERN: CONVENTIONAL INDOOR LUMINAIRES



TRACKLIGHTS WITH CONVENTIONAL
LED LAMPS

**TRACKLIGHT SPOT MINI
CYLINDER GU10**

Compact, fully adjustable metal
spotlight for GU10 lamps, white
or black.



TRACKLIGHT SPOT CYLINDER GU10

Adjustable spotlight for GU10 lamp, slim metal design,
length: 130 mm, white or black.



**TRACKLIGHT
SPOT CYLINDER
GOLD GU10**

Elegant spotlight in mod-
ern color combination,
white or black with gold,
100 mm long.



DECOR FAMILY OF BATHROOM LIGHTS
DECOR SQUARE IP44

This new family of luminaires includes ceiling
and wall lights made of metal and glass,
all for G9 lamps.



ESSENTIAL SAVINGS: LOW-PRICED ENTRY-LEVEL PRODUCTS




DAMP-PROOF ESSENTIAL

Functional IP65 luminaire made of
plastic, including one or two LED tubes.

PANEL-ESSENTIAL

Low-cost panel luminaire made of
plastic for flush mounting; frame
option for surface mounting.



**CEILING
ESSENTIAL**

Round ceiling luminaire made
of plastic, available in different
sizes and light colors.



EVERLASTING STANDARDS: OUTDOOR HIGHLIGHTS


FLOODLIGHT ESSENTIAL:

Low-cost floodlight with frosted glass cover and aluminum housing, IP65.
Available with or without built-in motion sensor.



OUTDOOR SOLAR LUMINAIRES

Wall-mounted solar products that operate independently of a power
supply, featuring automatic ON/OFF, day/night sensor, PIR motion
sensor, detection range 7 m, detection angle 100°, sensitivity ≤ 100 lux.




SOLAR FLOODLIGHT

Cableless solar floodlight with
motion sensor. Luminous flux
of up to 1 200 lumen. Different
operating modes can be set us-
ing an infrared remote control.



**ENDURA® GARDEN
SOLAR GLOW**

Aluminum body with opal
plastic diffuser.



**ENDURA® GARDEN
SOLAR OVAL**

Oval aluminum housing in
two sizes, clear glass diffuser,
340 mm version available in
two light colors.



**ENDURA® GARDEN
SOLAR TOSSA**

Round aluminum housing with
plastic diffuser.
Choice of three modes:
A: ON: 260 lumen
B: ON: Constant light at 100
lumen; 400 lumen for 15
seconds when movement is
detected
C: 520 lumen for 15 seconds
when movement is detected
(30 times for 6 hours of
charging)



**ENDURA® GARDEN
SOLAR LUNAR**

Solar luminaire with adjustable
head to make optimum use of
sunlight.



SYMBOLS IN THE TABLES

 Fig. no.	 Beam angle in degrees °
 Housing color	 Protection class
 Housing material	 Number of switching cycles
 Average lifetime in hours	 Number of lamps included
 Wattage in W	 Length l in mm
 Total luminous flux of the luminaire taking into account the diffuser	 Width w in mm
 Total luminous flux of the contained light sources without the diffuser	 Height h in mm
 Color temperature in Kelvin	 Diameter d in mm
 Color rendering index	 Standard pack in pcs.
 Ambient temperature range in degrees Celsius	

PRODUCT-SPECIFIC SYMBOLS SMART⁺ AND SUN@HOME

  	SMART ⁺ product functions depending on product type
	Works with LEDVANCE WIFI Remote Control
	In harmony with natural rhythms
	Control by light switch possible. Automatic pairing time 3 minutes
	Special surface coating for hygienic air
	Optimized color rendering

PRODUCT-SPECIFIC SYMBOLS

 Integrated LED module	 Motion sensor	 USB charging cable included
 Replaceable LED lamp		
		
		
		
		
		
		
		
		
		
		
		

   	Consumer guarantee for luminaires
   	Light colors
  	Suitable for light sources with defined base



SUN@HOME



SUN@HOME
PENDANT LUMINAIRES 26



SUN@HOME
DOWNLIGHTS 40



SUN@HOME
BATHROOM LUMINAIRES 28



SUN@HOME
WALL LUMINAIRES 42



SUN@HOME
OFFICE LIGHTING 30



SUN@HOME
MOOD LIGHTING 44



SUN@HOME
PANEL LUMINAIRES 32



SUN@HOME
ROUND CEILING
LUMINAIRES 36

SUN@HOME WIFI CIRCULAR PENDANT

SMART PENDANT LUMINAIRES WITH FULL-SPECTRUM LEDS FOR INCREASED CONCENTRATION AND PERFORMANCE



1
SUN@HOME CIRCULAR PENDANT WHITE

2
SUN@HOME CIRCULAR PENDANT SILVER

works with alexa works with LEDVANCE app works with Hey Google WIFI SMART+ SWITCH ON/OFF COZY ACTIVE CRI 95 DIM 1400 lm LEDVANCE 5 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SUN@HOME CIRCULAR PENDANT WHITE	4058075762725	1	White	Aluminum	30 000	18.50	500	1 400	2 200...5 000	> 95
SUN@HOME CIRCULAR PENDANT SILVER	4058075762749	2	Silver	Aluminum	30 000	18.50	500	1 400	2 200...5 000	> 95

Product name	°	IP	h [mm]	d [mm]	
SUN@HOME CIRCULAR PENDANT WHITE	140	IP20	15 000	1 210.0	450.0 4
SUN@HOME CIRCULAR PENDANT SILVER	140	IP20	15 000	1 210.0	450.0 4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SUN@HOME WIFI BATHROOM ROUND IP44

SMART BATHROOM WALL LUMINAIRES WITH FULL-SPECTRUM LEDS FOR INCREASED CONCENTRATION AND PERFORMANCE



1
SUN@HOME BATHROOM ROUND
450mm



2
SUN@HOME BATHROOM ROUND
300mm



3
SUN@HOME BATHROOM ROUND
110mm



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

SMART+

SWITCH ON/OFF

COZY ACTIVE

CRI 95

DIM

IP 44

LEDVANCE 5 year guarantee

Product name	GTIN (EAN)		COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SUN@HOME BATHROOM ROUND 450mm	4058075750654	1	Silver	Metal	25 000	20.00	700	1 560	2 200...5 000	> 95
SUN@HOME BATHROOM ROUND 300mm	4058075750630	2	Silver	Metal	25 000	14.00	460	1 040	2 200...5 000	> 95
SUN@HOME BATHROOM ROUND 110mm	4058075750616	3	Silver	Metal	25 000	7.50	200	520	2 200...5 000	> 95

Product name		IP		l _{max} (mm)	b _{max} (mm)	h _{max} (mm)	
SUN@HOME BATHROOM ROUND 450mm	300	IP44	15 000	470.0	112.0	102.0	4
SUN@HOME BATHROOM ROUND 300mm	300	IP44	15 000	305.0	112.0	102.0	8
SUN@HOME BATHROOM ROUND 110mm	300	IP44	15 000	118.0	112.0	130.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SUN@HOME WIFI OFFICE LIGHTING LUMINAIRES

SMART OFFICE LUMINAIRE FAMILY WITH FULL-SPECTRUM LEDS AND HCL FUNCTIONALITY



1
SUN@Home PANAN Floor



2
SUN@Home PANAN Desk



3
SUN@Home Monitor Clip Lamp



works with alexa		works with LEDVANCE app		works with Hey Google		WIFI	WIFI SMART+ ¹	SWITCH ON/OFF	COZY ACTIVE	CRI 95	DIM			LEDVANCE 5 year guarantee ¹	
Product name		GTIN (EAN)			COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI			
SUN@Home PANAN Floor		4058075575899		1	White	Metal	30 000	41.00	2 000	3 900	2 200 ... 5 000	>95			
SUN@Home PANAN Desk		4058075575875		2	White	Metal	30 000	15.00	600	1 200	2 200 ... 5 000	>95			
SUN@Home Monitor Clip Lamp		4058075575912		3	Black	Plastic	30 000	2.50	35	-	2 200 ... 5 000	>95			

Product name			IP		l _{avg} ²	b _{avg} ²	h _{avg} ²	Ø _d ²	
SUN@Home PANAN Floor		-	IP20	15 000	400.0	400.0	1 800.0	400.0	1
SUN@Home PANAN Desk		-	IP20	15 000	500.0	220.0	545.0	220.0	4
SUN@Home Monitor Clip Lamp		120	IP20	15 000	450.0	21.3	95.5	-	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SUN@HOME WIFI PLANON™ FRAMELESS

SMART, FRAMELESS PANEL LUMINAIRES WITH FULL-SPECTRUM LEDS AND HCL FUNCTIONALITY



1
SUN@Home PLANON FRAMELESS
120x30



2
SUN@Home PLANON FRAMELESS
60X60



3
SUN@Home PLANON FRAMELESS
30X30



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SUN@Home PLANON FRAMELESS 120x30	4058075575974	1	White	Aluminum	30 000	35.00	2 300	3 250	2 200 ... 5 000	>95
SUN@Home PLANON FRAMELESS 60X60	4058075575998	2	White	Aluminum	30 000	35.00	2 300	3 250	2 200 ... 5 000	>95
SUN@Home PLANON FRAMELESS 30X30	4058075576018	3	White	Aluminum	30 000	20.00	1 200	1 800	2 200 ... 5 000	>95

Product name	°	IP	lm	l ₉₀ ²	b ₉₀ ²	h ₉₀ ²	lm
SUN@Home PLANON FRAMELESS 120x30	110	IP20	15 000	1 200.0	300.0	61.0	3
SUN@Home PLANON FRAMELESS 60X60	110	IP20	15 000	600.0	600.0	61.0	3
SUN@Home PLANON FRAMELESS 30X30	110	IP20	15 000	300.0	300.0	61.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SUN@HOME WIFI PLANON™ PLUS

SMART PANEL LUMINAIRES WITH METAL FRAMES, FULL-SPECTRUM LEDS AND HCL FUNCTIONALITY



works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	WIFI SMART+™	SWITCH ON/OFF	COZY ACTIVE	CRI 95	DIM	5 year guarantee	
Product name		GTIN (EAN)	Light No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SUN@Home PLANON PLUS 120x30		4058075576032	1	White	Aluminum	30 000	35.00	2 300	3 250	2 200 ... 5 000	>95
SUN@Home PLANON PLUS 60X60		4058075576056	2	White	Aluminum	30 000	35.00	2 300	3 250	2 200 ... 5 000	>95
SUN@Home PLANON PLUS 30X30		4058075576070	3	White	Aluminum	30 000	20.00	1 200	1 800	2 200 ... 5 000	>95

Product name		Beam angle	IP	Beam diameter (mm)	Beam diameter (mm)	Beam diameter (mm)	Beam diameter (mm)
SUN@Home PLANON PLUS 120x30		110	IP20	15 000	1 200.0	300.0	56.0
SUN@Home PLANON PLUS 60X60		110	IP20	15 000	600.0	600.0	56.0
SUN@Home PLANON PLUS 30X30		110	IP20	15 000	300.0	300.0	56.0

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SUN@HOME WIFI CIRCULAR

SMART CEILING LUMINAIRES WITH FULL-SPECTRUM LEDS FOR INCREASED CONCENTRATION AND PERFORMANCE



1
SUN@HOME CIRCULAR WHITE



2
SUN@HOME CIRCULAR SILVER



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

WIFI SMART+

SWITCH ON OFF

COZY ACTIVE

CRI 95

DIM

1400 lm

LEDVANCE 5 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SUN@HOME CIRCULAR WHITE	4058075762763	1	White	Aluminum	30 000	18.50	500	1 400	2 200...5 000	> 95
SUN@HOME CIRCULAR SILVER	4058075762787	2	Silver	Aluminum	30 000	18.50	500	1 400	2 200...5 000	> 95

Product name	°	IP	h [mm]	d [mm]	
SUN@HOME CIRCULAR WHITE	140	IP20	15 000	97.0	450.0 4
SUN@HOME CIRCULAR SILVER	140	IP20	15 000	97.0	450.0 4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SUN@HOME WIFI ORBIS® CEILING PLATE

SMART, AESTHETIC CEILING LUMINAIRE WITH FULL-SPECTRUM LEDS AND HCL FUNCTIONALITY



1
SUN@Home ORBIS Plate



works with alexa works with LEDVANCE app works with Hey Google  WIFI  WIFI SMART+  SWITCH ON/OFF  COZY ACTIVE  CRI 95  DIM    LEDVANCE¹ 5 year guarantee 											
Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t(h) ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI	 IP
SUN@Home ORBIS Plate	4058075575950	1	White	Plastic (PMMA)	30 000	26.00	900	2 100	2 200 ... 5 000	>95	IP20
Product name											
											
SUN@Home ORBIS Plate	10 000	430.0	430.0	70.0	3						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SUN@HOME WIFI DOWNLIGHT SLIM

SMART DOWNLIGHTS FOR DIFFUSED LIGHT WITH FULL-SPECTRUM LEDS AND HCL FUNCTIONALITY



1
SUN@Home Downlight Slim
225mm



2
SUN@Home Downlight Slim
120mm



3
SUN@Home Downlight Slim
85mm




Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SUN@Home Downlight Slim 225mm	4058075575851	1	White	Plastic	25 000	22.00	1 500	1 950	2 200 ... 5 000	>95
SUN@Home Downlight Slim 120mm	4058075627024	2	White	Plastic	25 000	8.00	400	700	2 200 ... 5 000	>95
SUN@Home Downlight Slim 85mm	4058075627000	3	White	Plastic	25 000	4.50	170	400	2 200 ... 5 000	>95

Product name	°	IP	h ⁵ (mm)	d ⁶ (mm)	h ⁵ (mm)
SUN@Home Downlight Slim 225mm	110	IP20	15 000	33.5	225.0
SUN@Home Downlight Slim 120mm	110	IP20	15 000	35.0	120.0
SUN@Home Downlight Slim 85mm	110	IP20	15 000	37.0	85.0

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SUN@HOME WIFI ORBIS® CROSS

SMART, ADJUSTABLE WALL LUMINAIRES WITH FULL-SPECTRUM LEDS AND HCL FUNCTIONALITY



1
SUN@Home ORBIS Cross

works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	LEDVANCE SMART+	SWITCH ON/OFF	COZY ACTIVE	CRI 95	DIM			LEDVANCE 5 year guarantee	
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h]²	W	lm³ OUTPUT	lm⁴ LIGHT SOURCE	K	CRI			
SUN@Home ORBIS Cross	4058075575936	1	White	Steel	30 000	12.00	600	800	2 200 ... 5 000	>95			
Product name	IP		L (lm)	b (mm)	h (mm)								
SUN@Home ORBIS Cross	IP20	10 000	309.0	200.0	106.0	8							

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SUN@HOME WIFI MOOD LIGHTING LUMINAIRES

SMART MOOD LIGHTS WITH FULL-SPECTRUM LEDS AND HCL FUNCTIONALITY



1
SUN@Home Flex 3M



2
SUN@Home Moodlight



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

WIFI SMART+

SWITCH ON/OFF

COZY ACTIVE

CRI 95

DIM

LEDVANCE 5 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	Im ³ OUTPUT	Im ⁴ LIGHT SOURCE	K	CRI
SUN@Home Flex 3M	4058075576117	1	White	Silicone	30 000	13.50	850	1 140	2 200 ... 5 000	>95
SUN@Home Moodlight	4058075576094	2	White	Plastic	30 000	4.00	200	260	2 200 ... 5 000	>95

Product name	°	IP	l _{lm} ³ [lm]	b _{lm} ⁴ [lm]	h _{lm} ⁴ [lm]	d _{lm} ⁴ [mm]	
SUN@Home Flex 3M	120	IP20	1 500	3 000.0	10.0	2.8	- 4
SUN@Home Moodlight	110	IP20	15 000	200.0	200.0	195.0	200.0 4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser



CEILING LUMINAIRES



SMART+ DECOR
LUMINAIRES 48



ROUND SMART+
LUMINAIRES 96



DECOR LUMINAIRES 52



SMART+ CEILING
FANS 134



SMART+ PANEL
LUMINAIRES 56



SENSOR
LUMINAIRES 136



PANEL LUMINAIRES 74



ROUND
LUMINAIRES 146



SQUARE SMART+
LUMINAIRES 84

SMART+ WIFI DECOR SWAN CEILING

SMART CEILING LUMINAIRE WITH PAINTABLE PLASTER HOUSING AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI DECOR SWAN CEILING



works with alexa works with LEDVANCE app works with Hey Google WIFI WIFI SMART+ Switch on/off EASY MOUNTING DIM WARM COOL LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI DECOR SWAN CEILING	4058075757646	1	White	Plaster	30 000	22.00	1 200	1 680	3 000...6 500	>80
IP l [mm] b [mm] h [mm]										
SMART+ WIFI DECOR SWAN CEILING	IP20	15 000	250.0	250.0	120.0	2				

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI DECOR WOOD CEILING

SMART CEILING LUMINAIRE WITH WOODEN HOUSING AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI DECOR WOOD CEILING



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

SMART+

Switch on/off

EASY MOUNTING

REAL WOOD

DIM

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI DECOR WOOD CEILING	4058075757660	1	Wood	Wood	30 000	8.00	300	640	3 000...6 500	>80

Product name	IP	Beam angle	Beam diameter [mm]	Beam diameter [mm]	Beam diameter [mm]	Beam diameter [mm]
SMART+ WIFI DECOR WOOD CEILING	IP20	15 000	100.0	100.0	130.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

DECOR NAIROBI CEILING

WOOD AND METAL CEILING LUMINAIRE IN A DECORATIVE
FRAME DESIGN



1
DECOR NAIROBI CEILING
4XE27

		EASY MOUNTING		E27	MAX. 4x 15W	NOT INCL.	LEDVANCE ¹ 5 year guarantee		
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	b [mm]	h [mm]	
DECOR NAIROBI CEILING 4XE27	4058075759022	1	Black	Steel	IP20	750.0	170.0	227.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

DECOR MEMPHIS CEILING

TIMELESS AESTHETIC CEILING LUMINAIRE MADE OF ALUMINUM AND GLASS



1
DECOR MEMPHIS CEILING
3XG9



- EASY MOUNTING
- G9
- MAX. 3x 28W
- NOT INCL.
- LEDVANCE 1 5 year guarantee
-

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	Ø (mm)	
DECOR MEMPHIS CEILING 3XG9	4058075759169	1	Black	Steel	IP20	425.0	315.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

SMART+ WIFI PLANON™ FRAMELESS SPARKLE

SMART, FRAMELESS PANEL LUMINAIRES WITH GLITTER EFFECT AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI PLANONFL SPARKLE
1200X300mm



2
SMART+ WIFI PLANONFL SPARKLE
450X450mm



3
SMART+ WIFI PLANONFL SPARKLE
300X300mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ _{OUTPUT}	lm ⁴ _{SOURCE}	K	CRI
SMART+ WIFI PLANONFL SPARKLE 1200X300mm	4058075759589	1	White	Steel	30 000	38.00	2 300	4 200	3 000...6 500	>80
SMART+ WIFI PLANONFL SPARKLE 450X450mm	4058075759541	2	White	Steel	30 000	24.50	1 300	2 250	3 000...6 500	>80
SMART+ WIFI PLANONFL SPARKLE 300X300mm	4058075759527	3	White	Steel	30 000	21.00	850	1 800	3 000...6 500	>80

Product name						
SMART+ WIFI PLANONFL SPARKLE 1200X300mm	IP20	15 000	1 200.0	300.0	63.0	2
SMART+ WIFI PLANONFL SPARKLE 450X450mm	IP20	15 000	450.0	450.0	63.0	4
SMART+ WIFI PLANONFL SPARKLE 300X300mm	IP20	15 000	300.0	300.0	63.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI PLANON™ FRAMELESS SQUARE

FRAMELESS, SQUARE PANEL LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION



1
SMART+ WIFI PLANON
600x600
**
COLOR



2
SMART+ WIFI PLANON
450x450



3
SMART+ WIFI PLANON
300x300
**
COLOR



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

LED MODULE INTEGRATED

EASY MOUNTING

DIM

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ _{OUTPUT}	lm ⁴ _{SOURCE}	K	CRI
Smart+ WIFI PLANON FRAMELESS TW 600x600	4058075484436	1	White	Aluminum	25 000	40.00	3 400	4 250	3 000...6 500	>80
SMART+ WIFI PLANON FRAMELESS TW RGB 600x600**	4058075484474	1	White	Aluminum	25 000	40.00	3 400	4 450	RGB, 3 000...6 000	>80
SMART+ WIFI PLANON FRAMELESS TW 450x450	4058075484375	2	White	Aluminum	25 000	28.00	2 300	3 000	3 000...6 500	>80
SMART+ WIFI PLANON FRAMELESS TW 300x300	4058075484313	3	White	Aluminum	25 000	20.00	1 600	2 000	3 000...6 500	>80
SMART+ WIFI PLANON FRAMELESS TW RGB 300x300**	4058075484351	3	White	Aluminum	25 000	20.00	1 500	2 200	RGB, 3 000...6 000	>80

Product name	△	IP	Icon	l [mm]	b [mm]	h [mm]	Icon
Smart+ WIFI PLANON FRAMELESS TW 600x600	110	IP20	15 000	596.0	596.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW RGB 600x600**	110	IP20	15 000	596.0	596.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW 450x450	110	IP20	15 000	450.0	450.0	69.0	4
SMART+ WIFI PLANON FRAMELESS TW 300x300	110	IP20	15 000	300.0	300.0	69.0	5
SMART+ WIFI PLANON FRAMELESS TW RGB 300x300**	110	IP20	15 000	300.0	300.0	69.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI PLANON™ FRAMELESS RECTANGULAR
RECTANGULAR LIGHT PANELS WITHOUT FRAMES – WITH
TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION



1
SMART+ WIFI PLANON
1200x300




2
SMART+ WIFI PLANON
1200x100




3
SMART+ WIFI PLANON
600x300



4
SMART+ WIFI PLANON
600x100



5
SMART+ WIFI PLANON
800x100



6
SMART+ WIFI PLANON
400x100



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300**	4058075484511	1	White	Aluminum	25 000	40.00	3 300	4 400	RGB, 3 000...6 500	>80
SMART+ WIFI PLANON FRAMELESS TW 1200x300	4058075484498	1	White	Aluminum	25 000	40.00	3 400	4 400	3 000...6 500	>80
SMART+ WIFI PLANON FRAMELESS TW 1200x100	4058075484535	2	White	Aluminum	25 000	35.00	2 500	4 000	3 000...6 500	>80
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100**	4058075484573	2	White	Aluminum	25 000	35.00	2 500	4 100	RGB, 3 000...6 500	>80
SMART+ WIFI PLANON FRAMELESS TW 600x300	4058075484412	3	White	Aluminum	25 000	28.00	2 100	3 100	3 000...6 500	>80
SMART+ WIFI PLANON FRAMELESS TW 600x100	4058075484610	4	White	Aluminum	25 000	28.00	1 800	3 100	3 000...6 500	>80
SMART+ WIFI PLANON FRAMELESS TW 800x100	4058075484597	5	White	Aluminum	25 000	27.00	2 000	3 000	3 000...6 500	>80
SMART+ WIFI PLANON FRAMELESS TW 400x100	4058075484634	6	White	Aluminum	25 000	16.00	1 050	1 650	3 000...6 500	>80

Product name	△	IP	lm	l [lm]	b [lm]	h [lm]	lm
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300**	110	IP20	15 000	1 200.0	300.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW 1200x300	110	IP20	15 000	1 200.0	300.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW 1200x100	110	IP20	15 000	1 200.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100**	110	IP20	15 000	1 200.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW 600x300	110	IP20	15 000	600.0	300.0	69.0	4
SMART+ WIFI PLANON FRAMELESS TW 600x100	110	IP20	15 000	600.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW 800x100	110	IP20	15 000	800.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW 400x100	110	IP20	15 000	400.0	100.0	65.0	9

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI PLANON™ FRAMELESS ROUND

ROUND WALL AND CEILING LUMINAIRES IN FRAMELESS DESIGNS – WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION



works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI SWITCH ON OFF LED MODULE INTEGRATED EASY MOUNTING DIM WARM COOL LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI PLANON FRAMELESS TW 450	4058075484719	1	White	Aluminum	25 000	28.00	2 700	3 200	3 000...6 500	>80
SMART+ WIFI PLANON FRAMELESS TW RGB 300**	4058075484696	2	White	Aluminum	25 000	20.00	1 600	2 400	RGB, 3 000...6 500	>80
SMART+ WIFI PLANON FRAMELESS TW 300	4058075484672	2	White	Aluminum	25 000	20.00	1 700	2 300	3 000...6 500	>80

Product name	°	IP	h _h	d _d	
SMART+ WIFI PLANON FRAMELESS TW 450	110	IP20	15 000	65.0	450.0 5
SMART+ WIFI PLANON FRAMELESS TW RGB 300**	110	IP20	15 000	69.0	300.0 5
SMART+ WIFI PLANON FRAMELESS TW 300	110	IP20	15 000	65.0	300.0 5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI PLANON™ PLUS FRAME

SMART PANEL LUMINAIRES WITH TUNABLE WHITE GENERAL LIGHTING AND RGB FUNCTION FRAME




1
SMART+ WIFI PLANON PLUS FRAME
1200X300mm



2
SMART+ WIFI PLANON PLUS FRAME
450X450mm



3
SMART+ WIFI PLANON PLUS FRAME
300X300mm



Product name	GTIN (EAN)									
SMART+ WIFI PLANON PLUS FRAME 1200X300mm	4058075752641	1	White	Metal	30 000	36.00	2 800	4 000	2 700...6 500	>80
SMART+ WIFI PLANON PLUS FRAME 450X450mm	4058075752627	2	White	Metal	30 000	24.00	1 750	2 500	2 700...6 500	>80
SMART+ WIFI PLANON PLUS FRAME 300X300mm	4058075752603	3	White	Metal	40 000	18.00	1 300	1 800	2 700...6 500	>80

Product name							
SMART+ WIFI PLANON PLUS FRAME 1200X300mm	120	IP20	25 000	1 195.0	295.0	51.0	2
SMART+ WIFI PLANON PLUS FRAME 450X450mm	120	IP20	25 000	450.0	450.0	51.0	2
SMART+ WIFI PLANON PLUS FRAME 300X300mm	120	IP20	25 000	295.0	295.0	51.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI PLANON™ PLUS HOLE BACKLIGHT

SMART PANEL LUMINAIRES IN TUNABLE WHITE WITH CENTER HOLE AND RGB BACKLIGHT



1
SMART+ WIFI PLANON PLUS
HOLE BACKLIGHT
1000X300mm

2
SMART+ WIFI PLANON PLUS
HOLE BACKLIGHT
450X450mm

works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

SMART+ WIFI

Switch on/off

FAST CONNECTOR

BACK LIGHT

DIM

WARM COOL

COLOR

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI PLANON PLUS HOLE BACKLIGHT 1000X300mm	4058075752689	1	White	Metal	30 000	36.00	2 700	4 100	2 700...6 500	>80
SMART+ WIFI PLANON PLUS HOLE BACKLIGHT 450X450mm	4058075752665	2	White	Metal	30 000	24.00	1 550	2 500	2 700...6 500	>80

Product name	°	IP	lm	l _{lm} ⁴	b _{lm}	h _{lm}	
SMART+ WIFI PLANON PLUS HOLE BACKLIGHT 1000X300mm	120	IP20	25 000	1 000.0	295.0	51.0	2
SMART+ WIFI PLANON PLUS HOLE BACKLIGHT 450X450mm	120	IP20	25 000	450.0	450.0	51.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI PLANON™ PLUS BACKLIGHT

PANEL LUMINAIRES WITH SEPARATELY CONTROLLABLE BACKLIGHTS WITH RGB FUNCTION



1
SMART+ PLANON PLUS BACKLIGHT
600x600mm Black +RC



2
SMART+ PLANON PLUS BACKLIGHT
600x600mm White +RC



3
SMART+ PLANON PLUS BACKLIGHT
100x25mm Black +RC



4
SMART+ PLANON PLUS BACKLIGHT
100x250mm White +RC



5
SMART+ PLANON PLUS BACKLIGHT
450x450mm Black +RC



6
SMART+ PLANON PLUS BACKLIGHT
450x450mm White +RC



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ PLANON PLUS BACKLIGHT 600X600mm Black +RC	4058075650275	1	Black	Aluminum	25 000	39.00	2 700	3 950	3 000...6 500	≥80
SMART+ PLANON PLUS BACKLIGHT 600X600mm White +RC	4058075650190	2	White	Aluminum	25 000	39.00	3 000	3 950	3 000...6 500	≥80
SMART+ PLANON PLUS BACKLIGHT 100X25mm Black +RC	4058075650299	3	Black	Aluminum	25 000	27.00	1 500	2 050	3 000...6 500	≥80
SMART+ PLANON PLUS BACKLIGHT 100X250mm White +RC	4058075650213	4	White	Aluminum	25 000	28.00	1 900	3 050	3 000...6 500	≥80
SMART+ PLANON PLUS BACKLIGHT 450X450mm Black +RC	4058075650251	5	Black	Aluminum	25 000	27.00	1 800	2 900	3 000...6 500	≥80
SMART+ PLANON PLUS BACKLIGHT 450X450mm White +RC	4058075650152	6	White	Aluminum	25 000	27.00	2 000	2 900	3 000...6 500	≥80

Product name	△	IP	lx	x huc	b [mm]	h [mm]	box
SMART+ PLANON PLUS BACKLIGHT 600X600mm Black +RC	110	IP20	15 000	2	60.0	56.0	3
SMART+ PLANON PLUS BACKLIGHT 600X600mm White +RC	110	IP20	15 000	2	60.0	56.0	3
SMART+ PLANON PLUS BACKLIGHT 100X250mm White +RC	110	IP20	15 000	2	25.0	56.0	4
SMART+ PLANON PLUS BACKLIGHT 100X25mm Black +RC	110	IP20	15 000	2	25.0	56.0	4
SMART+ PLANON PLUS BACKLIGHT 450X450mm Black +RC	110	IP20	15 000	2	45.0	56.0	4
SMART+ PLANON PLUS BACKLIGHT 450X450mm White +RC	110	IP20	15 000	2	45.0	56.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI PLANON™ PLUS SQUARE

SQUARE PANEL LUMINAIRES FOR CEILING MOUNTING – WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION



1
SMART+ WIFI PLANON PLUS TW
600x600



2
SMART+ WIFI PLANON PLUS TW
450x450



3
SMART+ WIFI PLANON PLUS TW
300x300



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ _{OUT}	lm ⁴ _{SOURCE}	K	CRI
SMART+ WIFI PLANON PLUS TW 600x600***	4058075525382	1	White	Aluminum	25 000	36.00	3 000	3 950	3 000...6 500	≥80
SMART+ WIFI PLANON PLUS TW 450x450***	4058075525337	2	White	Aluminum	25 000	28.00	2 000	2 950	3 000...6 500	≥80
SMART+ WIFI PLANON PLUS TW 300x300***	4058075525313	3	White	Aluminum	25 000	20.00	1 500	2 050	3 000...6 500	≥80
SMART+ WIFI PLANON PLUS RGBW 600x600**	4058075525269	-	White	Aluminum	25 000	36.00	3 200	4 000	RGB, 3 000	≥80
SMART+ WIFI PLANON PLUS RGBW 450x450**	4058075525221	-	White	Aluminum	25 000	28.00	2 100	3 000	RGB, 3 000	≥80
SMART+ WIFI PLANON PLUS RGBW 300x300**	4058075495708	-	White	Aluminum	25 000	20.00	1 400	2 300	RGB, 3 000	≥80

Product name	△	IP	Ca	l ₉₀	b ₉₀	h ₉₀	⊞
SMART+ WIFI PLANON PLUS TW 600x600***	110	IP20	15 000	595.0	595.0	56.0	3
SMART+ WIFI PLANON PLUS TW 450x450***	110	IP20	15 000	450.0	450.0	56.0	4
SMART+ WIFI PLANON PLUS TW 300x300***	110	IP20	15 000	300.0	300.0	56.0	5
SMART+ WIFI PLANON PLUS RGBW 600x600**	110	IP20	15 000	595.0	595.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 450x450**	110	IP20	15 000	450.0	450.0	56.0	4
SMART+ WIFI PLANON PLUS RGBW 300x300**	110	IP20	15 000	300.0	300.0	56.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI PLANON™ PLUS RECTANGULAR

RECTANGULAR PANEL LUMINAIRES FOR CEILING MOUNTING – WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION



1
SMART+ WIFI PLANON PLUS TW
1200x300

COLOR ** WARM COOL ***

2
SMART+ WIFI PLANON PLUS TW
600x300

COLOR ** WARM COOL ***

works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

LED MODULE INTEGRATED

EASY MOUNTING

DIM

WARM LIGHT

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI PLANON PLUS TW 1200x300***	4058075525405	1	White	Aluminum	25 000	36	2 700	4 000	3 000...6 500	≥80
SMART+ WIFI PLANON PLUS RGBW 1200x300**	4058075525290	1	White	Aluminum	25 000	36	3 000	4 100	RGB, 3 000	≥80
SMART+ WIFI PLANON PLUS RGBW 600x300**	4058075525245	2	White	Aluminum	25 000	28	2 000	3 000	RGB, 3 000	≥80
SMART+ WIFI PLANON PLUS TW 600x300***	4058075525368	2	White	Aluminum	25 000	22	1 600	2 300	3 000...6 500	≥80

Product name	°C	IP	lm	l _{lmw}	b _{lmw}	h _{lmw}	
SMART+ WIFI PLANON PLUS TW 1200x300**	110	IP20	15 000	1 200.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 1200x300*	110	IP20	15 000	1 200.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 600x300*	110	IP20	15 000	595.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS TW 600x300**	110	IP20	15 000	595.0	300.0	56.0	3

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

PLANON™ FRAMELESS SQUARE

SQUARE PANEL LUMINAIRES IN FRAMELESS DESIGNS



1
PLANON Frameless On-Off
600x600 40 W 3000 K



2
PLANON Frameless On-Off
300x300 19 W 3000 K



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
PLANON Frameless On-Off 600x600 40 W 3000 K	4058075470651	1	White	Aluminum	25 000	40.00	3 000	4 300	3 000	80	110
PLANON Frameless On-Off 300x300 19 W 3000 K	4058075470675	2	White	Aluminum	25 000	19.00	1 500	2 100	3 000	80	110

Product name						
PLANON Frameless On-Off 600x600 40 W 3000 K	IP20	15 000	596.0	596.0	68.5	3
PLANON Frameless On-Off 300x300 19 W 3000 K	IP20	15 000	300.0	300.0	68.5	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

PLANON™ FRAMELESS RECTANGULAR

PRESTIGIOUS LIGHT PANELS IN FULLY FRAMELESS DESIGN



2
PLANON Frameless On-Off
1200x300 40 W 3000 K



3
PLANON Frameless On-Off
1200x100 35 W 3000 K



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ² t[h]	 W	 ³ lm OUTPUT	 ⁴ lm LIGHT SOURCE	 K	 CRI	
PLANON Frameless On-Off 1200x300 40 W 3000 K	4058075470576	2	White	Aluminum	25 000	40.00	3 300	4 400	3 000	80	110
PLANON Frameless On-Off 1200x100 35 W 3000 K	4058075470699	3	White	Aluminum	25 000	35.00	2 500	4 100	3 000	80	110

Product name	 IP		 ¹ l [lm]	 ² b [mm]	 ³ h [mm]	
PLANON Frameless On-Off 1200x300 40 W 3000 K	IP20	15 000	1 200.0	300.0	68.5	3
PLANON Frameless On-Off 1200x100 35 W 3000 K	IP20	15 000	1 200.0	100.0	65.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

PLANON™ FRAMELESS ROUND

PRESTIGIOUS ROUND LIGHT PANELS IN FULLY FRAMELESS DESIGN



1
PLANON Frameless On-Off ROUND
450 28 W 3000 K



2
PLANON Frameless On-Off ROUND
300 19 W 3000 K



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
PLANON Frameless On-Off ROUND 450 28 W 3000 K	4058075470736	1	White	Aluminum	25 000	28.00	2 700	3 500	3 000	80	110
PLANON Frameless On-Off ROUND 300 19 W 3000 K	4058075470712	2	White	Aluminum	25 000	19.00	1 600	2 300	3 000	80	110

Product name	IP	h _h	d _d	h _h
PLANON Frameless On-Off ROUND 450 28 W 3000 K	IP20	15 000	65.0	450.0
PLANON Frameless On-Off ROUND 300 19 W 3000 K	IP20	15 000	65.0	300.0

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

PLANON™ PLUS

VERY FLAT LED SURFACE-MOUNTED LUMINAIRES WITH
UNIQUE AND SIMPLE ASSEMBLY



1
PLANON PLUS
300x1200 36 W 3000 K



2
PLANON PLUS
600x600 36 W 3000 K



3
PLANON PLUS
300x600 22 W 3000 K




Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ²		 ³	 ⁴			
PLANON PLUS 300x1200 36 W 4000 K	4058075601352	1	White	Aluminum	25 000	36.00	2 800	4 100	4 000	≥80	110
PLANON PLUS 300x1200 36 W 3000 K	4058075601338	1	White	Aluminum	25 000	36.00	2 800	4 100	3 000	≥80	110
PLANON PLUS 600x600 36 W 4000 K	4058075601314	2	White	Aluminum	25 000	36.00	3 000	4 100	4 000	≥80	110
PLANON PLUS 600x600 36 W 3000 K	4058075601291	2	White	Aluminum	25 000	36.00	3 000	4 100	3 000	≥80	110
PLANON PLUS 300x600 22 W 4000 K	4058075601277	3	White	Aluminum	25 000	22.00	1 600	2 300	4 000	≥80	110
PLANON PLUS 300x600 22 W 3000 K	4058075601253	3	White	Aluminum	2a5 000	22.00	1 600	2 300	3 000	≥80	110

Product name						
PLANON PLUS 300x1200 36 W 4000 K	IP20	15 000	1 200.00	300.00	56.00	4
PLANON PLUS 300x1200 36 W 3000 K	IP20	15 000	1 200.00	300.00	56.00	4
PLANON PLUS 600x600 36 W 4000 K	IP20	15 000	595.00	595.00	56.00	4
PLANON PLUS 600x600 36 W 3000 K	IP20	15 000	595.00	595.00	56.00	4
PLANON PLUS 300x600 22 W 4000 K	IP20	15 000	595.00	300.00	56.00	4
PLANON PLUS 300x600 22 W 3000 K	IP20	15 000	595.00	300.00	56.00	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

PANEL ESSENTIAL

CLASSIC, LOW-COST PANEL LUMINAIRES FOR STANDARD APPLICATIONS



1
Panel Essential
600x600mm 4000K



2
Panel Essential
600 Surface Frame

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ¹	W	lm ² OUTPUT	lm ³ LIGHT SOURCE	K	CRI	°
--------------	------------	-----	-------	----------	-----------------------------	---	---------------------------	------------------------------------	---	-----	---

Panel Essential 600x600mm 6500K	4058075762671	1	White	Aluminum/Plastic	20 000	36.00	3 200	3 850	6 500	>80	110
Panel Essential 600x600mm 4000K	4058075762657	1	White	Aluminum/Plastic	20 000	36.00	3 200	3 850	4 000	>80	110
Panel Essential 600 Surface Frame	4099854003097	2	White	Aluminium	-	-	-	-	-	-	-

Product name	IP	l _{avg} (lm/m²)	b _{avg} (mm)	h _{avg} (mm)	Weight (kg)
--------------	----	-----------------------------	--------------------------	--------------------------	----------------

Panel Essential 600x600mm 6500K	IP20	10 000	596.0	596.0	35.0	5
Panel Essential 600x600mm 4000K	IP20	10 000	596.0	596.0	35.0	5
Panel Essential 600 Surface Frame	-	-	600.0	47.0	50.0	10


¹ Average lifetime in hours | ² Total luminous flux of the luminaire taking into account the diffuser | ³ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® MAGNET SQUARE

SQUARE LUMINAIRES WITH VERY SIMPLE MAGNETIC MOUNTING AND TUNABLE WHITE FUNCTION




1
SMART+ WIFI ORBIS MAGNET
450x450mm White




2
SMART+ WIFI ORBIS MAGNET
450x450mm Black



3
SMART+ WIFI ORBIS MAGNET
450x450mm Grey



4
SMART+ WIFI ORBIS MAGNET
300x300mm White



5
SMART+ WIFI ORBIS MAGNET
300x300mm Black



6
SMART+ WIFI ORBIS MAGNET
300x300mm Grey



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS MAGNET 450X450mm White	4058075572690	1	White	Steel	30 000	42.00	3 200	4 400	3 000...6 500	≥80
SMART+ WIFI ORBIS MAGNET 450X450mm Black	4058075572751	2	Black	Steel	30 000	42.00	2 500	4 400	3 000...6 500	≥80
SMART+ WIFI ORBIS MAGNET 450X450mm Grey	4058075572812	3	Gray	Steel	30 000	42.00	2 500	4 400	3 000...6 500	≥80
SMART+ WIFI ORBIS MAGNET 300X300mm White	4058075572652	4	White	Steel	30 000	26.00	2 000	2 800	3 000...6 500	≥80
SMART+ WIFI ORBIS MAGNET 300X300mm Black	4058075572737	5	Black	Steel	30 000	26.00	1 400	2 800	3 000...6 500	≥80
SMART+ WIFI ORBIS MAGNET 300X300mm Grey	4058075572799	6	Gray	Steel	30 000	26.00	1 400	2 800	3 000...6 500	≥80

Product name	°	IP	lm ³	l [mm]	b [mm]	h [mm]	lm ⁴
SMART+ WIFI ORBIS MAGNET 450X450mm White	110	IP20	15 000	450.0	450.0	86.0	4
SMART+ WIFI ORBIS MAGNET 450X450mm Black	110	IP20	15 000	450.0	450.0	86.0	4
SMART+ WIFI ORBIS MAGNET 450X450mm Grey	110	IP20	15 000	450.0	450.0	86.0	4
SMART+ WIFI ORBIS MAGNET 300X300mm White	110	IP20	15 000	300.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 300X300mm Black	110	IP20	15 000	300.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 300X300mm Grey	110	IP20	15 000	300.0	300.0	86.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® MAGNET RECTANGULAR

RECTANGULAR LUMINAIRES WITH VERY SIMPLE MAGNETIC MOUNTING AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI ORBIS MAGNET
600x300mm White



2
SMART+ WIFI ORBIS MAGNET
600x300mm Black



3
SMART+ WIFI ORBIS MAGNET
600x300mm Grey



Product name	GTIN (EAN)									
SMART+ WIFI ORBIS MAGNET 600X300mm White	4058075572713	1	White	Steel	30 000	42.00	3 200	4 400	3 000...6 500	≥80
SMART+ WIFI ORBIS MAGNET 600X300mm Black	4058075572775	2	Black	Steel	30 000	42.00	2 300	4 400	3 000...6 500	≥80
SMART+ WIFI ORBIS MAGNET 600X300mm Grey	4058075572836	3	Gray	Steel	30 000	42.00	2 300	4 400	3 000...6 500	≥80

Product name							
SMART+ WIFI ORBIS MAGNET 600X300mm White	110	IP20	15 000	600.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 600X300mm Black	110	IP20	15 000	600.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 600X300mm Grey	110	IP20	15 000	600.0	300.0	86.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® BACKLIGHT SQUARE

SQUARE CEILING LUMINAIRES WITH EFFECTIVE BACKLIGHTING, AND TUNABLE WHITE AND RGB FUNCTION



1
SMART+ WIFI ORBIS BACKLIGHT
350x350mm White



2
SMART+ WIFI ORBIS BACKLIGHT
350x350mm Black



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

BACK LIGHT

DIM

COLOR

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS BACKLIGHT 350X350mm White	4058075572850	1	White	Steel	30 000	28.00	1 700	2 800	3 000...6 500	≥80
SMART+ WIFI ORBIS BACKLIGHT 350X350mm Black	4058075572874	2	Black	Metal	30 000	28.00	1 700	2 800	3 000...6 500	>80

Product name	°	IP	lm	l [mm]	b [mm]	h [mm]	
SMART+ WIFI ORBIS BACKLIGHT 350X350mm White	110	IP20	15 000	350.0	350.0	90.0	4
SMART+ WIFI ORBIS BACKLIGHT 350X350mm Black	110	IP20	15 000	350.0	350.0	90.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® STELLA

SQUARE CEILING LUMINAIRE IN A STYLISH DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION



1
SMART+ WIFI ORBIS STELLA
485x485mm

works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	LDV WIFI	SWITCH ON OFF	EASY MOUNTING	DIM	COLOR	WARM COOL	LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)											
SMART+ WIFI ORBIS STELLA 485x485mm	4058075573390	1	White	Steel	30 000	32.00	1 800	3 250	2 700...6 500	>80		
Product name												
SMART+ WIFI ORBIS STELLA 485x485mm	110	IP20	15 000	485.0	485.0	80.0	3					

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® SADDIE

CEILING LUMINAIRE WITH TUNABLE WHITE AND RGB FUNCTION FOR COLORED ACCENTS



1
SMART+ WIFI ORBIS SADDIE
500mm



works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	LDV WIFI	SWITCH ON OFF	EASY MOUNTING	DIM	COLOR	WARM COOL	LEDVANCE 3 year guarantee	
Product name		GTIN (EAN)										
SMART+ WIFI ORBIS SADDIE 500mm		4058075573451		1	White	Steel	30 000	32.00	2 850	3 600	2 700...6 500	>80
Product name												
SMART+ WIFI ORBIS SADDIE 500mm		110	IP20	15 000	500.0	500.0	55.0	3				

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® CLEAN

SMART CEILING LUMINAIRE WITH TUNABLE WHITE FUNCTION
IN A MODERN, PURIST LOOK



1
SMART+ WIFI ORBIS CLEAN
530x530mm

works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	LDV WIFI	SWITCH ON/OFF	EASY MOUNTING	DIM	WARM COOL	LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
SMART+ WIFI ORBIS CLEAN 530X530mm	4058075572614	1	White	Steel	30 000	42.00	2 500	4 000	3 000...6 500	≥80	
Product name	IP	l [mm]	b [mm]	h [mm]							
SMART+ WIFI ORBIS CLEAN 530X530mm	IP20	530.0	530.0	85.0	3						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ ORBIS® ULTRA SLIM BACKLIGHT

SMART, ROUND TUNABLE WHITE PANEL LUMINAIRES WITH RGB BACKLIGHT FOR COLOR ACCENTS



1
SMART+ ORBIS ULTRA SLIM BACKLIGHT
400mm WHITE



2
SMART+ ORBIS ULTRA SLIM BACKLIGHT
400mm BLACK



3
SMART+ ORBIS ULTRA SLIM BACKLIGHT
235mm WHITE



4
SMART+ ORBIS ULTRA SLIM BACKLIGHT
235mm BLACK



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

SMART+

Switch on/off

FAST CONNECTOR

BACK LIGHT

DIM

WARM COOL

COLOR

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)		COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ ORBIS ULTRA SLIM BACKLIGHT 400mm WHITE	4058075752764	1	White	Plastic	30 000	25.00	2 000	2 940	2 700...6 500	≥80
SMART+ ORBIS ULTRA SLIM BACKLIGHT 400mm BLACK	4058075752801	2	Black	Plastic	30 000	25.00	1 870	2 940	2 700...6 500	≥80
SMART+ ORBIS ULTRA SLIM BACKLIGHT 235mm WHITE	4058075752719	3	White	Plastic	30 000	19.00	1 140	1 790	2 700...6 500	>80
SMART+ ORBIS ULTRA SLIM BACKLIGHT 235mm BLACK	4058075752788	4	Black	Plastic	30 000	19.00	1 070	1 790	2 700...6 500	≥80

Product name		IP	h _{lmj}	d _{lmj}	
SMART+ ORBIS ULTRA SLIM BACKLIGHT 400mm WHITE	110	IP20	15 000	27.0	400.0 5
SMART+ ORBIS ULTRA SLIM BACKLIGHT 400mm BLACK	110	IP20	15 000	27.0	400.0 5
SMART+ ORBIS ULTRA SLIM BACKLIGHT 235mm WHITE	110	IP20	15 000	27.0	235.0 5
SMART+ ORBIS ULTRA SLIM BACKLIGHT 235mm BLACK	110	IP20	15 000	27.0	235.0 5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® CLARIA

SMART CEILING LUMINAIRE WITH TUNABLE WHITE MAIN LIGHT AND ADDITIONAL RGB ACCENT LIGHTING



1
SMART+ WIFI ORBIS CLARIA
490mm



works with alexa works with LEDVANCE app works with Hey Google WIFI WIFI SMART+ Switch on/off FAST CONNECTOR DIM WARM COOL COLOR LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³	lm ⁴	K	CRI
SMART+ WIFI ORBIS CLARIA 490mm	4058075754775	1	White	Steel	50 000	32.00	3 150	4 200	2 700...6 500	>80
Product name	°	IP	h	Ø (mm)						
SMART+ WIFI ORBIS CLARIA 490mm	360	IP20	25 000	95.0	490.0	3				

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® KURT

SMART CEILING LUMINAIRE IN A TIMELESS DESIGN WITH TUNABLE WHITE FUNCTION



1
SMART+ WIFI ORBIS KURT
450mm



works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	WIFI SMART+	Switch on/off	FAST CONNECTOR	DIM	WARM COOL	LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
SMART+ WIFI ORBIS KURT 450mm	4058075754799	1	Black/Gold	Steel	50 000	30.00	1 750	3 550	2 700...6 500	>80	
Product name											
SMART+ WIFI ORBIS KURT 450mm	360	IP20	25 000	110.0	450.0	4					

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® WOOD

SMART CEILING LUMINAIRE IN A HIGH-QUALITY WOOD FINISH AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI ORBIS WOOD
400mm

works with alexa		works with LEDVANCE app	works with Hey Google	 WiFi	 WiFi SMART+	 Switch on/off	 FAST CONNECTOR	 REAL WOOD	 DIM	 WARM COOL	 LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t_h²	 W	 lm³	 lm⁴	 K	 CRI		
SMART+ WIFI ORBIS WOOD 400mm	4058075754751	1	Wood	Wood	50 000	24.00	1 250	2 950	2 700...6 500	>80		
Product name		 IP		 h (mm)	 Ø (mm)							
SMART+ WIFI ORBIS WOOD 400mm	360	IP20	25 000	75.0	400.0	4						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® SPARKLE

ROUND CEILING LUMINAIRE WITH GLITTER EFFECT AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI ORBIS SPARKLE
560mm



2
SMART+ WIFI ORBIS SPARKLE
460mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
SMART+ WIFI ORBIS SPARKLE 560mm	4058075573499	1	White	Steel	15 000	30.00	2 400	3 300	2 700	>80	120
SMART+ WIFI ORBIS SPARKLE 460mm	4058075573475	2	White	Steel	15 000	24.00	1 800	2 400	2 700	>80	120

Product name					
SMART+ WIFI ORBIS SPARKLE 560mm	IP20	15 000	76.0	560.0	5
SMART+ WIFI ORBIS SPARKLE 460mm	IP20	15 000	76.0	460.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® GAVIN, LISA AND JADEN

SMART CEILING LUMINAIRES WITH STRIKING EDGES IN BLACK AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI ORBIS GAVIN
500mm



2
SMART+ WIFI ORBIS LISA
500mm



3
SMART+ WIFI ORBIS JADEN
500mm



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

EASY MOUNTING

DIM

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°C
SMART+ WIFI ORBIS GAVIN 500mm	4058075573512	1	Black	Steel	15 000	30.00	1 850	3 300	2 700	>80	120
SMART+ WIFI ORBIS LISA 500mm	4058075573536	2	Black	Steel	15 000	30.00	2 100	3 300	2 700	>80	120
SMART+ WIFI ORBIS JADEN 500mm	4058075573550	3	Black	Steel	15 000	30.00	2 100	3 300	2 700	>80	120

Product name	IP	h ₉₀ ²	h ₉₀ ²	h ₉₀ ²	h ₉₀ ²
SMART+ WIFI ORBIS GAVIN 500mm	IP20	15 000	85.0	484.0	5
SMART+ WIFI ORBIS LISA 500mm	IP20	15 000	85.0	484.0	5
SMART+ WIFI ORBIS JADEN 500mm	IP20	15 000	85.0	488.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® BACKLIGHT ROUND

ROUND CEILING LUMINAIRES WITH EFFECTIVE BACKLIGHTING, AND TUNABLE WHITE AND RGB FUNCTION



1
SMART+ WIFI ORBIS BACKLIGHT
350mm White

2
SMART+ WIFI ORBIS BACKLIGHT
350mm Black

works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI SWITCH ON OFF BACK LIGHT DIM COLOR WARM COOL LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS BACKLIGHT 350mm White	4058075574397	1	White	Steel	30 000	28.00	1 400	2 400	3 000...6 500	≥80
SMART+ WIFI ORBIS BACKLIGHT 350mm Black	4058075573574	2	Black	Metal	30 000	28.00	1400	2400	3 000...6 500	>80

Product name	°	IP	h [mm]	d [mm]	
SMART+ WIFI ORBIS BACKLIGHT 350mm White	110	IP20	15 000	90.0	350.0
SMART+ WIFI ORBIS BACKLIGHT 350mm Black	110	IP20	15 000	90.0	350.0

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® CIRCLE

SMART CEILING LUMINAIRES WITH TUNABLE WHITE AND RGB FUNCTION FOR COLORED ACCENTS IN THE OUTER RING



1
SMART+ WIFI ORBIS CIRCLE
460mm Black



2
SMART+ WIFI ORBIS CIRCLE
460mm White



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

EASY MOUNTING

DIM

COLOR

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS CIRCLE 460mm Black	4058075573833	1	Black	Plastic (ABS)	30 000	28.00	750	2 400	3 000...6 500	≥80
SMART+ WIFI ORBIS CIRCLE 460mm White	4058075573871	2	White	Plastic (ABS)	30 000	28.00	900	2 400	3 000...6 500	>80

Product name	°	IP	h [mm]	d [mm]	
SMART+ WIFI ORBIS CIRCLE 460mm Black	110	IP20	15 000	95.0	460.0 3
SMART+ WIFI ORBIS CIRCLE 460mm White	110	IP20	15 000	95.0	460.0 3

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® STEA

ROUND CEILING LUMINAIRE IN A STYLISH DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION



1
SMART+ WIFI ORBIS STEA
485mm



works with alexa		 works with LEDVANCE app	 works with Hey Google	 WIFI	 LDV WIFI	 SWITCH ON OFF	 EASY MOUNTING	 DIM	 COLOR	 WARM COOL	 LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t(h)²	 W	 lm³ OUTPUT	 lm⁴ LIGHT SOURCE	 K	 CRI		
SMART+ WIFI ORBIS STEA 485mm	4058075573413	1	White	Steel	30 000	32.00	1 950	3 350	2 700...6 500	>80		
Product name			 IP		 h (mm)	 d (mm)						
SMART+ WIFI ORBIS STEA 485mm	110	IP20	15 000	80.0	485.0	4						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® RUMOR

CEILING LUMINAIRE IN A CHARACTERISTIC DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION



1
SMART+ WIFI ORBIS RUMOR
500mm



works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	LDV WIFI	SWITCH ON OFF	EASY MOUNTING	DIM	COLOR	WARM COOL	LEDVANCE 3 year guarantee	
Product name		GTIN (EAN)		No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS RUMOR 500mm		4058075573437		1	White	Steel	30 000	32.00	2 600	3 300	2 700...6 500	>80
Product name												
SMART+ WIFI ORBIS RUMOR 500mm		110	IP20	15 000	100.0	500.0	3					

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® DONUT

WALL AND CEILING LUMINAIRE IN A STYLISH DONUT DESIGN – WITH TUNABLE WHITE FUNCTION



1
SMART+ WIFI ORBIS Donut
400 WT

works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI SWITCH ON OFF LED MODULE INTEGRATED EASY MOUNTING DIM WARM COOL LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS Donut 400 WT	4058075486300	1	White	Plastic (PMMA)	30 000	24.00	1 150	2 400	3 000...6 500	>80
IP h (mm) d (mm)										
SMART+ WIFI ORBIS Donut 400 WT	110	IP20	15 000	85.0	400.0	3				

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® KITE

TIMELESSLY MODERN CEILING LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION



1
SMART+ WIFI ORBIS Kite
510 WT TW



2
SMART+ WIFI ORBIS Kite
410 WT TW



3
SMART+ WIFI ORBIS KITE
340 WT TW



Product name	GTIN (EAN)		COLOR	MATERIAL		W	lm ³	lm ⁴	K	CRI
SMART+ WIFI ORBIS Kite 510 WT	4058075486348	1	White	Steel	30 000	32.00	2 400	3 200	3 000...6 500	>80
SMART+ WIFI ORBIS Kite 410 WT	4058075486324	2	White	Steel	30 000	24.00	1 800	2 800	3 000...6 500	>80
SMART+ WIFI ORBIS KITE TW RGB 340 WT**	4058075495685	3	White	Steel	25 000	18.00	1 400	2 300	2 700...6 500	80

Product name		IP		h (mm)	d (mm)	
SMART+ WIFI ORBIS Kite 510 WT	110	IP20	15 000	83.0	510.0	3
SMART+ WIFI ORBIS Kite 410 WT	110	IP20	15 000	68.0	410.0	3
SMART+ WIFI ORBIS KITE TW RGB 340 WT	120	IP20	15 000	80.0	340.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® MOON

CEILING LUMINAIRES IN AN ATTRACTIVE LUNAR LOOK – WITH TUNABLE WHITE FUNCTION



1
SMART+ WIFI ORBIS Moon
480 BK



2
SMART+ WIFI ORBIS Moon
480 GR



3
SMART+ WIFI ORBIS Moon
380 BK



4
SMART+ WIFI ORBIS Moon
380 GR



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

LED MODULE INTEGRATED

EASY MOUNTING

DIM

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)		COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS Moon 480 BK	4058075486386	1	Black	Plastic (PMMA)	30 000	32.00	2 000	3 200	3 000...6 500	>80
SMART+ WIFI ORBIS Moon 480 GR	4058075486423	2	Gray	Plastic (PMMA)	30 000	32.00	2 000	3 200	3 000...6 500	>80
SMART+ WIFI ORBIS Moon 380 BK	4058075486362	3	Black	Plastic (PMMA)	30 000	24.00	1 500	2 400	3 000...6 500	>80
SMART+ WIFI ORBIS Moon 380 GR	4058075486409	4	Gray	Plastic (PMMA)	30 000	24.00	1 500	2 400	3 000...6 500	>80

Product name		IP		h _{lmj}	d _{lmj}	
SMART+ WIFI ORBIS Moon 480 BK	110	IP20	15 000	86.0	480.0	3
SMART+ WIFI ORBIS Moon 480 GR	110	IP20	15 000	86.0	480.0	3
SMART+ WIFI ORBIS Moon 380 BK	110	IP20	15 000	85.0	380.0	3
SMART+ WIFI ORBIS Moon 380 GR	110	IP20	15 000	85.0	380.0	3

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® PLATE

CEILING LUMINAIRES IN MODERN MINIMALIST DESIGNS – WITH TUNABLE WHITE FUNCTION; FRAMES IN WHITE AND GRAY



1
SMART+ WIFI ORBIS Plate
430 WT

2
SMART+ WIFI ORBIS Plate
430 GR

works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI SWITCH ON OFF LED MODULE INTEGRATED EASY MOUNTING DIM WARM COOL LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS Plate 430 WT	4058075486447	1	White	Plastic (PMMA)	30 000	24.00	1 250	2 400	3 000...6 500	>80
SMART+ WIFI ORBIS Plate 430 GR	4058075486461	2	Gray	Plastic (PMMA)	30 000	24.00	850	2 400	3 000...6 500	>80

Product name	°	IP	h [mm]	d [mm]	
SMART+ WIFI ORBIS Plate 430 WT	110	IP20	15 000	70.0	430.0 3
SMART+ WIFI ORBIS Plate 430 GR	110	IP20	15 000	70.0	430.0 3

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® CROMO

CEILING LUMINAIRE IN A PLAYFUL IRREGULAR LOOK – WITH TUNABLE WHITE FUNCTION; DESIGNS IN CHROME AND WHITE



1
SMART+ WIFI ORBIS Cromo
500 CR



works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI SWITCH ON OFF LED MODULE INTEGRATED EASY MOUNTING DIM WARM COOL LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS Cromo 500 CR	4058075486485	1	White	Plastic (PMMA)	30 000	30.00	1 900	3 200	3 000...6 500	>80
IP h (mm) d (mm)										
SMART+ WIFI ORBIS Cromo 500 CR	110	IP20	15 000	89.0	500.0	3				

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® FRAME

CEILING LUMINAIRE WITH AN ILLUMINATED FRAME AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI ORBIS Frame
500 WT



works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	LDV WIFI	SWITCH ON OFF	LED MODULE INTEGRATED	EASY MOUNTING	DIM	WARM COOL	LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t(h)²	W	lm³	lm⁴	K	CRI		
SMART+ WIFI ORBIS Frame 500 WT	4058075486508	1	White	Plastic (PMMA)	30 000	32.00	1 900	3 200	3 000...6 500	>80		
Product name		IP		h (mm)	ø (mm)							
SMART+ WIFI ORBIS Frame 500 WT	110	IP20	15 000	83.0	495.0	3						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® EYE

PURISTIC CEILING LUMINAIRES WITH TUNABLE WHITE FUNCTION;
DESIGNS IN GRAY AND WHITE



1
SMART+ WIFI ORBIS Eye
490 WT



2
SMART+ WIFI ORBIS Eye
490 GR



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

LED MODULE INTEGRATED

EASY MOUNTING

DIM

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS Eye 490 WT	4058075486522	1	White	Plastic (PMMA)	30 000	32.00	1 400	3 200	3 000...6 500	>80
SMART+ WIFI ORBIS Eye 490 GR	4058075486546	2	Gray	Plastic (PMMA)	30 000	32.00	1 300	3 200	3 000...6 500	>80

Product name	°	IP	lx	h [mm]	ø d [mm]	
SMART+ WIFI ORBIS Eye 490 WT	110	IP20	15 000	75.5	490.0	3
SMART+ WIFI ORBIS Eye 490 GR	110	IP20	15 000	75.5	490.0	3

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® CYLINDER

CEILING LUMINAIRES IN CYLINDRICAL DESIGNS WITH AESTHETIC LIGHTING EFFECT AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI ORBIS Cylinder
450 WT



2
SMART+ WIFI ORBIS Cylinder
450 GR



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

LED MODULE INTEGRATED

EASY MOUNTING

DIM

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS Cylinder 450 WT	4058075486560	1	White	Plastic (PMMA)	30 000	24.00	1 050	2 490	3 000...6 500	>80
SMART+ WIFI ORBIS Cylinder 450 GR	4058075486584	2	Gray	Plastic (PMMA)	30 000	24.00	1 050	2 490	3 000...6 500	>80

Product name	°	IP	h [mm]	d [mm]	
SMART+ WIFI ORBIS Cylinder 450 WT	110	IP20	15 000	134.0	450.0 3
SMART+ WIFI ORBIS Cylinder 450 GR	110	IP20	15 000	134.0	450.0 3

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® SPIRAL

CEILING LUMINAIRE IN A SPIRAL DESIGN WITH EXCEPTIONAL LIGHTING EFFECT AND WHITE LIGHT CONTROL



1
SMART+ WIFI ORBIS Spiral
500 WT



works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	LDV WIFI	SWITCH ON OFF	LED MODULE INTEGRATED	EASY MOUNTING	DIM	WARM COOL	LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t_h²	W	lm³	lm⁴ LIGHT SOURCE	K	CRI		
SMART+ WIFI ORBIS Spiral 500 WT	4058075486607	1	White	Plastic (PMMA)	30 000	40.00	1 900	4 060	3 000...6 500	>80		
Product name		IP		h (mm)	d (mm)							
SMART+ WIFI ORBIS Spiral 500 WT	110	IP20	15 000	66.0	500.0	3						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI CEILING FAN

SMART LED CEILING LUMINAIRES WITH INTEGRATED FANS



1
SMART+ WIFI CEILING FAN Cylinder + Remote control



2
SMART+ WIFI CEILING FAN Round + Remote control



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

DIM

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm _{OUT} ³	lm _{LSOURCE} ⁴	K	CRI
SMART+WIFI CEILING FAN Cylinder+ Remote control	4058075572577	1	Gray	Plastic (ABS)	30 000	76.00	2 500	4 500	2 700...6 500	>80
SMART+WIFI CEILING FAN Round + Remote control	4058075572553	2	White	Plastic (ABS)	30 000	74.00	3 000	4 100	2 700...6 500	>80

Product name	°	IP	l _{lm} ²	b _{lm} ²	h _{lm} ²	
SMART+WIFI CEILING FAN Cylinder+ Remote control	110	IP20	15 000	602.0	600.0	216.0 2
SMART+WIFI CEILING FAN Round + Remote control	110	IP20	15 000	602.0	600.0	216.0 2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ORBIS® FRAME CLICK SENSOR

ROUND WALL AND CEILING LUMINAIRE WITH A SENSOR –
CAN BE ACTIVATED BY PRESSING THE SWITCH



1
ORBIS FRAME CLICK SENSOR
335 24W

Sensor											
LEDVANCE 5 year guarantee											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
ORBIS FRAME CLICK SENSOR 335 24W	4058075472792	1	White	Steel	30 000	24.00	1 320	2 900	3 000	>80	120
IP											
h mm											
Ø d mm											
5											
ORBIS FRAME CLICK SENSOR 335 24W	IP20	15 000	75.0	335.0	5						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ORBIS® PLATE CLICK SENSOR

BRIGHT CEILING LUMINAIRE WITH A SENSOR –
CAN BE ACTIVATED BY PRESSING THE SWITCH



1
ORBIS PLATE CLICK SENSOR
510 32W



Sensor

LED
MODULE
INTEGRATED

2
LIGHT
MODES
**

WARM
LIGHT

LEDVANCE¹
5 year
guarantee

Product name	GTIN (EAN)		COLOR	MATERIAL		W			K	CRI	
ORBIS PLATE CLICK SENSOR 510 32W	4058075472853	1	White	Steel	30 000	32.00	1 800	4 100	3 000	>80	120

Product name	IP				
ORBIS PLATE CLICK SENSOR 510 32W	IP20	15 000	95.0	510.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ORBIS® SPARKLEDOT CLICK SENSOR

CEILING LUMINAIRE WITH A SPARKLING LIGHTING EFFECT –
CAN BE ACTIVATED BY PRESSING THE SWITCH



1
ORBIS SPARKLEDOT CLICK SENSOR
440 32W

2
ORBIS SPARKLEDOT CLICK SENSOR
340 24W

Sensor LED MODULE INTEGRATED 2 LIGHT MODES WARM LIGHT LEDVANCE 5 year guarantee											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
ORBIS SPARKLEDOT CLICK SENSOR 440 32W	4058075472891	1	White	Steel	30 000	32.00	2 250	4 000	3 000	>80	120
ORBIS SPARKLEDOT CLICK SENSOR 340 24W	4058075472877	2	White	Steel	30 000	24.00	1 680	2 900	3 000	>80	120

Product name	IP		h _{mm}	d _{mm}	
ORBIS SPARKLEDOT CLICK SENSOR 440 32W	IP20	15 000	75.0	440.0	5
ORBIS SPARKLEDOT CLICK SENSOR 340 24W	IP20	15 000	80.0	340.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ORBIS® IP44

SPLASHWATER-PROOF CEILING LUMINAIRES WITH SENSOR



1
ORBIS IP44 SENSOR
400MM 25W 830



2
ORBIS IP44 SENSOR
300MM 15.5W 830



Sensor

LED
MODULE
INTEGRATED

WARM
LIGHT

LEDVANCE¹
3 year
guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
ORBIS IP44 SENSOR 400MM 25W 830	4058075651852	1	White	Aluminum	25 000	22.00	1 800	2 700	3 000	>80	120
ORBIS IP44 SENSOR 300MM 15.5W 830	4058075651814	2	White	Aluminum	15 500	17.00	1 100	1 600	3 000	≥80	120

Product name	IP		h (mm)	d (mm)	
ORBIS IP44 SENSOR 400MM 25W 830	IP44	12 500	88.0	400.0	6
ORBIS IP44 SENSOR 300MM 15.5W 830	IP44	12 500	85.0	300.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ORBIS® SQUARE CLICK SENSOR

SQUARE CEILING LUMINAIRE WITH A SENSOR –
CAN BE ACTIVATED BY PRESSING THE WALL SWITCH



1
ORBIS SQUARE CLICK SENSOR
530 60W

2
ORBIS SQUARE CLICK SENSOR
430 50W

Sensor LED MODULE INTEGRATED 2 LIGHT MODES ** WARM LIGHT LEDVANCE 1 5 year guarantee											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
ORBIS SQUARE CLICK SENSOR 530 60W	4058075472839	1	White	Steel	30 000	60.00	4 450	8 000	3 000	>80	120
ORBIS SQUARE CLICK SENSOR 430 50W	4058075472815	2	White	Steel	30 000	50.00	3 700	6 500	3 000	>80	120

Product name	IP		l [mm]	b [mm]	h [mm]	
ORBIS SQUARE CLICK SENSOR 530 60W	IP20	15 000	530.0	530.0	80.0	5
ORBIS SQUARE CLICK SENSOR 430 50W	IP20	15 000	430.0	430.0	80.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ORBIS ULTRA SLIM BACKLIGHT CLICK DIM

VERY LOW-PROFILE CEILING LUMINAIRES WITH 3-STAGE DIMMING VIA LIGHT SWITCH



1
ORBIS ULTRA SLIM BL CLICK DIM
400mm WHITE



2
ORBIS ULTRA SLIM BL CLICK DIM
400mm BLACK



3
ORBIS ULTRA SLIM BL CLICK DIM
235mm WHITE



4
ORBIS ULTRA SLIM BL CLICK DIM
235mm BLACK



LED

SUPER SLIM

30% 60% 100%
CLICK DIM

BACK LIGHT

FAST CONNECTOR

WARM LIGHT

LEDVANCE¹
5 JAHRE GARANTIE

Product name	GTIN (EAN)		COLOR	MATERIAL		W			K	CRI
ORBIS ULTRA SLIM BL CLICK DIM 400mm WHITE	4058075752849	1	White	Plastic	50 000	22.00	1 850	1 850	3 000	≥80
ORBIS ULTRA SLIM BL CLICK DIM 400mm BLACK	4058075752887	2	Black	Plastic	50 000	22.00	1 740	1 740	3 000	≥80
ORBIS ULTRA SLIM BL CLICK DIM 235mm WHITE	4058075752825	3	White	Plastic	50 000	15.00	1 100	1 100	3 000	≥80
ORBIS ULTRA SLIM BL CLICK DIM 235mm BLACK	4058075752863	4	Black	Plastic	50 000	15.00	1 020	1 020	3 000	≥80

Product name		IP				
ORBIS ULTRA SLIM BL CLICK DIM 400mm WHITE	110	IP20	25 000	27.0	400.0	5
ORBIS ULTRA SLIM BL CLICK DIM 400mm BLACK	110	IP20	25 000	27.0	400.0	5
ORBIS ULTRA SLIM BL CLICK DIM 235mm WHITE	110	IP20	25 000	27.0	235.0	5
ORBIS ULTRA SLIM BL CLICK DIM 235mm BLACK	110	IP20	25 000	27.0	235.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

LED CLICK WHITE

WALL AND CEILING LUMINAIRES WITH SEPARATELY SWITCHABLE LIGHT SEGMENTS – CAN BE CONTROLLED BY PRESSING THE SWITCH



1
LED CLICK WHITE SQ
300 mm 18 W



2
LED CLICK WHITE RD
300 mm 18 W



3
LED CLICK WHITE SQ
200 mm 15 W



4
LED CLICK WHITE RD
200 mm 15 W



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t _{av} ²	 W	 l _m ³ OUTPUT	 l _m ⁴ LIGHT SOURCE	 K	 CRI	
LED CLICK WHITE SQ 300 mm 18 W	4058075260573	1	White	Aluminum	20 000	18.00	1 100	1 850	3 000	≥80	110
LED CLICK WHITE RD 300 mm 18 W	4058075260559	2	White	Aluminum	20 000	18.00	1 100	1 700	3 000	≥80	110
LED CLICK WHITE SQ 200 mm 15 W	4058075260535	3	White	Aluminum	20 000	15.00	750	1 350	3 000	≥80	110
LED CLICK WHITE RD 200 mm 15 W	4058075260511	4	White	Aluminum	20 000	15.00	750	1 350	3 000	≥80	110

Product name	 IP		 l [mm]	 b [mm]	 h [mm]	 d [mm]	
LED CLICK WHITE SQ 300 mm 18 W	IP20	100 000	296.0	296.0	45.0	-	4
LED CLICK WHITE RD 300 mm 18 W	IP20	100 000	-	-	45.0	299.0	4
LED CLICK WHITE SQ 200 mm 15 W	IP20	100 000	196.0	196.0	39.0	-	8
LED CLICK WHITE RD 200 mm 15 W	IP20	100 000	-	-	40.0	197.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

LED COLOR + WHITE

WALL AND CEILING LUMINAIRES WITH WHITE LIGHT AND RGB FUNCTION – CAN BE REMOTE CONTROLLED



1
LED COLOR + WHITE SQ
400 mm 38 W



2
LED COLOR + WHITE RD
400 mm 38 W



3
LED COLOR + WHITE SQ
200 mm 19 W



4
LED COLOR + WHITE RD
200 mm 19 W



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°C
LED COLOR + WHITE SQ 400 mm 38 W	4058075265769	1	White	Aluminum	20 000	38.00	1 600	2 100	3 000	>80	110
LED COLOR + WHITE RD 400 mm 38 W	4058075265721	2	White	Aluminum	20 000	38.00	1 550	2 000	3 000	>80	110
LED COLOR + WHITE SQ 200 mm 19 W	4058075227576	3	White	Aluminum	20 000	19.00	700	1 020	3 000	>80	110
LED COLOR + WHITE RD 200 mm 19 W	4058075227590	4	White	Aluminum	20 000	19.00	650	1 020	3 000	>80	110

Product name							
LED COLOR + WHITE SQ 400 mm 38 W	IP20	100 000	400.0	400.0	45.0	-	4
LED COLOR + WHITE RD 400 mm 38 W	IP20	100 000	-	-	45.0	400.0	4
LED COLOR + WHITE SQ 200 mm 19 W	IP20	100 000	196.0	196.0	39.0	-	8
LED COLOR + WHITE RD 200 mm 19 W	IP20	100 000	-	-	40.0	197.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ORBIS® SPARKLE

MULTIFUNCTIONAL LED CEILING LUMINAIRES WITH SPARKLING EFFECT



1
ORBIS Sparkle
560MM 32W CCT

REMOTE DIM
REMOTE CCT
WARM COOL

2
ORBIS Sparkle
460MM 24W CCT

REMOTE DIM
REMOTE CCT
WARM COOL

3
ORBIS Sparkle
400MM 24W CCT

CLICK DIM
WARM LIGHT

4
ORBIS Sparkle
400MM 24W DIM

CLICK DIM
WARM COOL

EASY MOUNTING

LED MODULE INTEGRATED

LEDVANCE¹
5 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	²	W	³	⁴	K	CRI
ORBIS SPARKLE 560MM 32W CCT	4058075633193	1	White	Aluminum	40 000	38.00	2 800	4 640	2 800...6 000	>80
ORBIS SPARKLE 460MM 24W CCT	4058075633179	2	White	Aluminum	40 000	28.00	2 000	3 120	2 800...6 000	>80
ORBIS SPARKLE 400MM 24W CCT	4058075633155	3	White	Aluminum	40 000	24.00	2 000	2 880	3 000	>80
ORBIS SPARKLE 400MM 24W DIM	4058075633131	4	White	Aluminum	40 000	24.00	2 000	2 880	2 700...6 500	>80

Product name		IP		_[mm]	_[mm]	
ORBIS SPARKLE 560MM 32W CCT	120	IP20	15 000	120.0	560.0	6
ORBIS SPARKLE 460MM 24W CCT	120	IP20	15 000	91.0	500.0	6
ORBIS SPARKLE 400MM 24W CCT	120	IP20	15 000	91.0	400.0	6
ORBIS SPARKLE 400MM 24W DIM	120	IP20	15 000	91.0	400.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ORBIS® CCT / DIM

ELEGANT AND MULTIFUNCTIONAL LED CEILING LUMINAIRES





1

ORBIS

410MM 25W REMOTE CCT





2

ORBIS

410MM 24W CLICK CCT





3

ORBIS

310MM 14W REMOTE CCT





4

ORBIS

310MM 14W CLICK CCT





LED
MODULE
INTEGRATED

LEDVANCE¹
5 year
guarantee



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t _{av} ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI
ORBIS 410MM 25W REMOTE CCT	4058075651777	1	White	Aluminum	25 000	21.50	1 400	3 000	2 700 ... 6 500	>80
ORBIS 410MM 24W CLICK CCT	4058075651753	2	White	Aluminum	25 000	21.00	1 400	3 000	2 700 ... 4 000	>80
ORBIS 310MM 14W REMOTE CCT	4058075651715	3	White	Aluminum	25 000	16.50	1 000	1 800	2 700 ... 6 500	>80
ORBIS 310MM 14W CLICK CCT	4058075651739	4	White	Aluminum	25 000	16.00	1 000	1 700	2 700 ... 4 000	>80

Product name				 h _{mm}	 Ø _{mm}	
ORBIS 410MM 25W REMOTE CCT	120	IP20	12 500	80.0	410.0	6
ORBIS 410MM 24W CLICK CCT	120	IP20	12 500	80.0	410.0	6
ORBIS 310MM 14W REMOTE CCT	120	IP20	12 500	80.0	310.0	6
ORBIS 310MM 14W CLICK CCT	120	IP20	12 500	80.0	310.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ORBIS® PURE

TIMELESSLY SIMPLE LED CEILING LUMINAIRE



1
ORBIS Pure
400 21 W 3000 K



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
ORBIS Pure 400 21 W 3000 K	4058075651913	1	White	Aluminum	25 000	24.00	1 800	2 700	3 000	>80	120

Product name					
ORBIS Pure 400 21 W 3000 K	IP20	12 500	80.0	400.0	5


¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

PENDANT LUMINAIRES



SMART⁺ DECOR LUMINAIRES

160



DECOR LUMINAIRES

164



SMART+ WIFI DECOR TWIST PENDANT

SMART PENDANT LUMINAIRES WITH METAL FRAME AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI DECOR TWIST PENDANT
BLACK



2
SMART+ WIFI DECOR TWIST PENDANT
WHITE



works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	WIFI SMART+	Switch on/off	EASY MOUNTING	DIM	WARM COOL	LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
SMART+ WIFI DECOR TWIST PENDANT BLACK	4058075757400	1	Black	Steel	30 000	24.50	1 200	2 100	3 000...6 500	>80	
SMART+ WIFI DECOR TWIST PENDANT WHITE	4058075757448	2	White	Steel	30 000	24.50	1 500	2 100	3 000...6 500	>80	

Product name	IP	h	h [mm]	d [mm]	
SMART+ WIFI DECOR TWIST PENDANT BLACK	IP20	15 000	1 500.0	265.0	4
SMART+ WIFI DECOR TWIST PENDANT WHITE	IP20	15 000	1 500.0	265.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI DECOR WOOD PENDANT

SMART PENDANT LUMINAIRE WITH WOODEN HOUSING AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI DECOR WOOD PENDANT



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

SMART+

EASY MOUNTING

REAL WOOD

DIM

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI DECOR WOOD PENDANT	4058075757462	1	Black	Wood	30 000	21.00	1 200	1 950	3 000...6 500	>80

Product name	IP		L [lm]	b [mm]	h [mm]	
SMART+ WIFI DECOR WOOD PENDANT	IP20	15 000	300.0	100.0	1 500.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

DECOR NAIROBI PENDANT

AESTHETIC PENDANT LUMINAIRE MADE OF WOOD AND METAL IN A REDUCED DESIGN



1
DECOR NAIROBI PENDANT
E27



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	b [mm]	h [mm]	
DECOR NAIROBI PENDANT E27	4058075758902	1	Black	Steel	IP20	170.0	170.0	1350.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

DECOR TOKIO PENDANT

3-LAMP PENDANT LUMINAIRE WITH CLASSIC ALUMINUM LAMPSHADE



1
DECOR TOKIO PENDANT



EASY MOUNTING

LED

WARM LIGHT

LEDVANCE 5 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t(h) ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	IP
DECOR TOKIO PENDANT	4058075757066	1	Black	Steel	30 000	14,00	850	1 260	3 000	>80	IP20

Product name		l (mm)	b (mm)	h (mm)	
DECOR TOKIO PENDANT	30 000	340.0	315.0	1 500.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

VINTAGE EDITION 1906® PENDULUM

PENDANT LUMINAIRE IN INDUSTRIAL DESIGN – ON ITS OWN OR AS THE BASIS FOR YOUR OWN PERSONAL LUMINAIRE



1
Vintage 1906
PenduLum Black



2
Vintage 1906
PenduLum Gold



3
Vintage 1906
PenduLum 3X CANOPY



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 l (mm)	 h (mm)	 Ø (mm)	
Vintage 1906 PenduLum Black	4058075227996	1	Black	Aluminum	IP20	84.0	84.0	68.0	4
Vintage 1906 PenduLum Gold	4058075228016	2	Gold	Aluminum	IP20	84.0	84.0	68.0	4
Vintage 1906 PenduLum 3X CANOPY	4058075274488	3	Black	Aluminum	IP20	-	25.0	200.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee



TRACKLIGHT LUMINAIRES



SMART⁺ TRACKLIGHT LUMINAIRES

172



GU10 TRACKLIGHT LUMINAIRES

176



TRACKLIGHT RAILS

184



TRACKLIGHT ACCESSORIES

186

SMART+ WIFI TRACKLIGHT SPOT CIRCLE

SMART TRACK SPOTLIGHTS WITH DISC-SHAPED METAL HOUSING AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI TRACKLIGHT SPOT
CIRCLE WHITE

2
SMART+ WIFI TRACKLIGHT SPOT
CIRCLE BLACK

works with alexa works with LEDVANCE app works with Hey Google WIFI SMART+ WIFI Switch on/off HEAD ADJUSTABLE 270° DIM WARM COOL LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI TRACKLIGHT SPOT CIRCLE WHITE	4058075759749	1	White	Steel	30 000	6.50	450	480	3 000...6 500	>80
SMART+ WIFI TRACKLIGHT SPOT CIRCLE BLACK	4058075759763	2	Black	Steel	30 000	6.50	350	480	3 000...6 500	>80

Product name	△	IP	l _{lmq}	b _{lmq}	h _{lmq}	
SMART+ WIFI TRACKLIGHT SPOT CIRCLE WHITE	270	IP20	15 000	95.0	120.0	24
SMART+ WIFI TRACKLIGHT SPOT CIRCLE BLACK	270	IP20	15 000	95.0	120.0	24

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI TRACKLIGHT SPOT OSAKA

SMART TRACK SPOTLIGHTS WITH METAL HOUSING IN A CLASSIC DESIGN AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI TRACKLIGHT SPOT
OSAKA WHITE



2
SMART+ WIFI TRACKLIGHT SPOT
OSAKA BLACK



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

SMART+ WIFI

Switch on/off

HEAD ADJUSTABLE

80°

DIM

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI TRACKLIGHT SPOT OSAKA WHITE	4058075759787	1	White	Steel	30 000	8.00	250	500	3 000...6 500	>80
SMART+ WIFI TRACKLIGHT SPOT OSAKA BLACK	4058075759800	2	Black	Steel	30 000	8.00	230	500	3 000...6 500	>80

Product name	°	IP	lm	l [mm]	b [mm]	h [mm]	
SMART+ WIFI TRACKLIGHT SPOT OSAKA WHITE	80	IP20	15 000	140.0	65.0	92.0	24
SMART+ WIFI TRACKLIGHT SPOT OSAKA BLACK	80	IP20	15 000	140.0	65.0	92.0	24

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

TRACKLIGHT SPOT CYLINDER GU10

TRACK SPOTLIGHTS WITH CYLINDRICAL METAL HOUSING AND GU10 BASE



1
TRACKLIGHT SPOT CYLINDER
GU10 WHITE



2
TRACKLIGHT SPOT CYLINDER
GU10 BLACK



- EASY MOUNTING
- HEAD ADJUSTABLE
- MAX. 35W
- NOT INCL. GU10
- LEDVANCE 5 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	b [mm]	h [mm]	
TRACKLIGHT SPOT CYLINDER GU10 WHITE	4058075756588	1	White	Steel	IP20	140.0	55.0	130.0	24
TRACKLIGHT SPOT CYLINDER GU10 BLACK	4058075756625	2	Black	Steel	IP20	140.0	55.0	130.0	24

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

TRACKLIGHT SPOT MINI CYLINDER GU10

TRACK SPOTLIGHTS WITH CYLINDRICAL METAL HOUSING IN A CLASSIC DESIGN AND GU10 BASE



1
TRACKLIGHT SPOT MINI CYLINDER
GU10 WHITE



2
TRACKLIGHT SPOT MINI CYLINDER
GU10 BLACK



																	
Product name		GTIN (EAN)		 No.		 COLOR		 MATERIAL		 IP		 l (mm)		 b (mm)		 h (mm)	
TRACKLIGHT SPOT MINI CYLINDER GU10 WHITE		4058075756649		1		White		Steel		IP20		93.0		65.0		135.0	
TRACKLIGHT SPOT MINI CYLINDER GU10 BLACK		4058075756663		2		Black		Steel		IP20		93.0		65.0		135.0	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

TRACKLIGHT SPOT GOLD CYLINDER GU10

TRACK SPOTLIGHTS WITH METAL HOUSING IN AN ELEGANT
GOLD RING DESIGN AND GU10 BASE



1
TRACKLIGHT SPOT GOLD CYLINDER
GU10 WHITE



2
TRACKLIGHT SPOT GOLD CYLINDER
GU10 BLACK



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 I [mm]	 b [mm]	 h [mm]	
TRACKLIGHT SPOT GOLD CYLINDER GU10 WHITE	4058075756687	1	White/Gold	Steel	IP20	93.0	65.0	142.0	24
TRACKLIGHT SPOT GOLD CYLINDER GU10 BLACK	4058075756700	2	Black/Gold	Steel	IP20	93.0	65.0	142.0	24

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

TRACKLIGHT PENDANT CYLINDER GU10

TRACK PENDANT LUMINAIRES IN A CLASSIC TUBULAR DESIGN AND GU10 BASE



1
TRACKLIGHT PENDANT CYLINDER
WHITE



2
TRACKLIGHT PENDANT CYLINDER
BLACK





Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 h (mm)	 Ø (mm)	
TRACKLIGHT PENDANT CYLINDER WHITE	4099854012730	1	White	Steel	IP20	1 500.0	55.0	12
TRACKLIGHT PENDANT CYLINDER BLACK	4099854012754	2	Black	Steel	IP20	1 500.0	55.0	12

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

TRACKLIGHT RAIL

ALUMINUM POWER RAIL IN WHITE OR BLACK AS A BASIS FOR ALL LEDVANCE TRACK SPOTLIGHTS



1
TRACKLIGHT RAIL
1M WHITE

2
TRACKLIGHT RAIL
1M BLACK

¹
2 year guarantee



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 l [mm]	 b [mm]	 h [mm]	
TRACKLIGHT RAIL 1M WHITE	4058075763920	1	White	Aluminum	IP20	1 000.0	35.0	18.0	16
TRACKLIGHT RAIL 1M BLACK	4058075763944	2	Black	Aluminum	IP20	1 000.0	35.0	18.0	16

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

TRACKLIGHT ACCESSORIES

HIGH-QUALITY MOUNTING ACCESSORIES FOR MODULAR AND FLEXIBLE USE OF TRACK SPOTLIGHTS



1
TRACKLIGHT FLEXIBLE CONNECTOR
WHITE/BLACK

2
TRACKLIGHT CROSS CONNECTOR
WHITE/BLACK

3
TRACKLIGHT CORNER CONNECTOR
WHITE/BLACK



4
TRACKLIGHT SUPPLY CONNECTOR
WHITE/BLACK



5
TRACKLIGHT LINEAR CONNECTOR
WHITE/BLACK



6
TRACKLIGHT SUSPENSION KIT
WHITE/BLACK



7
TRACKLIGHT ROUND BASE
WHITE/BLACK



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	b [mm]	h [mm]	Ø d [mm]	
TRACKLIGHT FLEXIBLE CONNECTOR WHITE	4058075764088	1	White	Aluminum/Plastic	IP20	290.0	35.0	18.0	-	25
TRACKLIGHT FLEXIBLE CONNECTOR BLACK	4058075764101	1	Black	Aluminum/Plastic	IP20	290.0	35.0	18.0	-	25
TRACKLIGHT CROSS CONNECTOR WHITE	4058075764125	2	White	Aluminum/Plastic	IP20	172.0	172.0	18.0	-	25
TRACKLIGHT CROSS CONNECTOR BLACK	4058075764149	2	Black	Aluminum/Plastic	IP20	172.0	172.0	18.0	-	25
TRACKLIGHT CORNER CONNECTOR WHITE	4058075764040	3	White	Aluminum/Plastic	IP20	104.0	104.0	18.0	-	50
TRACKLIGHT CORNER CONNECTOR BLACK	4058075764064	3	Black	Aluminum/Plastic	IP20	104.0	104.0	18.0	-	50
TRACKLIGHT SUPPLY CONNECTOR WHITE	4058075763968	4	White	Aluminum/Plastic	IP20	104.0	35.0	18.0	-	50
TRACKLIGHT SUPPLY CONNECTOR BLACK	4058075763982	4	Black	Aluminum/Plastic	IP20	104.0	35.0	18.0	-	50
TRACKLIGHT LINEAR CONNECTOR WHITE	4058075764002	5	White	Aluminum/Plastic	IP20	64.0	35.0	18.0	-	100
TRACKLIGHT LINEAR CONNECTOR BLACK	4058075764026	5	Black	Aluminum/Plastic	IP20	64.0	35.0	18.0	-	100
TRACKLIGHT SUSPENSION KIT WHITE	4058075764163	6	White	Aluminum/Steel	-	61.0	33.0	47.0	40.0	50
TRACKLIGHT SUSPENSION KIT BLACK	4058075764187	6	Black	Aluminum/Steel	-	61.0	33.0	47.0	40.0	50
TRACKLIGHT ROUND BASE WHITE	4058075764224	7	White	Plastic (PC)	IP20	-	-	32.0	100.0	25
TRACKLIGHT ROUND BASE BLACK	4058075764200	7	Black	Plastic (PC)	IP20	-	-	32.0	100.0	25

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

SPOTLIGHTS AND DOWNLIGHTS

**SMART⁺ SURFACE MOUNTED DOWNLIGHTS****190****SURFACE MOUNTED DOWNLIGHTS****192****SMART⁺ RECESSED DOWNLIGHTS****194****RECESSED DOWNLIGHTS****198****SPOTLIGHTS****200**

SMART+ WIFI ORBIS® DOWNLIGHT SURFACE

SMART LED SPOTLIGHTS FOR CEILING MOUNTING



1
SMART+ WIFI ORBIS DOWNLIGHT Surface
600mm



2
SMART+ WIFI ORBIS DOWNLIGHT Surface
400x400mm



3
SMART+ WIFI ORBIS DOWNLIGHT Surface
400mm



4
SMART+ WIFI ORBIS DOWNLIGHT Surface
200mm



Product name	GTIN (EAN)									
SMART+ WIFI ORBIS DOWNLIGHT Surface 600mm	4058075572959	1	White	Aluminum	25 000	30.00	2 500	3 500	3 000...6 500	≥80
SMART+ WIFI ORBIS DOWNLIGHT Surface 400X400mm	4058075572973	2	White	Aluminum	25 000	22.00	1 800	2 300	3 000...6 500	≥80
SMART+ WIFI ORBIS DOWNLIGHT Surface 400mm	4058075572935	3	White	Aluminum	25 000	22.00	1 800	2 500	3 000...6 500	≥80
SMART+ WIFI ORBIS DOWNLIGHT Surface 200mm	4058075572911	4	White	Aluminum	25 000	12.00	900	1 250	3 000...6 500	≥80

Product name								
SMART+ WIFI ORBIS DOWNLIGHT Surface 600mm	110	IP20	15 000	-	-	40.0	600.0	4
SMART+ WIFI ORBIS DOWNLIGHT Surface 400X400mm	110	IP20	15 000	400.0	400.0	37.0	-	5
SMART+ WIFI ORBIS DOWNLIGHT Surface 400mm	110	IP20	15 000	-	-	40.0	400.0	5
SMART+ WIFI ORBIS DOWNLIGHT Surface 200mm	110	IP20	15 000	-	-	40.0	200.0	10

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SPOT SURFACE ROUND/SQUARE GU10

LED CEILING-MOUNTED DOWNLIGHTS WITH ALUMINUM HOUSING AND GU10 BASE



1
SPOT SURFACE SQUARE
GU10 BLACK



2
SPOT SURFACE SQUARE
GU10 WHITE



3
SPOT SURFACE ROUND
GU10 BLACK



4
SPOT SURFACE ROUND
GU10 WHITE



EASY
MOUNTING

MAX.
7W

GU10

NOT
INCL.

LEDVANCE
5 year
guarantee



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l (mm)	b (mm)	h (mm)	Ø d (mm)	
SPOT SURFACE SQUARE GU10 BLACK	4058075758681	1	Black	Aluminum	IP20	80.0	80.0	95.0	-	12
SPOT SURFACE SQUARE GU10 WHITE	4058075758704	2	White	Aluminum	IP20	80.0	80.0	95.0	-	12
SPOT SURFACE ROUND GU10 BLACK	4058075758629	3	Black	Aluminum	IP20	-	-	95.0	80.0	12
SPOT SURFACE ROUND GU10 WHITE	4058075758667	4	White	Aluminum	IP20	-	-	95.0	80.0	12

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

SMART+ WIFI DOWNLIGHT SLIM

SMART, ULTRA-SLIM LED SPOTLIGHTS WITH INTEGRATED DRIVERS



1
SMART+ WIFI DOWNLIGHT Slim
225mm



2
SMART+ WIFI DOWNLIGHT Slim
120mm



3
SMART+ WIFI DOWNLIGHT Slim
85mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI DOWNLIGHT Slim 225mm	4058075573277	1	White	Plastic	25 000	22.00	2 000	2 400	3 000...6 500	≥80
SMART+ WIFI DOWNLIGHT Slim 120mm	4058075573253	2	White	Plastic	25 000	8.00	550	800	3 000...6 500	≥80
SMART+ WIFI DOWNLIGHT Slim 85mm	4058075573239	3	White	Plastic	25 000	4.50	240	480	3 000...6 500	≥80

Product name	△°	IP	h ² (mm)	d ² (mm)	h ² (mm)
SMART+ WIFI DOWNLIGHT Slim 225mm	110	IP20	15 000	33.5	225.0
SMART+ WIFI DOWNLIGHT Slim 120mm	110	IP20	15 000	35.0	120.0
SMART+ WIFI DOWNLIGHT Slim 85mm	110	IP20	15 000	37.0	85.0

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI SPOT

SMART LED SPOTLIGHTS WITH INTEGRATED DRIVERS, AND TUNABLE WHITE AND RGB FUNCTION



works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	LDV WIFI	SWITCH ON OFF	DIM	COLOR	WARM COOL	LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)	Light No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
SMART+ WIFI SPOT 170mm 110 Degree	4058075573376	1	White	Plastic (PP)	25 000	12.00	1 000	1 250	2 700...6 500	≥80	
SMART+ WIFI SPOT 86mm 36 Degree	4058075573291	2	White	Plastic (PP)	25 000	4.00	400	420	3 000...6 500	>80	
SMART+ WIFI SPOT 86mm 100 Degree	4058075573314	3	White	Plastic (PP)	25 000	4.50	300	450	2 700...6 500	≥80	

Product name	△	IP	h (mm)	Ø d (mm)	h (mm)
SMART+ WIFI SPOT 170mm 110 Degree	110	IP20	15 000	57.0	170.0
SMART+ WIFI SPOT 86mm 36 Degree	36	IP20	15 000	48.0	86.0
SMART+ WIFI SPOT 86mm 100 Degree	110	IP20	15 000	48.0	86.0

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

LED DOWNLIGHT SLIM

ULTRA-SLIM LED SPOTLIGHTS WITH INTEGRATED DRIVERS –
IN THREE DIFFERENT LIGHT TEMPERATURES



1
DOWNLIGHT SLIM
225mm 22W



2
DOWNLIGHT SLIM
120mm 8W



3
DOWNLIGHT SLIM
85mm 4.5W



4
DOWNLIGHT SLIM SET
3 X 120mm 3000K



5
DOWNLIGHT SLIM SET
3 x 85mm 3000K



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{lm} ²	W	lm ³ OUTPUT	lm ⁴ SOURCE	K	CRI	°C
DOWNLIGHT SLIM 225mm 22W 6500K	4058075573215	1	White	Plastic (PP)	25 000	22.00	2 000	2 400	6 500	≥80	110
DOWNLIGHT SLIM 225mm 22W 4000K	4058075573154	1	White	Plastic (PP)	25 000	22.00	2 000	2 400	4 000	≥80	110
DOWNLIGHT SLIM 225mm 22W 3000K	4058075573093	1	White	Plastic (PP)	25 000	22.00	2 000	2 400	3 000	≥80	110
DOWNLIGHT SLIM 120mm 8W 6500K	4058075573192	2	White	Plastic (PP)	25 000	8.00	550	800	6 500	≥80	110
DOWNLIGHT SLIM 120mm 8W 4000K	4058075573130	2	White	Plastic (PP)	25 000	8.00	550	800	4 000	≥80	110
DOWNLIGHT SLIM 120mm 8W 3000K	4058075573079	2	White	Plastic (PP)	25 000	8.00	550	800	3 000	≥80	110
DOWNLIGHT SLIM 85mm 4.5W 6500K	4058075573178	3	White	Plastic (PP)	25 000	4.50	240	480	6 500	≥80	110
DOWNLIGHT SLIM 85mm 4.5W 4000K	4058075573116	3	White	Plastic (PP)	25 000	4.50	240	480	4 000	≥80	110
DOWNLIGHT SLIM 85mm 4.5W 3000K	4058075573055	3	White	Plastic (PP)	25 000	4.50	240	480	3 000	≥80	110
DOWNLIGHT SLIM SET 3 X 120MM 3000K	4058075629400	4	White	Plastic	25 000	8.00	550	800	3 000	≥80	110
DOWNLIGHT SLIM SET 3 x 85MM 3000K	4058075629387	5	White	Plastic	25 000	4.50	720	480	3 000	≥80	110

Product name					
DOWNLIGHT SLIM 225mm 22W 6500K	IP20	15 000	33.5	225.0	12
DOWNLIGHT SLIM 225mm 22W 4000K	IP20	15 000	33.5	225.0	12
DOWNLIGHT SLIM 225mm 22W 3000K	IP20	15 000	33.5	225.0	12
DOWNLIGHT SLIM 120mm 8W 6500K	IP20	15 000	35.0	120.0	6
DOWNLIGHT SLIM 120mm 8W 4000K	IP20	15 000	35.0	120.0	6
DOWNLIGHT SLIM 120mm 8W 3000K	IP20	15 000	35.0	120.0	6
DOWNLIGHT SLIM 85mm 4.5W 6500K	IP20	15 000	37.0	85.0	6
DOWNLIGHT SLIM 85mm 4.5W 4000K	IP20	15 000	37.0	85.0	6
DOWNLIGHT SLIM 85mm 4.5W 3000K	IP20	15 000	37.0	85.0	6
DOWNLIGHT SLIM SET 3 X 120MM 3000K	IP20	15 000	35.0	120.0	18
DOWNLIGHT SLIM SET 3 x 85MM 3000K	IP20	15 000	37.0	85.0	18

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

LED SPOT GU10

LED SPOTLIGHT WITH GU10 BASE AND LAMPS IN OSRAM BRAND



1
LED SPOT GU10
6x2 6W 2700



2
LED SPOT GU10
4x2 6W 2700



3
LED SPOT GU10
3x2 6W 2700



4
LED SPOT GU10
2x2 6W 2700



5
LED SPOT GU10
1x2 6W 2700



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	lm ⁵ EQUIV.	K	CRI
LED SPOT GU10 6x2.6W 2700	4058075540606	1	Silver	Aluminum	15 000	15.60	1 380	1 380	F	2 700	>80
LED SPOT GU10 4x2.6W 2700	4058075540583	2	Silver	Aluminum	15 000	10.40	920	920	F	2 700	>80
LED SPOT GU10 3x2.6W 2700	4058075540569	3	Silver	Aluminum	15 000	7.80	690	690	F	2 700	>80
LED SPOT GU10 2x2.6W 2700	4058075540545	4	Silver	Aluminum	15 000	5.20	460	460	F	2 700	>80
LED SPOT GU10 1x2.6W 2700	4058075540507	5	Silver	Aluminum	15 000	2.60	230	230	F	2 700	>80

Product name	△	IP	Icon	X INCL.	l [mm]	w [mm]	h [mm]	Icon
LED SPOT GU10 6x2.6W 2700	36	IP20	15 000	6	1 198.00	90.00	188.00	8
LED SPOT GU10 4x2.6W 2700	36	IP20	15 000	4	486.00	90.00	170.00	8
LED SPOT GU10 3x2.6W 2700	36	IP20	15 000	3	486.00	90.00	170.00	8
LED SPOT GU10 2x2.6W 2700	36	IP20	15 000	2	256.00	90.00	170.00	8
LED SPOT GU10 1x2.6W 2700	36	IP20	15 000	1	80.00	80.00	146.00	8

HOW TO READ
OUR PRODUCT TABLES

The new lighting regulation states that the new EU label indicating the energy efficiency class must be clearly visible on every product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a colored arrow but a letter. See on the right.

Energy efficiency class Product packaging	Information Table
A	A
B	B
C	C
D	D
E	E
F	F
G	G

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser | ⁵ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A (highest efficiency) to G (lowest efficiency)

LED SPOT G9

TIMELESSLY ELEGANT LED SPOTLIGHTS WITH G9 BASE AND LAMPS IN OSRAM BRAND



1
LED SPOT G9
6x1 9W 2700

2
LED SPOT G9
4x1 9W 2700

3
LED SPOT G9
3x1 9W 2700



4
LED SPOT G9
2x1 9W 2700



5
LED SPOT G9
1x1 9W 2700



LED

ROTA-TABLE

G9

OSRAM LED INCL.

WARM LIGHT

LEDVANCE 5 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	IP ⁵	K	CRI
LED SPOT G9 6x1.9W 2700	4058075540705	1	Silver	Aluminum	25 000	11.40	1 200	1 380	F	2 700	>80
LED SPOT G9 4x1.9W 2700	4058075540682	2	Silver	Aluminum	25 000	7.60	800	920	F	2 700	>80
LED SPOT G9 3x1.9W 2700	4058075540668	3	Silver	Aluminum	25 000	5.70	600	690	F	2 700	>80
LED SPOT G9 2x1.9W 2700	4058075540644	4	Silver	Aluminum	25 000	3.80	400	460	F	2 700	>80
LED SPOT G9 1x1.9W 2700	4058075540620	5	Silver	Aluminum	25 000	1.90	200	230	F	2 700	>80

Product name	△	IP	Light source	X INCL.	l [mm]	w [mm]	h [mm]	Box
LED SPOT G9 6x1.9W 2700	300	IP20	15 000	6	1 198.00	90.00	182.00	8
LED SPOT G9 4x1.9W 2700	300	IP20	15 000	4	646.00	90.00	165.00	8
LED SPOT G9 3x1.9W 2700	300	IP20	15 000	3	486.00	90.00	165.00	8
LED SPOT G9 2x1.9W 2700	300	IP20	15 000	2	256.00	90.00	165.00	8
LED SPOT G9 1x1.9W 2700	300	IP20	15 000	1	80.00	80.00	142.00	8

HOW TO READ OUR PRODUCT TABLES

The new lighting regulation states that the new EU label indicating the energy efficiency class must be clearly visible on every product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a colored arrow but a letter. See on the right.

Energy efficiency class	Product packaging	Information Table
A	A	A
B	B	B
C	C	C
D	D	D
E	E	E
F	F	F
G	G	G

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser | ⁵ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A (highest efficiency) to G (lowest efficiency)



WALL LUMINAIRES



SMART⁺ WALL LUMINAIRES



DECOR WALL LUMINAIRES

SMART+ WIFI ORBIS® WALL CROSS

SMART, ADJUSTABLE WALL LUMINAIRES WITH TUNABLE WHITE FUNCTION



1
SMART+ WIFI ORBIS WALL CROSS
309x106mm Black



2
SMART+ WIFI ORBIS WALL CROSS
309x106mm White



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON/OFF

EASY MOUNTING

DIM

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS WALL CROSS 309X106mm Black	4058075573949	1	Black	Aluminum	30 000	12.00	550	1 200	3 000...6 500	>80
SMART+ WIFI ORBIS WALL CROSS 309X106mm White	4058075573994	2	White	Aluminum	30 000	12.00	800	1 200	3 000...6 500	>80

Product name					
SMART+ WIFI ORBIS WALL CROSS 309X106mm Black	IP20	15 000	309.0	50.0	4
SMART+ WIFI ORBIS WALL CROSS 309X106mm White	IP20	15 000	309.0	50.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® WALL SWAN

DECORATIVE SMART WALL LUMINAIRES MADE OF REAL PLASTER



1
SMART+ WIFI ORBIS WALL SWAN
300x150mm



2
SMART+ WIFI ORBIS WALL SWAN
200x200mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS WALL SWAN 300X150mm	4058075574021	1	White	Plaster	30 000	23.00	1 700	2 400	3 000...6 500	>80
SMART+ WIFI ORBIS WALL SWAN 200X200mm	4058075574052	2	White	Plaster	30 000	23.00	1 300	2 400	3 000...6 500	>80

Product name	°	IP	lm	l [mm]	b [mm]	h [mm]	⊞
SMART+ WIFI ORBIS WALL SWAN 300X150mm	360	IP20	15 000	300.0	150.0	105.0	4
SMART+ WIFI ORBIS WALL SWAN 200X200mm	360	IP20	15 000	200.0	200.0	110.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® WALL TWIST

VERY ELEGANT SMART WALL LUMINAIRES IN BLACK OR WHITE



1
SMART+ WIFI ORBIS WALL TWIST
230x127mm



2
SMART+ WIFI ORBIS WALL TWIST
230x127mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS WALL TWIST 230X127mm	4058075574090	1	Black	Aluminum	30 000	12.00	700	1 200	3 000...6 500	>80
SMART+ WIFI ORBIS WALL TWIST 230X127mm	4058075574151	2	White	Aluminum	30 000	12.00	900	1 200	3 000...6 500	>80

Product name	°	IP	lm	l [mm]	b [mm]	h [mm]	⊞
SMART+ WIFI ORBIS WALL TWIST 230X127mm	360	IP20	15 000	127.0	95.0	230.0	4
SMART+ WIFI ORBIS WALL TWIST 230X127mm	360	IP20	15 000	127.0	95.0	230.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® WALL CYLINDRO

SMART WALL LUMINAIRES IN BLACK OR WHITE – COATED INSIDE WITH A WARM METALLIC SHADE



1
SMART+ WIFI ORBIS WALL CYLINDRO
200x127mm



2
SMART+ WIFI ORBIS WALL CYLINDRO
200x127mm



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON/OFF

EASY MOUNTING

DIM

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ _{OUTPUT}	lm ⁴ _{LIGHT SOURCE}	K	CRI
SMART+ WIFI ORBIS WALL CYLINDRO 200X127mm	4058075574175	1	White	Aluminum	30 000	12.00	700	1 200	3 000...6 500	>80
SMART+ WIFI ORBIS WALL CYLINDRO 200X127mm	4058075574212	2	Black	Aluminum	30 000	12.00	700	1 200	3 000...6 500	>80

Product name	°	IP	lm ³ _{OUTPUT}	lm ⁴ _{LIGHT SOURCE}	b _{beam}	h _{beam}	
SMART+ WIFI ORBIS WALL CYLINDRO 200X127mm	360	IP20	15 000	127.0	95.0	200.0	4
SMART+ WIFI ORBIS WALL CYLINDRO 200X127mm	360	IP20	15 000	127.0	95.0	200.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ORBIS® WALL WOOD

SMART WALL LUMINAIRES WITH REAL WOOD HOUSINGS AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI ORBIS WALL WOOD
210x110mm



2
SMART+ WIFI ORBIS WALL WOOD
110x110mm



works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI SWITCH ON OFF EASY MOUNTING REAL WOOD DIM WARM COOL LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI ORBIS WALL WOOD 210X110mm	4058075574298	1	Wooden	Wood	30 000	12.00	800	1 200	3 000...6 500	>80
SMART+ WIFI ORBIS WALL WOOD 110X110mm	4058075574250	2	Wooden	Wood	30 000	7.00	400	600	3 000...6 500	>80

Product name	°	IP	lm	l [mm]	b [mm]	h [mm]	
SMART+ WIFI ORBIS WALL WOOD 210X110mm	360	IP20	15 000	110.0	110.0	210.0	4
SMART+ WIFI ORBIS WALL WOOD 110X110mm	360	IP20	15 000	110.0	110.0	110.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

DECOR NAIROBI WALL

AESTHETIC WALL LUMINAIRE MADE OF WOOD AND METAL
IN A FRAME DESIGN



1
DECOR NAIROBI WALL
E27



- EASY MOUNTING
- MAX. 15W
- E27
- NOT INCL.
- LEDVANCE¹
5 year guarantee
-

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	b [mm]	h [mm]	
DECOR NAIROBI WALL E27	4058075759145	1	Black	Steel	IP20	170.0	227.0	170.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

DECOR TOKIO WALL

ALUMINUM WALL LUMINAIRE IN A CLASSIC DESIGN



1
DECOR TOKIO WALL



					EASY MOUNTING	LED	WARM LIGHT	LEDVANCE ¹ 5 year guarantee			
Product name	GTIN (EAN)	 No.	COLOR	MATERIAL	²	W	³	⁴	K	CRI	IP
DECOR TOKIO WALL	4058075757028	1	Black	Steel	30 000	5.00	300	420	3 000	>80	IP20
Product name											
		 [mm]	 [mm]	 [mm]							
DECOR TOKIO WALL	30 000	170.0	140.0	320.0	4						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

DECOR WOOD WALL

WOOD AND ALUMINUM WALL LUMINAIRE WITH E27 BASE
IN A REDUCED DESIGN



1
DECOR WOOD WALL
E27



		EASY MOUNTING		E27		NOT INCL. 12V		MAX. 8W		LEDVANCE ¹ 5 year guarantee			
Product name		GTIN (EAN)			COLOR	MATERIAL	IP						
DECOR WOOD WALL E27		4058075757080		1	Wood	Wood	IP20	150.0	110.0	300.0	4		

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

DECOR PERCHERO

DECORATIVE WALL LUMINAIRES AND COAT HANGERS - TWO IN ONE



1
DECOR PERCHERO
850mm IP44 CHROME



2
DECOR PERCHERO
770mm GREY



3
DECOR PERCHERO
800mm WOOD



4
DECOR PERCHERO
800mm GU10 WHITE



Product name	GTIN (EAN)		COLOR	MATERIAL		W			K
DECOR PERCHERO 850mm IP44 CHROME	4058075756885	1	Chromer	Steel	30 000	12.00	800	1 300	3 000
DECOR PERCHERO 770mm GREY	4058075756847	2	Gray	Steel	30 000	12.00	700	1 300	3 000
DECOR PERCHERO 800mm WOOD	4058075756786	3	Black	Steel	30 000	6.00	80	620	3 000
DECOR PERCHERO 800mm GU10 WHITE	4058075756816	4	White	Steel	-	-	-	-	-

Product name		IP						
DECOR PERCHERO 850mm IP44 CHROME	120	IP44	12 500	770	60	195	410.0	6
DECOR PERCHERO 770mm GREY	120	IP20	12 500	850	55	195	410.0	6
DECOR PERCHERO 800mm WOOD	120	IP20	12 500	765	130	150	310.0	6
DECOR PERCHERO 800mm GU10 WHITE	-	IP20	-	800	50	200	310.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser



TABLE LUMINAIRES



SMART⁺ DECOR TABLE LUMINAIRES 226



DECOR TABLE LUMINAIRES 230




BATTERY OPERATED TABLE LUMINAIRES 238



AC POWERED TABLE LUMINAIRES 244

SMART+ WIFI DECOR TWIST TABLE

SMART TABLE LUMINAIRES IN AN EXTRAVAGANT DESIGN WITH METAL HOUSING AND TUNABLE WHITE FUNCTION



works with alexa works with LEDVANCE app works with Hey Google WIFI WIFI SMART+ Switch on/off DIM WARM COOL LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI DECOR TWIST TABLE BLACK	4058075757547	1	Black	Steel	30 000	12.00	450	840	3 000...6 500	>80
SMART+ WIFI DECOR TWIST TABLE WHITE	4058075757561	2	White	Steel	30 000	12.00	550	840	3 000...6 500	>80

Product name	IP	l [lm]	b [mm]	h [mm]	
SMART+ WIFI DECOR TWIST TABLE BLACK	IP20	15 000	150.0	150.0	392.0 4
SMART+ WIFI DECOR TWIST TABLE WHITE	IP20	15 000	150.0	150.0	392.0 4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI DECOR WOOD TABLE

SMART TABLE LUMINAIRE WITH WOODEN HOUSING AND TUNABLE WHITE FUNCTION



1
SMART+ WIFI DECOR WOOD TABLE



works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	WIFI SMART+	Switch on/off	REAL WOOD	DIM	WARM COOL	LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
SMART+ WIFI DECOR WOOD TABLE	4058075757585	1	Black	Wood	30 000	8.00	350	650	3 000...6 500	>80	
Product name	IP		L [mm]	b [mm]	h [mm]						
SMART+ WIFI DECOR WOOD TABLE	IP20	15 000	150.0	150.0	458.0	4					

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

DECOR NAIROBI TABLE

TABLE LUMINAIRE MADE OF WOOD AND METAL
IN A FRAME DESIGN



1
DECOR NAIROBI TABLE
E27



MAX. 15W E27 NOT INCL. LEDVANCE 5 year guarantee									
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	b [mm]	h [mm]	
DECOR NAIROBI TABLE E27	4058075759084	1	Black	Steel	IP20	170.0	170.0	203.0	4

DECOR MEMPHIS TABLE

TIMELESS AESTHETIC TABLE LUMINAIRE MADE OF ALUMINUM AND GLASS



1
DECOR MEMPHIS G9 TABLE



		MAX. 28 W		NOT INCL.	G9	LEDVANCE 5 year guarantee			
Product name	GTIN (EAN)		COLOR	MATERIAL	IP				
DECOR MEMPHIS G9 TABLE	4058075759206	1	Black	Steel	IP20	180.0	130.0	365.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

DECOR TOKIO TABLE

ALUMINUM TABLE LUMINAIRE IN A CLASSIC DESIGN



1
DECOR TOKIO TABLE



LED WARM LIGHT LEDVANCE¹ 5 year guarantee													
Product name		GTIN (EAN)		No.	COLOR	MATERIAL	t(h) ²	W	lm ³	lm ⁴ LIGHT SOURCE	K	CRI	IP
DECOR TOKIO TABLE		40580757 57042		1	Black	Steel	30 000	5.00	260	420	3 000	>80	IP20
Product name			l [mm]	b [mm]	h [mm]								
DECOR TOKIO TABLE		30 000	160.0	150.0	440.0	4							

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

DECOR WOOD TABLE TOUCH USB

WOOD AND ALUMINUM TABLE LUMINAIRE WITH E27 BASE, TOUCH SWITCH AND USB CHARGING SOCKET



1
DECOR WOOD TABLE TOUCH USB
E27



		MAX. 8 W		REAL WOOD			USB	 5 ¹ year guarantee			
Product name		GTIN (EAN)		 No.	COLOR	MATERIAL	IP	 l [mm]	 b [mm]	 h [mm]	
DECOR WOOD TABLE TOUCH USB E27		4058075 757103		1	Wood	Wood	IP20	260.0	150.0	98.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

PANAN® FOLD DIM USB

BATTERY-OPERATED TABLE LUMINAIRE WITH ADJUSTABLE LUMINAIRE HEAD AND DIMMING FUNCTION




1
PANAN FOLD WHITE

LED USB ACCU INCL. COOL LIGHT LEDVANCE 2 year guarantee												
Product name	GTIN (EAN)		No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	K	CRI		IP
PANAN FOLD WHITE	40580757 47869		1	White	Plastic (ABS)	15 000	5.20	80	4 000	≥90	105	IP20
Product name	mm mm mm g mm											
PANAN FOLD WHITE	7 000	236.0	85.0	290.0	20	290.0						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

PANAN® CLIP

MOBILE TABLE AND READING LUMINAIRES WITH CLAMP BASE



1
PANAN CLIP SQUARE WHITE



2
PANAN Clip White



LED MODULE INTEGRATED TOUCH SWITCH INCL. ROTA. TABLE INCL. DIM LEDVANCE ¹ 2 year guarantee											
Product name	GTIN (EAN)		COLOR	MATERIAL		W			K	CRI	
PANAN CLIP SQUARE WHITE	4058075747883	1	White	Plastic (ABS)	15 000	5.20	80	80	4 000	≥90	100
PANAN CLIP White	4058075321243	2	White	Plastic (ABS)	30 000	5.00	185	-	3 000	≥80	110

Product name	IP					
PANAN CLIP SQUARE WHITE	IP20	7 000	210.0	55.0	285.0	40
PANAN CLIP White	IP20	100 000	235.0	89.0	350.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

PANAN® DISC SINGLE

FLEXIBLE, LIGHTWEIGHT TABLE IN WHITE OR GRAY WITH CONTINUOUS DIMMING



1
PANAN Disc Single White



LED MODULE INTEGRATED ACCU BATT INCL. WARM LIGHT LEDVANCE¹ 2 year guarantee											
Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t[h] ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI	 °
PANAN Disc Single White	4058075321267	1	White	Plastic (ABS)	30 000	5.00	220	-	3 000	≥80	105
Product name IP l [mm] b [mm] h [mm]											
PANAN Disc Single White	IP20	350.0	170.0	370.0	4						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

PANAN® ALU CCT

HIGH-QUALITY TABLE LUMINAIRES WITH ADJUSTABLE LIGHT TEMPERATURE



1
PANAN Alu CCT Black



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ²		 ³ OUTPUT	 ⁴ LIGHT SOURCE	
PANAN Alu CCT Black	4058075321281	1	Black	Aluminum/Plastic (ABS)	25 000	7.00	310	680	3 000...6 500

Product name	CRI		IP					
PANAN Alu CCT Black	≥80	100	IP20	100 000	407.0	170.0	430.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser



ENTERTAINMENT & FLOOR STANDING LUMINAIRES



SMART⁺ FLOOR STANDING LUMINAIRES 248



DECOR FLOOR STANDING LUMINAIRES 256

SMART+ WIFI MOOD LIGHT BAR

ENTERTAINMENT TABLE/FLOOR LUMINAIRE WITH TUNABLE WHITE AND RGB LIGHT, MUSIC RHYTHM FUNCTION AND APP CONTROL



1
SMART+ WIFI MOOD LIGHT BLACK

works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

COLOR

WARM COOL

incl. REMOTE

DIM

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI MOOD LIGHT BLACK	4099854014079	1	Black	Plastic	30 000	6.00	240	480	2700...6500	>80

Product name	IP	h [mm]	
SMART+ WIFI MOOD LIGHT BLACK	IP20	252.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI FLOOR CORNER SLIM

SLIM ENTERTAINMENT CORNER FLOOR LUMINAIRES WITH TUNABLE WHITE AND RGB LIGHT, MUSIC RHYTHM FUNCTION AND APP CONTROL



1
SMART + WIFI FLOOR CORNER
SLIM WHITE

2
SMART + WIFI FLOOR CORNER
SLIM BLACK

works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

WIFI SMART+

Switch on/off

DIM

WARM COOL

COLOR

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART + WIFI FLOOR CORNER SLIM WHITE	4058075765153	1	White	Aluminum/Plastic	30 000	8.00	280	540	2 700...6 500	>80
SMART + WIFI FLOOR CORNER SLIM BLACK	4058075765177	2	Black	Aluminum/Plastic	30 000	8.00	180	540	2 700...6 500	>80

Product name

°

IP

h [mm]


d [mm]

SMART + WIFI FLOOR CORNER SLIM WHITE	120	IP20	15 000	800.0	80.0	6
SMART + WIFI FLOOR CORNER SLIM BLACK	120	IP20	15 000	800.0	80.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI FLOOR ROUND

ENTERTAINMENT FLOOR LUMINAIRES WITH TUNABLE WHITE AND RGB LIGHT, MUSIC RHYTHM FUNCTION AND APP CONTROL



1
SMART + WIFI FLOOR ROUND BLACK

2
SMART + WIFI FLOOR ROUND WHITE


works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	WIFI SMART+	Switch on/off	DIM	WARM COOL	COLOR	LEDVANCE 3 year partial guarantee	
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
SMART + WIFI FLOOR ROUND BLACK	4058075765191	1	Black	Aluminum/Plastic	30 000	14.00	350	1 170	2700...6 500	>80	
SMART + WIFI FLOOR ROUND WHITE	4058075765214	2	White	Aluminum/Plastic	30 000	14.00	550	1 170	2700...6 500	>80	

Product name	°	IP	Beam angle	h [mm]	d [mm]	Weight
SMART + WIFI FLOOR ROUND BLACK	120	IP20	15 000	1 400.0	200.0	4
SMART + WIFI FLOOR ROUND WHITE	120	IP20	15 000	1 400.0	200.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI FLOOR CORNER

ENTERTAINMENT FLOOR LUMINAIRES WITH TUNABLE WHITE AND RGB LIGHT, APP CONTROL AND MUSIC RHYTHM FUNCTION



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

WIFI SMART+

Switch on/off

DIM

WARM COOL

COLOR

LEDVANCE 3 year guarantee


Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART + WIFI FLOOR CORNER 2000mm BLACK	4058075765115	1	Black	Aluminum/Plastic	30 000	20.00	550	1 710	2 700...6 500	>80
SMART + WIFI FLOOR CORNER 2000mm WHITE	4058075765139	2	White	Aluminum/Plastic	30 000	20.00	700	1 710	2 700...6 500	>80
SMART + WIFI FLOOR CORNER 1400mm BLACK	4058075765078	3	Black	Aluminum/Plastic	30 000	14.00	350	1 170	2 700...6 500	>80
SMART + WIFI FLOOR CORNER 1400mm WHITE	4058075765092	4	White	Aluminum/Plastic	30 000	14.00	550	1 170	2 700...6 500	>80
SMART+ WIFI FLOOR CORNER RGBW	4058075665880	5	Black	Aluminum	30 000	12.00	200	825	3 000...6 500	≥80

Product name	°	IP	Icon	l [mm]	b [mm]	h [mm]	Icon
SMART + WIFI FLOOR CORNER 2000mm BLACK	120	IP20	15 000	465.0	465.0	2 000.0	6
SMART + WIFI FLOOR CORNER 2000mm WHITE	120	IP20	15 000	465.0	465.0	2 000.0	6
SMART + WIFI FLOOR CORNER 1400mm BLACK	120	IP20	15 000	365.0	365.0	1 400.0	4
SMART + WIFI FLOOR CORNER 1400mm WHITE	120	IP20	15 000	365.0	365.0	1 400.0	4
SMART+ WIFI FLOOR CORNER RGBW	110	IP20	15 000	1 420.0	110.0	72.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

DECOR MEMPHIS FLOOR

TIMELESS AESTHETIC FLOOR LUMINAIRE MADE OF ALUMINUM AND GLASS



1
DECOR MEMPHIS FLOOR
3XG9

																	
Product name		GTIN (EAN)		 No.		 COLOR		 MATERIAL		 IP		 h (mm)		 d (mm)			
DECOR MEMPHIS FLOOR 3XG9		4058075759244		1		Black		Steel		IP20		1 480.0		388.0		1	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee



BATHROOM LUMINAIRES



SMART⁺ BATHROOM FAMILY LUMINAIRES

260



SMART⁺ BATHROOM CEILING LUMINAIRES

266



SMART⁺ BATHROOM WALL LUMINAIRES

268



DECOR BATHROOM FAMILY LUMINAIRES

274



BATHROOM WALL LUMINAIRES

276



BATHROOM DOWNLIGHTS

280

SMART+ WIFI WALL ORBIS® ROUND IP44

SMART CEILING, WALL AND MIRROR LUMINAIRES IN AN ELEGANT CHROME DESIGN – WITH TUNABLE WHITE FUNCTION



1
SMART+ ROUND IP44
480mm

2
SMART+ ROUND IP44
300mm

works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI SWITCH ON OFF DIM IP 44 WARM COOL LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ ROUND IP44 480mm	4058075573727	1	Silver	Steel	30 000	18.00	1 200	1 800	3 000...6 500	>80
SMART+ ROUND IP44 300mm	4058075573741	2	Silver	Steel	30 000	18.00	1 100	1 800	3 000...6 500	>80

Product name	°	IP	l [lm]	b [mm]	h [mm]	d [mm]	
SMART+ ROUND IP44 480mm	120	IP44	15 000	480.0	100.0	78.0	- 4
SMART+ ROUND IP44 300mm	120	IP44	15 000	-	-	78.0	300.0 4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI WALL ORBIS® WAVE IP44

SMART CEILING AND WALL LUMINAIRES WITH ONE, TWO, THREE OR FOUR LIGHT POINTS AND TUNABLE WHITE FUNCTION



1 SMART+ WAVE IP44 300mm
2 SMART+ WAVE IP44 520mm
3 SMART+ WAVE IP44 320mm
4 SMART+ WAVE IP44 200mm

works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

TURNABLE LIGHT

DIM

IP44

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)		COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WAVE IP44 300mm	4058075573901	1	Silver	Plastic (PMMA)	30 000	26.00	1 500	2 800	3 000...6 500	>80
SMART+ WAVE IP44 520mm	4058075573857	2	Silver	Plastic (PMMA)	30 000	21.00	1 100	2 100	3 000...6 500	>80
SMART+ WAVE IP44 320mm	4058075573802	3	Silver	Steel	30 000	15.00	800	1 400	3 000...6 500	>80
SMART+ WAVE IP44 200mm	4058075573772	4	Silver	Steel	30 000	8.00	400	700	3 000...6 500	>80

Product name		IP		l _{lm} ³	b _{lm}	h _{lm}	
SMART+ WAVE IP44 300mm	160	IP44	15 000	300.0	300.0	93.0	4
SMART+ WAVE IP44 520mm	160	IP44	15 000	520.0	120.0	93.0	4
SMART+ WAVE IP44 320mm	160	IP44	15 000	320.0	120.0	93.0	4
SMART+ WAVE IP44 200mm	160	IP44	15 000	200.0	120.0	93.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI WALL ORBIS® AQUA IP44

SMART CEILING AND WALL LUMINAIRES IN A PARTICULARLY COMPACT DESIGN



1
SMART+ ORBIS AQUA IP44
280x160mm



2
SMART+ ORBIS AQUA IP44
200x200mm



3
SMART+ ORBIS AQUA IP44
200mm




Product name	GTIN (EAN)		COLOR	MATERIAL		W			K	CRI
SMART+ ORBIS AQUA IP44 280X160mm	4058075574359	1	White	Steel	30 000	12.00	1 000	1 200	3 000...6 500	>80
SMART+ ORBIS AQUA IP44 200X200mm	4058075574373	2	White	Steel	30 000	12.00	900	1 200	3 000...6 500	>80
SMART+ ORBIS AQUA IP44 200mm	4058075574410	3	White	Steel	30 000	12.00	850	1 200	3 000...6 500	>80

Product name		IP						
SMART+ ORBIS AQUA IP44 280X160mm	120	IP44	15 000	280.0	160.0	94.0	-	4
SMART+ ORBIS AQUA IP44 200X200mm	120	IP44	15 000	200.0	200.0	94.0	-	4
SMART+ ORBIS AQUA IP44 200mm	120	IP44	15 000	-	-	94.0	200.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI CEILING ORBIS® DISC IP44

ROUND CEILING LUMINAIRES IN A PARTICULARLY SLEEK LOOK –
IN THREE SIZES AND COLORS



1
SMART+ DISC IP44
500mm



2
SMART+ DISC IP44
400mm



3
SMART+ DISC IP44
300mm



Product name	GTIN (EAN)									
SMART+ DISC IP44 500mm	4058075573635	1	Black	Aluminum	30 000	32.00	2 700	4 000	3 000...6 500	>80
SMART+ DISC IP44 400mm	4058075573611	2	White	Aluminum	30 000	25.00	1 900	3 200	3 000...6 500	>80
SMART+ DISC IP44 300mm	4058075573598	3	Silver	Aluminum	30 000	18.00	1 400	2 100	3 000...6 500	>80

Product name						
SMART+ DISC IP44 500mm	110	IP44	15 000	47.0	500.0	4
SMART+ DISC IP44 400mm	110	IP44	15 000	47.0	400.0	4
SMART+ DISC IP44 300mm	110	IP44	15 000	47.0	300.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI WALL ORBIS® DUPLO IP44

SMART LUMINAIRES IN A THEATER DRESSING ROOM LOOK – WITH TUNABLE WHITE FUNCTION



1
SMART+ DUPLO IP44
580mm

2
SMART+ DUPLO IP44
450mm

3
SMART+ DUPLO IP44
300mm



Product name	GTIN (EAN)									
SMART+ DUPLO IP44 580mm	4058075573703	1	Silver	Plastic (ABS)	30 000	27.00	2 200	2 800	3 000...6 500	>80
SMART+ DUPLO IP44 450mm	4058075573680	2	Silver	Plastic (ABS)	30 000	20.00	1 600	2 100	3 000...6 500	>80
SMART+ DUPLO IP44 300mm	4058075573659	3	Silver	Plastic (ABS)	30 000	15.00	1 100	1 400	3 000...6 500	>80

Product name							
SMART+ DUPLO IP44 580mm	120	IP44	15 000	575.0	60.0	58.0	4
SMART+ DUPLO IP44 450mm	120	IP44	15 000	445.0	60.0	58.0	4
SMART+ DUPLO IP44 300mm	120	IP44	15 000	295.0	60.0	58.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI WALL ORBIS® ELYPSE IP44

SMART WALL LUMINAIRES IN A STYLISH DESIGN WITH TUNABLE WHITE FUNCTION



1
SMART+ WALL ORBIS ELYPSE IP44
560mm

2
SMART+ WALL ORBIS ELYPSE IP44
340mm

3
SMART+ WALL ORBIS ELYPSE IP44
120mm



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

DIM

IP 44

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{av} ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ ELYPSE IP44 560mm	4058075574076	1	Silver	Steel Glass	30 000	18.00	1 200	1 500	3 000...6 500	>80
SMART+ ELYPSE IP44 340mm	4058075573963	2	Silver	Steel Glass	30 000	12.00	800	1 000	3 000...6 500	>80
SMART+ ELYPSE IP44 120mm	4058075573925	3	Silver	Steel Glass	30 000	7.00	400	500	3 000...6 500	>80

Product name	°	IP	lm	l _{av} (mm)	b _{av} (mm)	h _{av} (mm)	
SMART+ ELYPSE IP44 560mm	110	IP44	15 000	560.0	88.0	166.0	4
SMART+ ELYPSE IP44 340mm	170	IP44	15 000	340.0	88.0	166.0	4
SMART+ ELYPSE IP44 120mm	190	IP44	15 000	120.0	150.0	166.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI WALL ORBIS® BATH IP44

COOL & SMART WALL AND MIRROR LUMINAIRES IN BLACK OR WHITE



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

DIM

IP 44

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ BATH WALL IP44 400mm	4058075574236	1	White	Steel	30 000	17.00	800	1 600	3 000...6 500	>80
SMART+ BATH WALL IP44 400mm	4058075574311	2	Black	Steel	30 000	17.00	550	1 600	3 000...6 500	>80
SMART+ BATH WALL IP44 300mm	4058075574274	3	White	Steel	30 000	13.00	600	1 200	3 000...6 500	>80
SMART+ BATH WALL IP44 300mm	4058075574335	4	Black	Steel	30 000	13.00	350	1 200	3 000...6 500	>80

Product name	°	IP	lm	l [mm]	b [mm]	h [mm]	
SMART+ BATH WALL IP44 400mm	200	IP44	15 000	400.0	70.0	50.0	4
SMART+ BATH WALL IP44 400mm	200	IP44	15 000	400.0	70.0	50.0	4
SMART+ BATH WALL IP44 300mm	200	IP44	15 000	300.0	70.0	50.0	4
SMART+ BATH WALL IP44 300mm	200	IP44	15 000	300.0	70.0	50.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

DECOR SQUARE IP44

AESTHETIC ALUMINUM AND GLASS WALL AND CEILING LUMINAIRES WITH G9 BASE AND IP44 PROTECTION



1
DECOR SQUARE
550X150mm 3XG9 IP44



2
DECOR SQUARE PLATE
350X350mm 4XG9 IP44



3
DECOR SQUARE
350X150mm 2XG9 IP44



4
DECOR SQUARE
150X150mm G9 IP44



EASY
MOUNTING

IP 44

G9

MAX.
3x
28W

EASY
MOUNTING

LEDVANCE
5 year
guarantee



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l (mm)	b (mm)	h (mm)	
DECOR SQUARE 550X150mm 3XG9 IP44	4058075756946	1	Black	Steel	IP44	550.0	150.0	155.0	2
DECOR SQUARE PLATE 350X350mm 4XG9 IP44	4058075756960	2	Black	Steel	IP44	350.0	350.0	155.0	2
DECOR SQUARE 350X150mm 2XG9 IP44	4058075756922	3	Black	Steel	IP44	350.0	150.0	150.0	4
DECOR SQUARE 150X150mm G9 IP44	4058075756908	4	Black	Steel	IP44	150.0	150.0	175.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

LED SQUARE IP44

LINEAR BATHROOM LUMINAIRE WITH TWO LIGHT COLORS
CONTROLLABLE VIA WALL-SWITCH



1
LED SQUARE IP44
CLICK CCT 14W 3000/4000 K

LED MODULE INTEGRATED CLICK CCT 3000K 4000K CRI >90 LEDVANCE 5 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
LED SQUARE IP44 CLICK CCT 14W 3000/4000 K	4058075399624	1	White	Aluminum	30 000	14,00	1 250	1 430	3 000/4 000	90
Product name										
LED SQUARE IP44 CLICK CCT 14W 3000/4000 K	180	IP44	15 000	600.0	40.0	70.0	4			

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

LED SPOT IP44

STYLISH BATHROOM WALL LUMINAIRE WITH THREE ROTATABLE
LUMINAIRE HEADS AND CLICK-CCT FUNCTION



1
LED SPOT IP44
CLICK CCT 3X7W 3000/4000 K




Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t(h) ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
LED SPOT IP44 CLICK CCT 3X7W 3000/4000 K	4058075399594	1	White	Aluminum	30 000	20.00	1 000	1 680	3 000/4 000	90

Product name							
LED SPOT IP44 CLICK CCT 3X7W 3000/4000 K	120	IP44	15 000	350.0	100.0	150.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

LED RECESS GU10 IP65

LED SPOTLIGHT WITH IP65 PROTECTION – ALSO SUITABLE FOR WET AREAS



1
RECESS GU10
4.3W 2700K White IP65



LED 1x INCL. 36° GU10 IP65 WARM LIGHT LEDVANCE 5 year guarantee 													
Product name		GTIN (EAN)		No.	COLOR	MATERIAL	t_h²	W	lm_{OUT}³	lm_{LIGHT SOURCE}⁴	5	K	CRI
RECESS GU10 4.3W 2700K White IP65		4058075573031		1	White	Aluminum	15 000	4.30	280	350	F	2 700	80
Product name			IP		x INCL.	h [mm]	d [mm]						
RECESS GU10 4.3W 2700K White IP65		36	IP65	100 000	1	84.0	85.0	4					

HOW TO READ OUR PRODUCT TABLES

The new lighting regulation states that the new EU label indicating the energy efficiency class must be clearly visible on every product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a colored arrow but a letter. See on the right.

Energy efficiency class Product packaging	Information Table
 A	→ A
 B	→ B
 C	→ C
 D	→ D
 E	→ E
 F	→ F
 G	→ G

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser | ⁵ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A (highest efficiency) to G (lowest efficiency).



INDOOR LED STRIPS



SMART+ WIFI LED STRIPS 284



SMART+ ZIGBEE LED STRIPS 286



DECORATIVE BACKGROUND LED STRIP 288

SMART+ WIFI FLEX MULTICOLOR

FLEXIBLE, EXPANDABLE LED STRIP WITH WHITE LIGHT AND RGB FUNCTION



1
SMART WIFI FLEX RGBTW
2M



2
SMART WIFI FLEX RGBTW
1M Extension



works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI LED MODULE INTEGRATED DIM COLOR WARM COOL LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	MATERIAL	t/h ²	W	lm OUTPUT ³	lm LIGHT SOURCE ⁴	K	CRI	
SMART WIFI FLEX RGBTW 2M	4058075515932	1	Silicone	30 000	8.50	640	720	2 700 ... 6 500	>80	110
SMART WIFI FLEX RGBTW 1M Extension	4058075523838	2	Silicone	30 000	3.60	320	360	2 000 ... 6 500	>80	110

Product name	IP		$\frac{l}{[mm]}$	$\frac{b}{[mm]}$	$\frac{h}{[mm]}$	
SMART WIFI FLEX RGBTW 2M	IP20	15 000	2 000.0	10.0	2.6	4
SMART WIFI FLEX RGBTW 1M Extension	IP20	15 000	1 000.0	10.0	2.6	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ ZIGBEE FLEX MULTICOLOR

FLEXIBLE, EXPANDABLE LED STRIP WITH TUNABLE WHITE LIGHT AND RGB FUNCTION



works with alexa

works with Hey Google

zigbee certified product

LED MODULE INTEGRATED

DIM

COLOR

WARM COOL

LEDVANCE 3 year guarantee


Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ ZB FLEX 3P RGBW	4058075208339	1	White	Plastic	20 000	11.00	700	920	2 000...6 500	80
SMART+ ZB FLEX RGBW EXT	4058075208612	2	White	Plastic	20 000	6.00	500	920	2 000...6 500	80

Product name	°	IP	lm	l [mm]	b [mm]	h [mm]	
SMART+ ZB FLEX 3P RGBW	120	IP20	100 0000	1 800.0	12.0	3.0	4
SMART+ ZB FLEX RGBW EXT	120	IP20	100 0000	1 200.0	12.0	3.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

FLEX TV MOOD LIGHT

FLEXIBLE LED STRIP AS AMBIENT BACKLIGHTING FOR TVS



1
FLEX TV MOOD LIGHT
RGB + Remote Control

1
FLEX TV MOOD LIGHT
3500K

LED USB LEDVANCE 2 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t(h) ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	IP
FLEX TV MOOD LIGHT RGB + Remote Control	4058075666917	1	White	Plastic (PU)	15 000	4.20	-	-	-	>80	IP20
FLEX TV MOOD LIGHT 3500K	4058075666894	2	White	Plastic (PU)	15 000	2.70	110	200	3 500	>80	IP20

Product name	b (mm)	h (mm)	Icon
FLEX TV MOOD LIGHT RGB + Remote Control	8.0	1 200.0	100
FLEX TV MOOD LIGHT 3000K	8.0	1 200.0	16

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

OFFICE LUMINAIRES



CEILING MOUNTING

292

LED OFFICE LINE
FLAT OFFICE BATTEN LUMINAIRES FOR CEILING MOUNTING



1
LED Office Line
1200 mm 48 W 4000 K

2
LED Office Line
600 mm 25 W 4000 K

														
Product name	GTIN (EAN)													
LED Office Line 1200 mm 48 W 4000 K	4058075271487	1	White	Aluminum	30 000	48.00	4 800	7 200	4 000	≥80	105			
LED Office Line 600 mm 25 W 4000 K	4058075271463	2	White	Aluminum	30 000	25.00	2 500	3 700	4 000	≥80	105			

Product name														
LED Office Line 1200 mm 48 W 4000 K	IP20	25 000	1 215.0	130.0	25.0	8								
LED Office Line 600 mm 25 W 4000 K	IP20	25 000	615.0	130.0	25.0	8								

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser



UNDER CABINET LUMINAIRES



SMART⁺ UNDER CABINET LUMINAIRES 296



AC POWERED UNDER CABINET LUMINAIRES 302

SMART+ WIFI UNDERCABINET ROUND

EXPANDABLE SET OF 3 SMART UNDERCABINET LUMINAIRES WITH DIMMING AND TUNABLE WHITE FUNCTION



1
SMART+ UNDERCABINET ROUND
83mm



works with alexa works with LEDVANCE app works with Hey Google WIFI  SMART+ EASY MOUNTING DIM WARM COOL LEDVANCE 3 year guarantee 										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm _{OUT} ³	lm _{LS} ⁴	K	CRI
SMART+ UNDERCABINET ROUND 83mm	4058075762190	1	White	Aluminum/Plastic	25 000	6.50	210	375	3 000...6 500	>80
 IP  h_{mm} d_{mm} 										
SMART+ UNDERCABINET ROUND 83mm	110	IP20	100 000	12.2	83.0	6				

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI UNDERCABINET LED SLIM

ULTRA-SLIM, SMART UNDER-CABINET LUMINAIRE WITH EXTREMELY UNIFORM LIGHT



1
SMART+ WIFI UNDERCABINET
600mm



2
SMART+ WIFI UNDERCABINET
50x3.75 + 50x3.75 Extension



3
SMART+ WIFI UNDERCABINET
457mm



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t _h ²	 W	 l _m ³	 l _m ⁴ SOURCE	 CRI		 IP
SMART+ WIFI UNDERCABINET 600mm	4058075575714	1	White	Aluminum/Plastic	30 000	12.00	580	1 110	>80	120	IP20
SMART+ WIFI UNDERCABINET 50x3.75	4058075576278	2	White	Aluminum/Plastic	30 000	9.00	480	900	>80	120	IP20
SMART+ WIFI UNDERCABINET 50x3.75 + 50x3.75 Extension	4058075576292	2	White	Aluminum/Plastic	30 000	8.00	480	900	≥80	120	IP20
SMART+ WIFI UNDERCABINET 457mm	4058075575691	3	White	Aluminum/Plastic	30 000	7.00	330	700	>80	120	IP20

Product name		 l _m ³	 l _m ⁴ SOURCE		
SMART+ WIFI UNDERCABINET 600mm	15 000	600.0	65.0	9.0	8
SMART+ WIFI UNDERCABINET 50x3.75	15 000	500.0	38.0	8.0	8
SMART+ WIFI UNDERCABINET 50x3.75 + 50x3.75 Extension	15 000	500.0	38.0	8.0	8
SMART+ WIFI UNDERCABINET 457mm	15 000	457.0	65.0	9.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI UNDERCABINET LED PANEL

SMART UNDER-CABINET PANEL LUMINAIRE WITH EXTREMELY UNIFORM LIGHT DISTRIBUTION



1
SMART+ WIFI UNDERCABINET LED PANEL
30x20 + 30x20 Extension

works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON/OFF

DIM

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	Im ³ OUTPUT	Im ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI UNDERCABINET LED PANEL 30X20	4058075576315	1	White	Aluminum/Plastic	30 000	8.00	530	780	2 700...6 500	≥80
SMART+ WIFI UNDERCABINET LED PANEL 30x20 + 30x20 Extension	4058075576339	1	White	Aluminum/Plastic	30 000	6.80	530	780	2 700...6 500	≥80

Product name

°

IP

l
[mm]

b
[mm]


h
[mm]

SMART+ WIFI UNDERCABINET LED PANEL 30X20	120	IP20	15 000	300.0	200.0	7.5	8
SMART+ WIFI UNDERCABINET LED PANEL 30x20 + 30x20 Extension	120	IP20	15 000	300.0	200.0	7.5	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

UNDERCABINET SPOT PUCK

EXPANDABLE 3-PIECE SET OF UNDERCABINET SPOTLIGHTS FOR SURFACE OR RECESSED MOUNTING



1
Spot Puck
65mm 3x3W

2
Spot Puck
65mm 3x3W

FLEXIBLE MOUNTING 3x INCL. LED MODULE INTEGRATED WARM LIGHT LEDVANCE 1 3 JAHRE GARANTIE											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
Spot Puck 65mm 3x3W	4058075791565	1	White	Aluminum Plastic	30 000	3.00	250	330	3 000	> 80	120
Spot Puck 65mm 3x3W	4058075791589	2	Black	Aluminum Plastic	30 000	3.00	250	330	3 000	> 80	120

Product name	IP		h _{mm}	d _{mm}	
Spot Puck 65mm 3x3W	IP20	15 000	19.0	65.0	24
Spot Puck 65mm 3x3W	IP20	15 000	19.0	65.0	24

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

UNDERCABINET SPOT MAGNET

SET OF 3 UNDERCABINET LUMINAIRES WITH DIMMING FUNCTION
AND EASY MOUNTING VIA MAGNETIC RINGS



1
Spot Magnet
75mm 8.5W 3000K



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t(h) ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
Spot Magnet 75mm 8.5W 3000K	4058075762312	1	White	Aluminum/Plastic	30 000	8.50	390	690	3000	>80	120

Product name				
Spot Magnet 75mm 8.5W 3000K	15 000	7.0	75.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

CABINET LED SLIM

ULTRA-FLAT LOW-VOLTAGE UNDER CABINET LUMINAIRES



1
CABINET LED Slim
500

2
CABINET LED Slim
300

LED MODULE INTEGRATED SLIM 8mm IR-/SWEEP SENSOR DIM WARM LIGHT LEDVANCE 3 year guarantee											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
CABINET LED Slim 500 two light	4058075227736	1	White	Plastic (PC/ABS)	30 000	18.00	980	1 620	3 000	≥80	110
CABINET LED Slim 300 two light	4058075227712	2	White	Plastic (PC/ABS)	30 000	11.00	530	960	3 000	≥80	110
CABINET LED Slim 500	4058075268364	1	White	Plastic (PC/ABS)	30 000	10.00	470	810	3 000	≥80	110
CABINET LED Slim 300	4058075227699	2	White	Plastic (PC/ABS)	30 000	6.00	250	480	3 000	≥80	110

Product name	IP		l [mm]	w [mm]	h [mm]	
CABINET LED Slim 500 two light	IP20	100 000	500.0	37.6	8.0	8
CABINET LED Slim 300 two light	IP20	100 000	300.0	37.6	8.0	8
CABINET LED Slim 500	IP20	100 000	500.0	37.6	8.0	8
CABINET LED Slim 300	IP20	100 000	300.0	37.6	8.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

CABINET LED CORNER

LOW-VOLTAGE UNDER CABINET LUMINAIRES FOR CORNER INSTALLATION



1
CABINET LED Corner
550

2
CABINET LED Corner
350

LED
MODULE
INTEGRATED

IR-/SWEEP
SENSOR

DIM

WARM
LIGHT

LEDVANCE¹
3 year
guarantee


Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
CABINET LED Corner 550 two light	4058075268265	1	Gray	Plastic (PC/ABS)	30 000	12.00	480	1 200	3 000	≥80	110
CABINET LED Corner 350 two light	4058075227910	2	Gray	Plastic (PC/ABS)	30 000	9.00	640	800	3 000	≥80	110
CABINET LED Corner 550	4058075227958	1	Gray	Plastic (PC/ABS)	30 000	7.50	480	600	3 000	≥80	100
CABINET LED Corner 350	4058075268227	2	Gray	Plastic (PC/ABS)	30 000	5.00	320	400	3 000	≥80	100

Product name	IP		l [lm]	W [Watt]	h [mm]	
CABINET LED Corner 550 two light	IP20	100 000	550.0	40.7	23.0	8
CABINET LED Corner 350 two light	IP20	100 000	350.0	40.7	23.0	8
CABINET LED Corner 550	IP20	100 000	550.0	40.7	23.0	8
CABINET LED Corner 350	IP20	100 000	350.0	40.7	23.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

CABINET LED PANEL

ULTRA-FLAT UNDER CABINET PANELS WITH ATTRACTIVE LIGHT DISTRIBUTION



1
CABINET LED Panel
300x200

2
CABINET LED Panel
300x100

LED MODULE INTEGRATED IR-/SWEEP SENSOR SLIM 7.6mm DIM WARM LIGHT LEDVANCE 3 year guarantee 											
Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t[h] ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI	
CABINET LED Panel 300x200 two light	4058075268340	1	White	Plastic (ABS)	30 000	14.00	900	960	3000	≥80	110
CABINET LED Panel 300x100 two light	4058075268302	2	White	Plastic (ABS)	30 000	10.00	550	720	3000	≥80	110
CABINET LED Panel 300x200	4058075268326	1	White	Plastic (ABS)	30 000	7.50	450	240	3000	≥80	110
CABINET LED Panel 300x100	4058075268289	2	White	Plastic (ABS)	30 000	5.00	220	360	3000	≥80	110

Product name	 IP		 t[h]	 W	 h [mm]	
CABINET LED Panel 300x200 two light	IP20	100 000	300.0	200.0	8.0	8
CABINET LED Panel 300x100 two light	IP20	100 000	300.0	100.0	8.0	8
CABINET LED Panel 300x200	IP20	100 000	300.0	200.0	8.0	8
CABINET LED Panel 300x100	IP20	100 000	300.0	100.0	8.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

LINEAR LED SLIM RGBW

FLAT UNDER CABINET LUMINAIRES WITH RGBW ILLUMINATION



1
LINEAR LED Slim RGBW
500

2
LINEAR LED Slim RGBW
300

LED MODULE INTEGRATED REMOTE DIM CONNECT- TABLE RGB WARM LIGHT LEDVANCE² 3 year guarantee 											
Product name	GTIN (EAN)	 No.	COLOR	MATERIAL	 ³	W	 ⁴	 ⁵	K	CRI	
LINEAR LED Slim RGBW 500	4058075227675	1	Gray	Aluminum/Plastic (PC)	30000	6.00	350	530	3000	≥80	110
LINEAR LED Slim RGBW 300	4058075227651	2	Gray	Aluminum/Plastic (PC)	30000	4.00	230	320	3000	≥80	110

Product name	 IP		 l [mm]	 w [mm]	 h [mm]	
LINEAR LED Slim RGBW 500	IP20	100 000	500.0	49.0	18.0	8
LINEAR LED Slim RGBW 300	IP20	100 000	300.0	49.0	18.0	8

¹ Up to 10 luminaires of the 30cm versions and 5 luminaires of the 50cm versions can be connected together. | ² The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ³ Average lifetime in hours | ⁴ Total luminous flux of the luminaire taking into account the diffuser | ⁵ Total luminous flux of the contained light sources without the diffuser

LINEAR LED SLIM

HIGH VOLTAGE UNDERCABINET LUMINAIRES WITH IR SENSOR



1
LINEAR LED Slim
500

2
LINEAR LED Slim
300

		LED MODULE INTEGRATED		1 CONNECTABLE		IR-/SWEEP SENSOR	DIM	WARM LIGHT	2 LEDVANCE 3 year guarantee			
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ³	W	lm _{OUT} ⁴	lm _{LIGHT SOURCE} ⁵	K	CRI		
LINEAR LED Slim 500	4058075227637	1	Gray	Aluminum/Plastic (PC)	30 000	8.00	640	890	3 000	≥80	110	
LINEAR LED Slim 300	4058075227613	2	Gray	Aluminum/Plastic (PC)	30 000	4.00	290	340	3 000	≥80	110	

Product name	IP		l [mm]	w [mm]	h [mm]	
LINEAR LED Slim 500	IP20	100 000	500.0	49.0	18.0	8
LINEAR LED Slim 300	IP20	100 000	300.0	49.0	18.0	8

¹ Up to 10 luminaires of the 30cm versions and 5 luminaires of the 50cm versions can be connected together. | ² The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ³ Average lifetime in hours | ⁴ Total luminous flux of the luminaire taking into account the diffuser | ⁵ Total luminous flux of the contained light sources without the diffuser

LINEAR LED TURN

UNDER CABINET LUMINAIRES WITH ADJUSTABLE LIGHTING ANGLE



1
LINEAR LED TURN
557 10 W 3000 K



2
LINEAR LED TURN
357 6 W 3000 K




LED TURNABLE LIGHT 2700°K 3000°K 3500°K WARM LIGHT 3Y PARTIAL GUARANTEE¹											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	²	W	³	⁴	K	CRI	
LINEAR LED TURN 557 10 W 3000 K	4058075 227972	1	Silver	Aluminum	30 000	10.00	620	1 000	3 000	>80	100
LINEAR LED TURN 357 6 W 3000 K	4058075 268388	3	Silver	Aluminum	30 000	6.00	380	650	3 000	>80	100

Product name	IP		¹	²	³	
LINEAR LED TURN 557 10 W 3000 K	IP20	30 000	557.0	60.0	24.0	8
LINEAR LED TURN 10 W 3000 K + power socket	IP20	30 000	557.0	60.0	24.0	8
LINEAR LED TURN 357 6 W 3000 K	IP20	30 000	357.0	60.0	24.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

LINEARLED FLAT®
VERSATILE UNDER CABINET LUMINAIRES FOR SHELF LIGHTING



LED
MODULE
INTEGRATED

1
CONNECTABLE

2
LEDVANCE
3 year
guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t	W	OUTPUT	LIGHT SOURCE	ENERGY	K
Linear LED Flat 12 W/4000 K	4058075264618	1	Silver	Aluminum	20 000	12.00	840	1 260	-	4 000
Linear LED Flat 12 W/3000 K	4058075264410	1	Silver	Aluminum	20 000	12.00	760	1 230	-	3 000
Linear Flat Socket USB 540mm 10W 4000K	4058075762251	2	White	Aluminum/Plastic	30 000	10.00	800	800	E	4 000
Linear LED Flat 6 W/4000 K	4058075264328	1	Silver	Aluminum	20 000	6.00	320	520	-	4 000
Linear LED Flat 6 W/3000 K	4058075264144	1	Silver	Aluminum	20 000	6.00	300	480	-	3 000
Linear LED Mobile USB 600	4058075762237	3	Gray	Aluminum/Plastic	25 000	4.00	270	270	G	3 000...6 500
Linear LED Mobile USB 400	4058075762213	4	Gray	Aluminum/Plastic	25 000	3.20	200	200	G	3 000...6 500

Product name								
Linear LED Flat 12 W/4000 K	>80	120	IP20	100 000	527.0	67.0	19.0	8
Linear LED Flat 12 W/3000 K	>80	120	IP20	100 000	527.0	67.0	19.0	8
Linear Flat Socket USB 540mm 10W 4000K	>80	120	IP20	15 000	540.0	81.0	41.5	8
Linear LED Flat 6 W/4000 K	>80	120	IP20	100 000	370.0	67.0	22.0	8
Linear LED Flat 6 W/3000 K	>80	120	IP20	100 000	370.0	67.0	22.0	8
Linear LED Mobile USB 600	>80	110	IP20	12 500	600.0	9.3	40.0	8
Linear LED Mobile USB 400	>80	110	IP20	12 500	400.0	9.3	40.0	8

¹ Up to 43 luminaires of the Eco-versions and up to 18 luminaires of the Sensor version can be connected together. | ² The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ³ Average lifetime in hours | ⁴ Total luminous flux of the luminaire taking into account the diffuser | ⁵ Total luminous flux of the contained light sources without the diffuser | ⁶ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A (highest efficiency) to G (lowest efficiency).



FUNCTIONAL LUMINAIRES



BATTEN LUMINAIRES WITH SENSOR 322



BATTEN LUMINAIRES WITH CONNECTION VIA TERMINALS 324



BATTEN LUMINAIRES WITH CONNECTION VIA EU PLUG 326

LED BATTEN SENSOR

LED BATTEN LUMINAIRES IN CLASSIC T5 SHAPES WITH MOTION SENSOR



1
LED Sensor Batten
1200mm 14W 3000K

2
LED Sensor Batten
600mm 8W 3000K

3
LED Sensor Batten
320mm 4W 3000K



LED

FLEXIBLE MOUNTING

WARM LIGHT

3Y¹ PARTIAL GUARANTEE

Product name	GTIN (EAN)		COLOR	MATERIAL		W			K	CRI	
LED Sensor Batten 1200mm 14W 3000K	4058075762152	1	White	Plastic	50 000	14.00	1 400	1 600	3 000	>80	180
LED Sensor Batten 600mm 8W 3000K	4058075762138	2	White	Plastic	50 000	8.00	800	900	3 000	>80	180
LED Sensor Batten 320mm 4W 3000K	4058075762114	3	White	Plastic	50 000	4.00	400	450	3 000	>80	180

Product name	IP					
LED Sensor Batten 1200mm 14W 3000K	IP20	100 000	1 173.0	28.0	36.0	8
LED Sensor Batten 600mm 8W 3000K	IP20	100 000	573.0	28.0	36.0	8
LED Sensor Batten 320mm 4W 3000K	IP20	100 000	313.0	28.0	36.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

LED POWER BATTEN

HIGH-OUTPUT BATTEN LUMINAIRES FOR WALL OR CEILING MOUNTING



1
LED Power Batten
600 mm 24 W 3000 K



2
LED Power Batten
600 mm 12 W 3000 K



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ²		 ³	 ⁴		
LED Power Batten 1200 mm 50 W 4000 K	4058075266667	-	White	Steel	25 000	50.00	5 100	6 260	-10...+45	4 000
LED Power Batten 1200 mm 50 W 3000 K	4058075266636	-	White	Steel	25 000	50.00	4 8045	6 000	-10...+45	3 000
LED Power Batten 1200 mm 24 W 4000 K	4058075266599	-	White	Steel	25 000	24.00	2 700	3 380	-10...+45	4 000
LED Power Batten 1200 mm 24 W 3000 K	4058075266575	-	White	Steel	25 000	24.00	2 600	3 220	-10...+45	3 000
LED Power Batten 600 mm 24 W 4000 K	4058075266537	1	White	Steel	25 000	24.00	2 500	3 380	-10...+45	4 000
LED Power Batten 600 mm 24 W 3000 K	4058075266513	1	White	Steel	25 000	24.00	2 375	3 220	-10...+45	3 000
LED Power Batten 600 mm 12 W 4000 K	4058075266490	2	White	Steel	25 000	12.00	1 320	1 620	-10...+45	4 000
LED Power Batten 600 mm 12 W 3000 K	4058075266476	2	White	Steel	25 000	12.00	1 260	1 540	-10...+45	3 000

Product name								
LED Power Batten 1200 mm 50 W 4000 K	≥80	170	IP20	25 000	1 200.0	82.0	48.0	8
LED Power Batten 1200 mm 50 W 3000 K	≥80	170	IP20	25 000	1 200.0	82.0	48.0	8
LED Power Batten 1200 mm 24 W 4000 K	≥80	170	IP20	25 000	1 200.0	41.0	48.0	8
LED Power Batten 1200 mm 24 W 3000 K	≥80	170	IP20	25 000	1 200.0	41.0	48.0	8
LED Power Batten 600 mm 24 W 4000 K	≥80	170	IP20	25 000	600.0	82.0	48.0	8
LED Power Batten 600 mm 24 W 3000 K	≥80	170	IP20	25 000	600.0	82.0	48.0	8
LED Power Batten 600 mm 12 W 4000 K	≥80	170	IP20	25 000	600.0	41.0	48.0	8
LED Power Batten 600 mm 12 W 3000 K	≥80	170	IP20	25 000	600.0	41.0	48.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

LED SWITCH BATTEN

SLIMLINE LED BATTEN LUMINAIRES WITH INTEGRATED SWITCH TO ADJUST LIGHT TEMPERATURE



1
LED Switch Batten
1200 mm 14 W 3000 K



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	°C	K
LED Switch Batten 1200 mm 14 W 4000 K	4058075267046	1	White	Plastic (PC)	30 000	14,00	1 600	1 800	-20...+40	4000
LED Switch Batten 1200 mm 14 W 3000 K	4058075266988	1	White	Plastic (PC)	30 000	14,00	1 600	1 800	-20...+40	3000
LED Switch Batten 900 mm 10 W 4000 K	4058075266964	-	White	Plastic (PC)	30 000	10,00	1 100	1 300	-20...+40	4000
LED Switch Batten 900 mm 10 W 3000 K	4058075266865	-	White	Plastic (PC)	30 000	10,00	1 100	1 300	-20...+40	3000
LED Switch Batten 600 mm 8 W 4000 K	4058075266742	-	White	Plastic (PC)	30 000	8,00	900	950	-20...+40	4000
LED Switch Batten 600 mm 8 W 3000 K	4058075266728	-	White	Plastic (PC)	30 000	8,00	900	950	-20...+40	3000
LED Switch Batten 300 mm 4 W 4000 K	4058075266704	-	White	Plastic (PC)	30 000	4,00	450	500	-20...+40	4000
LED Switch Batten 300 mm 4 W 3000 K	4058075266681	-	White	Plastic (PC)	30 000	4,00	450	500	-20...+40	3000

Product name	CRI	△	IP	Icon	l [mm]	w [mm]	h [mm]	Icon
LED Switch Batten 1200 mm 14 W 4000 K	≥80	140	IP20	25 000	1 173.0	22.0	30.0	8
LED Switch Batten 1200 mm 14 W 3000 K	≥80	140	IP20	25 000	1 173.0	22.0	30.0	8
LED Switch Batten 900 mm 10 W 4000 K	≥80	140	IP20	25 000	873.0	22.0	30.0	8
LED Switch Batten 900 mm 10 W 3000 K	≥80	140	IP20	25 000	873.0	22.0	30.0	8
LED Switch Batten 600 mm 8 W 4000 K	≥80	140	IP20	25 000	573.0	22.0	30.0	8
LED Switch Batten 600 mm 8 W 3000 K	≥80	140	IP20	25 000	573.0	22.0	30.0	8
LED Switch Batten 300 mm 4 W 4000 K	≥80	140	IP20	25 000	313.0	22.0	30.0	8
LED Switch Batten 300 mm 4 W 3000 K	≥80	140	IP20	25 000	313.0	22.0	30.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

TUBEKIT LED®

MOBILE PLUG & PLAY SOLUTION, SIMPLE AND PRACTICAL



1
TubeKIT LED
600 8.9 W 3000 K



Product name	GTIN (EAN)	 No.	COLOR	MATERIAL	 ²	W	 ³	 ⁴		K
TubeKIT LED 1500 21.5 W 4000 K	4058075265097	1	White	Plastic (PC)	30 000	21.50	2 365	2 600	-20...+45	4 000
TubeKIT LED 1500 21.5 W 3000 K	4058075265073	1	White	Plastic (PC)	30 000	21.50	2 150	2 500	-20...+45	3 000
TubeKIT LED 1200 19 W 4000 K	4058075265059	1	White	Plastic (PC)	30 000	19.00	2 090	2 400	-20...+45	4 000
TubeKIT LED 1200 19 W 3000 K	4058075265035	1	White	Plastic (PC)	30 000	19.00	1 900	2 200	-20...+45	3 000
TubeKIT LED 600 8.9 W 4000 K	4058075265011	1	White	Plastic (PC)	30 000	8.90	900	1 100	-20...+45	4 000
TubeKIT LED 600 8.9 W 3000 K	4058075264991	1	White	Plastic (PC)	30 000	8.90	900	1 050	-20...+45	3 000

Product name			IP		 [mm]	 [mm]	 [mm]	 [mm]	
TubeKIT LED 1500 21.5 W 4000 K	>80	150	IP20	20 0000	1 500.0	35.0	36.5	30.0	8
TubeKIT LED 1500 21.5 W 3000 K	>80	150	IP20	20 0000	1 500.0	35.0	36.5	30.0	8
TubeKIT LED 1200 19 W 4000 K	>80	150	IP20	20 0000	1 200.0	35.0	36.5	30.0	8
TubeKIT LED 1200 19 W 3000 K	>80	150	IP20	20 0000	1 200.0	35.0	36.5	30.0	8
TubeKIT LED 600 8.9 W 4000 K	>80	160	IP20	20 0000	600.0	35.0	36.5	30.0	8
TubeKIT LED 600 8.9 W 3000 K	>80	160	IP20	20 0000	600.0	35.0	36.5	30.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

DAMP-PROOF LUMINAIRES



OVAL DAMP-PROOF LUMINAIRES

332

LED BULKHEAD

VERSATILE, EASY TO INSTALL FUNCTIONAL LUMINAIRES



1
LED BULKHEAD
11 W 4000 K WT



2
LED BULKHEAD
11 W 4000 K BK



3
LED BULKHEAD
6 W 4000 K WT



4
LED BULKHEAD
6 W 4000 K BK



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t _{av} ²	 W	 l _m ³ OUTPUT	 l _m ⁴ LIGHT SOURCE		 K
LED BULKHEAD 11 W 4000 K WT	4058075271661	1	White	Plastic (PC)	20 000	11.00	840	1 200	-20...+40	4 000
LED BULKHEAD 11 W 4000 K BK	4058075271685	2	Black	Plastic (PC)	20 000	11.00	840	1 200	-20...+40	4 000
LED BULKHEAD 6 W 4000 K WT	4058075271586	3	White	Plastic (PC)	20 000	5.50	420	600	-20...+40	4 000
LED BULKHEAD 6 W 4000 K BK	4058075271647	4	Black	Plastic (PC)	20 000	5.50	420	600	-20...+40	4 000

Product name	 CRI		 IP					
LED BULKHEAD 11 W 4000 K WT	≥80	120	IP54	100 000	216.0	143.0	79.0	6
LED BULKHEAD 11 W 4000 K BK	≥80	120	IP54	100 000	216.0	143.0	79.0	6
LED BULKHEAD 6 W 4000 K WT	≥80	120	IP54	100 000	168.0	117.0	70.0	8
LED BULKHEAD 6 W 4000 K BK	≥80	120	IP54	100 000	168.0	117.0	70.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser



WORKLIGHTS



BATTERY OPERATED PORTABLE WORKLIGHTS 336



AC POWERED PORTABLE WORKLIGHTS 338



AC POWERED WORKLIGHTS WITH STAND 344

WORKLIGHT BATTERY

PORTABLE LED WORKLIGHTS WITH INTEGRATED BATTERY FOR OFF-GRID OPERATION



1
LED WORKLIGHT BATTERY
30W



2
LED WORKLIGHT BATTERY
20W



3
LED WORKLIGHT BATTERY
10W



4
LED WORKLIGHT BATTERY
67cm Tube



LED
MODULE
INTEGRATED

ACCU
INCL.

USB

TURNABLE
LIGHT

COOL
LIGHT

LEDVANCE¹
3 year
guarantee

Product name	GTIN (EAN)		COLOR	MATERIAL		W			K	CRI	
LED WORKLIGHT BATTERY 30W	4058075576513	1	Orange	Aluminum/Plastic	15 000	30.00	2 400	3 000	4 000	≥80	110
LED WORKLIGHT BATTERY 20W	4058075576490	2	Orange	Aluminum/Plastic	15 000	20.00	1 600	1 800	4 000	≥80	110
LED WORKLIGHT BATTERY 10W	4058075576476	3	Orange	Aluminum/Plastic	15 000	10.00	800	900	4 000	≥80	110
LED WORKLIGHT BATTERY Tube	4058075576551	4	Orange	Plastic	15 000	10.00	800	1 250	4 000	≥80	110

Product name	IP					
LED WORKLIGHT BATTERY 30W	IP44	15 000	311.0	200.0	316.0	4
LED WORKLIGHT BATTERY 20W	IP44	15 000	266.0	200.0	276.0	4
LED WORKLIGHT BATTERY 10W	IP44	15 000	200.0	206.0	276.0	4
LED WORKLIGHT BATTERY Tube	IP20	15 000	704.0	72.0	42.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

WORKLIGHT PANEL

LED PANEL WORKLIGHT FOR A PARTICULARLY UNIFORM LIGHT DISTRIBUTION



1
LED WORKLIGHT PANEL



LED MODULE INTEGRATED TURNABLE LIGHT 2m COOL LIGHT LEDVANCE¹ 3 year guarantee 											
Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ²		 ³	 ⁴			
LED WORKLIGHT PANEL	4058075576599	1	Orange	Aluminum/Plastic	15 000	50.00	4 000	4 300	4 000	≥80	110
Product name											
LED WORKLIGHT PANEL	IP20	15 000	50.0	201.0	141.0	4					

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

WORKLIGHTS R-STAND SOCKET

FLEXIBLE, PORTABLE WORKLIGHT WITH INCLUDED POWER OUTLETS



1
LED WORKLIGHT R-STAND SOCKET
50 W 4000 K



2
LED WORKLIGHT R-STAND SOCKET
30 W 4000 K



3
LED WORKLIGHT R-STAND SOCKET
20 W 4000 K



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{av} ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	°C	K
LED WORKLIGHT R-STAND SOCKET 50 W 4000 K	4058075321342	1	Dark gray	Aluminum/Steel	25 000	50.00	4 500	-	-20...+45	4 000
LED WORKLIGHT R-STAND SOCKET 30 W 4000 K	4058075321328	2	Dark gray	Aluminum/Steel	25 000	30.00	2 700	-	-20...+45	4 000
LED WORKLIGHT R-STAND SOCKET 20 W 4000 K	4058075321304	3	Dark gray	Aluminum/Steel	25 000	20.00	1 700	-	-20...+45	4 000

Product name	CRI	°	IP	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	W	h ⁵ [mm]	h ⁶ [mm]
LED WORKLIGHT R-STAND SOCKET 50 W 4000 K	≥80	120	IP44	100 000	278.0	270.0	375.0	2
LED WORKLIGHT R-STAND SOCKET 30 W 4000 K	≥80	120	IP44	100 000	224.0	232.0	307.0	4
LED WORKLIGHT R-STAND SOCKET 20 W 4000 K	≥80	120	IP44	100 000	224.0	227.0	278.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

WORKLIGHTS S-STAND

HIGHLY FUNCTIONAL AND PORTABLE WORKLIGHTS



1
LED WORKLIGHT S-STAND
50 W 4000 K



2
LED WORKLIGHT S-STAND
30 W 4000 K



3
LED WORKLIGHT S-STAND
20 W 4000 K



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t _{av} ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE		 K
LED WORKLIGHT S-STAND 50 W 4000 K	4058075213876	1	Dark gray	Aluminum/Steel	25 000	50.00	4 500	-	-20...+45	4 000
LED WORKLIGHT S-STAND 30 W 4000 K	4058075213852	2	Dark gray	Aluminum/Steel	25 000	30.00	2 700	-	-20...+45	4 000
LED WORKLIGHT S-STAND 20 W 4000 K	4058075213838	3	Dark gray	Aluminum/Steel	25 000	20.00	1 700	-	-20...+45	4 000

Product name	 CRI		 IP		 l _{min}	 W _{max}	 h _{max}	
LED WORKLIGHT S-STAND 50 W 4000 K	≥80	120	IP65	100 000	267.0	272.0	395.0	10
LED WORKLIGHT S-STAND 30 W 4000 K	≥80	120	IP65	100 000	210.0	220.0	325.0	10
LED WORKLIGHT S-STAND 20 W 4000 K	≥80	120	IP65	100 000	166.0	180.0	280.0	10

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

WORKLIGHTS TRIPOD – ADJUST AND REMOVE

LED WORKLIGHT WITH A STABLE TRIPOD AND REMOVABLE FLOODLIGHTS FOR SEPARATE USE



1
LED WORKLIGHT BATTERY
3 LIGHT CHARGEABLE
1x30W + 2x5W



LED MODULE INTEGRATED TURNABLE LIGHT COOL LIGHT LEDVANCE¹ 3 year guarantee											
Product name	GTIN (EAN)	 No.	COLOR	MATERIAL	²	³	⁴	⁵	K	CRI	
LED WORKLIGHT BATTERY 3 LIGHT CHARGEABLE	4058075576575	1	Orange	Aluminum/Plastic	15 000	40.00	3 600	-	4 000	≥80	110
Product name					 b [mm]	 h [mm]					
LED WORKLIGHT BATTERY 3 LIGHT CHARGEABLE	IP54	15 000	1 694.0	755.0	658.0	2					

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ 40 W = 1 x 30 W + 2 x 5 W | ⁴ Total luminous flux of the luminaire taking into account the diffuser | ⁵ Total luminous flux of the contained light sources without the diffuser

WORKLIGHTS – TRIPOD

WORKLIGHTS WITH ROBUST STAND



1
LED WORKLIGHT TRIPOD
2X50 W 4000 K



2
LED WORKLIGHT TRIPOD
2X30 W 4000 K



3
LED WORKLIGHT TRIPOD
1X50 W 4000 K



4
LED WORKLIGHT TRIPOD
2X20 W 4000 K



5
LED WORKLIGHT TRIPOD
1X30 W 4000 K



6
LED WORKLIGHT TRIPOD
1X20 W 4000 K



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	°C	K
LED WORKLIGHT TRIPOD 2X50 W 4000 K	4058075213999	1	Dark gray	Aluminum/Steel	25 000	100.00	9 000	-	-20...+45	4 000
LED WORKLIGHT TRIPOD 2X30 W 4000 K	4058075213951	2	Dark gray	Aluminum/Steel	25 000	60.00	3 400	-	-20...+45	4 000
LED WORKLIGHT TRIPOD 1X50 W 4000 K	4058075213975	3	Dark gray	Aluminum/Steel	25 000	50.00	4 500	-	-20...+45	4 000
LED WORKLIGHT TRIPOD 2X20 W 4000 K	4058075213913	4	Dark gray	Aluminum/Steel	25 000	40.00	3 400	-	-20...+45	4 000
LED WORKLIGHT TRIPOD 1X30 W 4000 K	4058075213937	5	Dark gray	Aluminum/Steel	25 000	30.00	2 700	-	-20...+45	4 000
LED WORKLIGHT TRIPOD 1X20 W 4000 K	4058075213890	6	Dark gray	Aluminum/Steel	25 000	20.00	1 700	-	-20...+45	4 000

Product name	CRI	°	IP	lm ³	W	h	lm ⁴
LED WORKLIGHT TRIPOD 2X50 W 4000 K	≥80	120	IP65	100 000	780.0	680.0	1 800.0
LED WORKLIGHT TRIPOD 2X30 W 4000 K	≥80	120	IP65	100 000	780.0	680.0	1 750.0
LED WORKLIGHT TRIPOD 1X50 W 4000 K	≥80	120	IP65	100 000	780.0	680.0	1 800.0
LED WORKLIGHT TRIPOD 2X20 W 4000 K	≥80	120	IP65	100 000	780.0	680.0	1 700.0
LED WORKLIGHT TRIPOD 1X30 W 4000 K	≥80	120	IP65	100 000	780.0	680.0	1 750.0
LED WORKLIGHT TRIPOD 1X20 W 4000 K	≥80	120	IP65	100 000	780.0	680.0	1 700.0

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

OUTDOOR TABLE LUMINAIRES



SMART⁺ TABLE LUMINAIRES 350



SMART⁺ SOLAR TABLE LUMINAIRES 352



SMART+ WIFI TABLEFRAME WITH USB POWERBANK

MOBILE OUTDOOR TABLE OR FLOOR LAMP WITH RGBW FUNCTION – RECHARGEABLE VIA USB AND USABLE AS A POWER BANK



1
SMART+ WIFI OUTDOOR TABLEFRAME
POWERBANK Dark grey

2
SMART+WIFI OUTDOOR TABLEFRAME
POWERBANK MAXI

works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	LDV WIFI	SWITCH ON/OFF	USB	DIM	COLOR	WARM LIGHT	LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	K	CRI	°C	IP	
SMART+ WIFI OUTDOOR TABLEFRAME POWERBANK	4058075564466	1	Dark gray	Aluminum	25 000	5.00	270	3 000	≥80	360	IP44	
SMART+WIFI OUTDOOR TABLEFRAME POWERBANK MAXI	4058075763241	2	Dark gray	Aluminum	25 000	5.00	270	3 000	≥80	360	IP44	

Product name					
SMART+ WIFI OUTDOOR TABLEFRAME POWERBANK Dark grey	12 500	120.0	120.0	203.0	4
SMART+ WIFI OUTDOOR TABLEFRAME POWERBANK MAXI Dark grey	12 500	140.0	140.0	263.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

SMART+ BLUETOOTH TABLEFRAME SOLAR

MOBILE IP44 TABLE LIGHT WITH SOLAR PANEL, TUNABLE WHITE, RGB AND DIMMING FUNCTIONS



1
SMART+ BT TABLEFRAME
SOLAR



works with LEDVANCE app Bluetooth DIM COLOR WARM LIGHT USB SOLAR LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	K	CRI	IP
SMART+ BT TABLEFRAME SOLAR	4058075763760	1	Black	Aluminum Plastic (PC)	25 000	2.50	200	3 000	> 80	IP44
Product name	l (mm) b (mm) h (mm)									
SMART+ BT TABLEFRAME SOLAR	12 500180.0180.0300.04									

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

SMART+ BLUETOOTH TABLE LANTERN SOLAR

MOBILE IP44 TABLE LANTERN WITH SOLAR PANEL, TUNABLE WHITE, RGB AND DIMMING FUNCTIONS



works with LEDVANCE app Bluetooth COLOR WARM LIGHT DIM USB SOLAR											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ¹	W	lm ² _{OUTPUT}	K	CRI	IP	
SMART+ BT TABLE LANTERN SOLAR	4058075763784	1	Black	Aluminum Plastice (PC)	25 000	3.00	200	3 000	> 80	IP44	12 500
h d											
SMART+ BT TABLE LANTERN SOLAR	260.0	200.0	4								

¹ Average lifetime in hours | ² Total luminous flux of the luminaire taking into account the diffuser




OUTDOOR WALL AND PATHWAY LUMINAIRES

	SMART+ WALL AND PATHWAY LUMINAIRE FAMILIES 358		SMART+ WALL LUMINAIRES 408
	SMART+ SOLAR WALL AND PATHWAY LUMINAIRE FAMILIES 374		SOLAR WALL LUMINAIRES 416
	SOLAR WALL AND PATHWAY LUMINAIRE FAMILIES 376		WALL LUMINAIRES WITH INTEGRATED LED MODULE 426
	WALL AND PATHWAY LUMINAIRE FAMILIES WITH INTEGRATED LED MODULE 380		WALL LUMINAIRES WITH BUILT-IN SOCKET 460
	WALL AND PATHWAY LUMINAIRES WITH BUILT-IN SOCKET 394		

SMART+ WIFI ECLIPSE

FAMILY OF SMART OUTDOOR LIGHTS WITH STAINLESS STEEL HOUSING IN MINIMALIST DESIGN



1
SMART+ ECLIPSE MULTICOLOR
80cm

2
SMART+ ECLIPSE MULTICOLOR
50cm

3
SMART+ ECLIPSE MULTICOLOR WALL

works with alexa		works with LEDVANCE app	works with Hey Google		Switch on/off	WIFI SMART+	IP 44	WARM LIGHT	COLOR	EASY MOUNTING	DIM	LEDVANCE 3 JAHRE GARANTIE	
Product name		GTIN (EAN)		No.	COLOR	MATERIAL	t ₉₀	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°C
SMART+ ECLIPSE MULTICOLOR 80cm		4058075763326		1	Silver	Stainless steel	25 000	10.00	250	850	3 000	≥80	330
SMART+ ECLIPSE MULTICOLOR 50cm		4058075763302		2	Silver	Stainless steel	25 000	10.00	250	850	3 000	≥80	330
SMART+ ECLIPSE MULTICOLOR WALL		4058075763289		3	Silver	Stainless steel	25 000	10.00	250	850	3 000	≥80	330

Product name		IP	h _{beam}	h _{spot}	Ø d _{beam}	Ø d _{spot}
SMART+ ECLIPSE MULTICOLOR 80cm		IP44	12 500	800.0	150.0	2
SMART+ ECLIPSE MULTICOLOR 50cm		IP44	12 500	500.0	150.0	2
SMART OUTD WIFI		IP44	12 500	102.0	150.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI TRUNK SQUARE

FAMILY OF SMART OUTDOOR LIGHTS WITH ALUMINUM HOUSING IN WOODEN DESIGN




- 

1
SMART+ TRUNK SQ MULTICOLOR WALL
- 

2
SMART+ TRUNK SQ MULTICOLOR 80cm
- 

3
SMART+ TRUNK SQ MULTICOLOR 50cm



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ²		 ³	 ⁴			
SMART+ TRUNK SQ MULTICOLOR WALL	4058075763340	1	Wood	Aluminum	25 000	7.50	220	550	3 000	≥80	75
SMART+ TRUNK SQ MULTICOLOR 80cm	4058075763388	2	Wood	Aluminum	25 000	7.50	220	550	3 000	≥80	75
SMART+ TRUNK SQ MULTICOLOR 50cm	4058075763364	3	Wood	Aluminum	25 000	7.50	220	550	3 000	≥80	75

Product name	 IP		 ¹	 ²	 ³	
SMART+ TRUNK SQ MULTICOLOR WALL	IP44	12 500	67.5	97.0	204.0	4
SMART+ TRUNK SQ MULTICOLOR 80cm	IP44	12 500	66.0	66.0	800.0	2
SMART+ TRUNK SQ MULTICOLOR 50cm	IP44	12 500	66.0	66.0	500.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Gesamtlichtstrom der Leuchte unter Berücksichtigung des Diffusors | ⁴ Gesamtlichtstrom der enthaltenen Lichtquellen ohne Diffusor

SMART+ WIFI SWING ROUND

FAMILY OF SMART OUTDOOR LIGHTS WITH ALUMINUM HOUSING AND ROTATABLE LIGHT SOURCE



works with alexa works with LEDVANCE app works with Hey Google Switch on/off WIFI SMART+ WARM COOL EASY MOUNTING DIM LEDVANCE 3 JAHRE GARANTIE										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI SWING ROUND 70cm	4058075763821	1	Black	Aluminum	25 000	6.70	350	420	3 000...6 500	> 80
SMART+ WIFI SWING ROUND Wall	4058075763807	2	Black	Aluminum	25 000	6.70	350	420	3 000...6 500	> 80

Product name	IP		l [mm]	b [mm]	h [mm]	
SMART+ WIFI SWING ROUND 70cm	IP44	12 500	170.0	65.0	700.0	4
SMART+ WIFI SWING ROUND Wall	IP44	12 500	160.0	185.0	65.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI PIPE

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION
IN A SLIM PIPE LOOK



- 

1
SMART+ WIFI OUTDOOR PIPE Wall
- 

2
SMART+ WIFI OUTDOOR PIPE 80cm Post
- 

3
SMART+ WIFI OUTDOOR PIPE 50cm Post



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

EASY MOUNTING

DIM

COLOR

WARM LIGHT

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{av} ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°C
SMART+ WIFI OUTDOOR PIPE Wall	4058075564183	1	Dark gray	Aluminum	25 000	10.00	380	850	3 000	≥80	270
SMART+ WIFI OUTDOOR PIPE 80CM Post	4058075564220	2	Dark gray	Stainless Steel	25 000	10.00	380	850	3 000	≥80	270
SMART+ WIFI OUTDOOR PIPE 50CM Post	4058075564206	3	Dark gray	Stainless Steel	25 000	10.00	380	850	3 000	≥80	270

Product name	IP		L (mm)	b (mm)	h (mm)	Ø (mm)	
SMART+ WIFI OUTDOOR PIPE Wall	IP44	12 500	129.0	89.0	197.0	-	4
SMART+ WIFI OUTDOOR PIPE 80CM Post	IP44	12 500	-	-	800.0	89.0	2
SMART+ WIFI OUTDOOR PIPE 50CM Post	IP44	12 500	-	-	500.0	135.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI CASCADE

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION
IN AN EXTRAORDINARY DESIGN



- 

1
SMART+ WIFI OUTDOOR CASCADE
80cm Post
- 

2
SMART+ WIFI OUTDOOR CASCADE
50cm Post
- 

3
SMART+ WIFI OUTDOOR CASCADE Wall



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON/OFF

EASY MOUNTING

DIM

COLOR

WARM LIGHT

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t _h ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI	
SMART+ WIFI OUTDOOR CASCADE 80CM Post	4058075564282	1	Dark gray	Aluminum	25 000	10.00	420	800	3 000	≥80	270
SMART+ WIFI OUTDOOR CASCADE 50CM Post	4058075564268	2	Dark gray	Aluminum	25 000	10.00	420	800	3 000	≥80	270
SMART+ WIFI OUTDOOR CASCADE Wall	4058075564244	3	Dark gray	Aluminum	25 000	10.00	420	800	3 000	≥80	270

Product name	 IP		 l [mm]	 b [mm]	 h [mm]	
SMART+ WIFI OUTDOOR CASCADE 80CM Post	IP44	12 500	200.0	160.0	800.0	2
SMART+ WIFI OUTDOOR CASCADE 50CM Post	IP44	12 500	200.0	160.0	500.0	2
SMART+ WIFI OUTDOOR CASCADE Wall	IP44	12 500	160.0	120.0	180.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI FLARE UPDOWN

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION – LIGHT OUTPUT UPWARD AND DOWNWARD



- 

1
SMART+ WIFI OUTDOOR FLARE UPDOWN
80cm Post
- 

2
SMART+ WIFI OUTDOOR FLARE UPDOWN
50Ccm Post
- 

3
SMART+ WIFI OUTDOOR FLARE UPDOWN
Wall



works with alexa

works with LEDVANCE app

works with Hey Google

WIFI

LDV WIFI

SWITCH ON OFF

EASY MOUNTING

DIM

COLOR

WARM LIGHT

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{av} ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°C
SMART+ WIFI OUTDOOR FLARE UPDOWN 80CM Post	4058075564343	1	Dark gray	Aluminum	25 000	14,00	1 000	1 350	3 000	≥80	320
SMART+ WIFI OUTDOOR FLARE UPDOWN 50CM Post	4058075564329	2	Dark gray	Aluminum	25 000	14,00	1 000	1 350	3 000	≥80	320
SMART+ WIFI OUTDOOR FLARE UPDOWN Wall	4058075564305	3	Dark gray	Aluminum	25 000	14,00	1 000	1 350	3 000	≥80	320

Product name	IP		l (mm)	b (mm)	h (mm)	
SMART+ WIFI OUTDOOR FLARE UPDOWN 80CM Post	IP44	12 500	194.0	144.0	800.0	2
SMART+ WIFI OUTDOOR FLARE UPDOWN 50CM Post	IP44	12 500	194.0	144.0	500.0	2
SMART+ WIFI OUTDOOR FLARE UPDOWN Wall	IP44	12 500	132.0	100.0	246.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI CUBE MULTICOLOR

STYLISH WALL AND BOLLARD LUMINAIRES WITH COLOR-CHANGING FUNCTION



- 

1
SMART+ WIFI CUBE UpDown
- 

2
SMART+ WIFI CUBE 80CM Post
- 

3
SMART+ WIFI CUBE 50CM Post



works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	LDV WIFI	SWITCH ON OFF	LED MODULE INTEGRATED	DIM	COLOR	WARM LIGHT	LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)		COLOR	MATERIAL	t ₉₀	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI		
SMART+ WIFI CUBE UpDown	4058075478077	1	Dark gray	Aluminum	25 000	13.50	950	1 200	RGB, 3 000	≥80		
SMART+ WIFI CUBE 80CM Post	4058075478176	2	Dark gray	Aluminum	25 000	9.50	500	800	RGB, 3 000	≥80		
SMART+ WIFI CUBE 50CM Post	4058075478152	3	Dark gray	Aluminum	25 000	9.50	500	800	RGB, 3 000	≥80		
SMART+ WIFI CUBE Wall	4058075478114	4	Dark gray	Aluminum	25 000	9.50	500	800	RGB, 3 000	≥80		

Product name		IP	lm	l [mm]	b [mm]	h [mm]	
SMART+ WIFI CUBE UpDown	315	IP44	12 500	110.0	80.0	205.0	4
SMART+ WIFI CUBE 80CM Post	205	IP44	12 500	120.0	120.0	800.0	2
SMART+ WIFI CUBE 50CM Post	205	IP44	12 500	120.0	120.0	500.0	2
SMART+ WIFI CUBE Wall	205	IP44	12 500	110.0	80.0	116.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI LANTERN FLARE MULTICOLOR

WALL AND BOLLARD LUMINAIRES IN FLARE DESIGNS WITH COLOR-CHANGING FUNCTION



1
SMART+ WIFI FLARE Wall

2
SMART+ WIFI FLARE
60CM Post

works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI SWITCH ON OFF LED MODULE INTEGRATED DIM COLOR WARM LIGHT LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI FLARE Wall	4058075478275	1	Dark gray	Aluminum	25 000	7.50	320	570	RGB, 3 000	≥80
SMART+ WIFI FLARE 60CM Post	4058075478299	2	Dark gray	Aluminum	25 000	7.50	320	570	RGB, 3 000	≥80

Product name	°	IP	lx	l [mm]	b [mm]	h [mm]	Ø d [mm]	
SMART+ WIFI FLARE Wall	230	IP44	12 500	98.0	66.0	331.0	-	4
SMART+ WIFI FLARE 60CM Post	230	IP44	12 500	-	-	604.0	110.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ BLUETOOTH SOLAR ALPS

FAMILY OF SOLAR OUTDOOR LIGHTS WITH SENSOR, DIMMING FUNCTION AND USB C CHARGING PORT



1
SMART+ BT ALPS SOLAR WALL

2
SMART+ BT ALPS SOLAR 70cm

Product name	GTIN (EAN)		COLOR	MATERIAL		W			K	CRI		
SMART+ BT ALPS SOLAR WALL	4058075763722	1	Black	Aluminum Plastic (PC)	25 000	6.00	400	600	3 000	> 80		
SMART+ BT ALPS SOLAR 70cm	4058075763746	2	Black	Aluminum Plastic (PC)	25 000	6.00	400	600	3 000	> 80		

Product name	IP											
SMART+ BT ALPS SOLAR WALL	IP44	12 500	152.0	193.0	365.0	4						
SMART+ BT ALPS SOLAR 70cm	IP44	12 500	152.0	152.0	700.0	4						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE SOLAR BOUQUET

LED OUTDOOR LUMINAIRE FAMILY WITH INTEGRATED SOLAR MODULE



1
ENDURA STYLE SOLAR BOUQUET Wall
sensor stainless steel



2
ENDURA STYLE SOLAR BOUQUET Wall
sensor black



3
ENDURA STYLE SOLAR BOUQUET
50cm Post sensor stainless steel



4
ENDURA STYLE SOLAR BOUQUET
50cm Post sensor black



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t _{av} ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI	 IP
ENDURA STYLE SOLAR BOUQUET Wall sensor stainless steel	4058075564503	1	Steel	Aluminum	25 000	6.00	550	-	3 000	>80	IP44
ENDURA STYLE SOLAR BOUQUET Wall sensor black	4058075564541	2	Dark gray	Aluminum	25 000	6.00	550	-	3 000	>80	IP44
ENDURA STYLE SOLAR BOUQUET 50cm Post sensor stainless steel	4058075564527	3	Steel	Aluminum	25 000	6.00	550	-	3 000	>80	IP44
ENDURA STYLE SOLAR BOUQUET 50cm Post sensor black	4058075564565	4	Dark gray	Aluminum	25 000	6.00	550	-	3 000	>80	IP44

Product name		 l [mm]	 b [mm]	 h [mm]	
ENDURA STYLE SOLAR BOUQUET Wall sensor stainless steel	12 500	180.0	150.0	365.0	4
ENDURA STYLE SOLAR BOUQUET Wall sensor black	12 500	180.0	150.0	365.0	4
ENDURA STYLE SOLAR BOUQUET 50cm Post sensor stainless steel	12 500	150.0	150.0	500.0	4
ENDURA STYLE SOLAR BOUQUET 50cm Post sensor black	12 500	150.0	150.0	500.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE SOLAR SENSOR DOUBLE CIRCLE
STAINLESS STEEL WALL- AND BOLLARD LUMINAIRES WITH
SOLAR PANEL AND SENSOR



1
ENDURA STYLE Solar Sensor Wall
Double Circle 6W ST



2
ENDURA STYLE Solar Sensor Wall
Double Circle 6W BK



3
ENDURA STYLE Solar Sensor Post
Double Circle 40CM 6W ST



4
ENDURA STYLE Solar Sensor Post
Double Circle 40CM 6W B



LED MODULE INTEGRATED WARM LIGHT SOLAR LEDVANCE¹ 5 year guarantee											
Product name	GTIN (EAN)		COLOR	MATERIAL		W			K	CRI	IP
ENDURA STYLE Solar Sensor Wall Double Circle 6W ST	4058075392687	1	Steel	Stainless steel	50 000	6.00	400	-	3 000	≥80	IP44
ENDURA STYLE Solar Sensor Wall Double Circle 6W BK	4058075392724	2	Black	Stainless steel	50 000	6.00	400	-	3 000	≥80	IP44
ENDURA STYLE Solar Sensor Post Double Circle 40CM 6W ST	4058075392700	3	Steel	Stainless steel	50 000	6.00	400	-	3 000	≥80	IP44
ENDURA STYLE Solar Sensor Post Double Circle 40CM 6W BK	4058075392748	4	Black	Stainless steel	50 000	6.00	400	-	3 000	≥80	IP44

Product name						
ENDURA STYLE Solar Sensor Wall Double Circle 6W ST	12 500	185.0	178.0	220.0	-	4
ENDURA STYLE Solar Sensor Wall Double Circle 6W BK	12 500	185.0	178.0	220.0	-	4
ENDURA STYLE Solar Sensor Post Double Circle 40CM 6W ST	12 500	-	-	400.0	178.0	4
ENDURA STYLE Solar Sensor Post Double Circle 40CM 6W BK	12 500	-	-	400.0	178.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE BAT


OUTDOOR LUMINAIRE FAMILY IN A MODERN WING DESIGN



1
ENDURA STYLE BAT
80cm Post



2
ENDURA STYLE BAT
50cm Post



3
ENDURA STYLE BAT Wall



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t _{av} ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI	 °C
ENDURA STYLE BAT 80CM Post	4058075564107	1	Dark gray	Aluminum	25 000	9.50	580	1 000	3 000	≥80	120
ENDURA STYLE BAT 50CM Post	4058075564084	2	Dark gray	Aluminum	25 000	9.50	580	1 000	3 000	≥80	120
ENDURA STYLE BAT Wall	4058075564060	3	Dark gray	Aluminum	25 000	9.50	580	1 000	3 000	≥80	120

Product name	 IP		 l (lm)	 b (mm)	 h (mm)	
ENDURA STYLE BAT 80CM Post	IP44	12 500	200.0	177.0	800.0	2
ENDURA STYLE BAT 50CM Post	IP44	12 500	200.0	177.0	500.0	2
ENDURA STYLE BAT Wall	IP44	12 500	177.0	169.0	84.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE CRYSTAL

STAINLESS STEEL WALL AND BOLLARD LUMINAIRES WITH TIMELESS DESIGN



1
ENDURA STYLE CRYSTAL Wall UpDown
9W



2
ENDURA STYLE CRYSTAL Wall Sensor
5W



3
ENDURA STYLE CRYSTAL Torch Sensor
5W



4
ENDURA STYLE CRYSTAL Wall
4.5W



5
ENDURA STYLE CRYSTAL
80CM Post 4.5W



6
ENDURA STYLE CRYSTAL
40CM Post 4.5W



7
ENDURA STYLE CRYSTAL Torch
4.5W



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ²		 ³	 ⁴			
ENDURA STYLE CRYSTAL Wall UpDown 9W	4058075474130	1	Steel	Steel	25 000	9.00	800	1 000	3 000	≥80	IP44
ENDURA STYLE CRYSTAL Wall Sensor 5W	4058075474154	2	Steel	Steel	25 000	5.00	400	500	3 000	≥80	IP44
ENDURA STYLE CRYSTAL Torch Sensor 5W	4058075474192	3	Steel	Steel	25 000	5.00	400	500	3 000	≥80	IP44
ENDURA STYLE CRYSTAL Wall 4.5W	4058075474178	4	Steel	Steel	25 000	4.50	400	500	3 000	≥80	IP44
ENDURA STYLE CRYSTAL 80CM Post 4.5W	4058075474239	5	Steel	Steel	25 000	4.50	400	500	3 000	≥80	IP44
ENDURA STYLE CRYSTAL 40CM Post 4.5W	4058075474253	6	Steel	Steel	25 000	4.50	400	500	3 000	≥80	IP44
ENDURA STYLE CRYSTAL Torch 4.5W	4058075474215	7	Steel	Steel	25 000	4.50	400	500	3 000	≥80	IP44

Product name					
ENDURA STYLE CRYSTAL Wall UpDown 9W	12 500	105.0	80.0	215.0	6
ENDURA STYLE CRYSTAL Wall sensor 5W	12 500	105.0	80.0	200.0	6
ENDURA STYLE CRYSTAL Torch Sensor 5W	12 500	80.0	80.0	250.0	6
ENDURA STYLE CRYSTAL Wall 4.5W	12 500	105.0	80.0	160.0	6
ENDURA STYLE CRYSTAL 80CM Post 4.5W	12 500	80.0	80.0	800.0	6
ENDURA STYLE CRYSTAL 40CM Post 4.5W	12 500	80.0	80.0	400.0	6
ENDURA STYLE CRYSTAL Torch 4.5W	12 500	80.0	80.0	225.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE LANTERN FLARE

WALL AND BOLLARD LUMINAIRES IN FLARE DESIGNS



1
ENDURA STYLE LANTERN FLARE Wall
7W

2
ENDURA STYLE LANTERN FLARE
60CM Post 7W

LED
MODULE
INTEGRATED

WARM
LIGHT

LEDVANCE¹
10 year
guarantee

Product name	GTIN (EAN)		COLOR	MATERIAL		W				CRI	
ENDURA STYLE LANTERN FLARE Wall 7W	4058075478039	1	Dark gray	Aluminum	25 000	7.00	470	780	3 000	≥80	230
ENDURA STYLE LANTERN FLARE 60CM Post 7W	4058075478053	2	Dark gray	Aluminum	25 000	7.00	470	780	3 000	≥80	230

Product name	IP						
ENDURA STYLE LANTERN FLARE Wall 7W	IP44	12 500	98.0	68.0	331.0	-	4
ENDURA STYLE LANTERN FLARE 60CM Post 7W	IP44	12 500	-	-	604.0	110.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE PYRAMID

PURISTIC WALL AND BOLLARD LUMINAIRES WITH INDIRECT LIGHT



1
ENDURA STYLE PYRAMID Wall
9W



2
ENDURA STYLE PYRAMID
80CM Post 9W



3
ENDURA STYLE PYRAMID
50CM Post 9W



Product name	GTIN (EAN)		COLOR	MATERIAL		W			K	CRI	
ENDURA STYLE PYRAMID Wall 9W	4058075477896	1	Steel	Stainless steel	25 000	9.00	600	1 000	3 000	≥80	90
ENDURA STYLE PYRAMID 80CM Post 9W	4058075477933	2	Steel	Stainless steel	25 000	9.00	600	1 000	3 000	≥80	90
ENDURA STYLE PYRAMID 50CM Post 9W	4058075477919	3	Steel	Stainless steel	25 000	9.00	600	1 000	3 000	≥80	90

Product name	IP					
ENDURA STYLE PYRAMID Wall 9W	IP44	12 500	125.0	100.0	100.0	4
ENDURA STYLE PYRAMID 80CM Post 9W	IP44	12 500	100.0	100.0	800.0	2
ENDURA STYLE PYRAMID 50CM Post 9W	IP44	12 500	100.0	100.0	500.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE ELLIPSE

STYLISH LED LUMINAIRES FOR DIRECT LIGHT



1
ENDURA STYLE Ellipse
13 W DG



2
ENDURA STYLE Ellipse
900 13 W DG



3
ENDURA STYLE Ellipse
500 13 W DG



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{av} ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°C
ENDURA STYLE Ellipse 13 W DG	4058075205079	1	Dark gray	Aluminum	30 000	12.50	950	1 400	3 000	>80	122
ENDURA STYLE Ellipse 900 13 W DG	4058075205116	2	Dark gray	Aluminum	30 000	12.50	950	1 400	3 000	>80	122
ENDURA STYLE Ellipse 500 13 W DG	4058075205093	3	Dark gray	Aluminum	30 000	12.50	950	1 400	3 000	>80	122

Product name	IP	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	W	t _{av} ²	h _{max} (mm)	Weight
ENDURA STYLE Ellipse 13 W DG	IP44	15 000	161.0	186.0	75.0	4	
ENDURA STYLE Ellipse 900 13 W DG	IP44	15 000	75.0	186.0	900.0	2	
ENDURA STYLE Ellipse 500 13 W DG	IP44	15 000	75.0	186.0	500.0	2	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE LANTERN MODERN

MODERN LED LUMINAIRES WITH LIGHT GUIDE



1
ENDURA STYLE Lantern Modern
12 W DG



2
ENDURA STYLE Lantern Modern
900 12 W DG



3
ENDURA STYLE Lantern Modern
500 12 W DG



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t _{av} ²	 W	 l _m ³ OUTPUT	 l _m ⁴ LIGHT SOURCE	 K	 CRI	
ENDURA STYLE Lantern Modern 12 W DG	4058075205017	1	Dark gray	Aluminum	30 000	11.50	610	900	3 000	>80	210
ENDURA STYLE Lantern Modern 900 12 W DG	4058075205055	2	Dark gray	Aluminum	30 000	11.50	610	900	3 000	>80	210
ENDURA STYLE Lantern Modern 500 12 W DG	4058075205031	3	Dark gray	Aluminum	30 000	11.50	610	900	3 000	>80	210

Product name	 IP		 l _m	 W	 h [mm]	 Ø d [mm]	
ENDURA STYLE Lantern Modern 12 W DG	IP44	15 000	176.0	110.0	240.0	-	4
ENDURA STYLE Lantern Modern 900 12 W DG	IP44	15 000	-	-	900.0	110.0	2
ENDURA STYLE Lantern Modern 500 12 W DG	IP44	15 000	-	-	500.0	110.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE CYLINDER
HIGH-QUALITY LED WALL, CEILING AND PATHWAY LUMINAIRES



LED
MODULE
INTEGRATED

WARM
LIGHT

LEDVANCE
10 year
guarantee



Product name	GTIN (EAN)	 No.	COLOR	MATERIAL	 ²	W	 ³	 ⁴	K	CRI	IP
ENDURA STYLE Cylinder Wall Sensor 6 W ST	4058075205352	1	Steel	Stainless steel	30 000	6.00	360	660	3 000	>80	IP44
ENDURA STYLE Cylinder Wall 6 W ST	4058075205338	2	Steel	Stainless steel	30 000	6.00	360	660	3 000	>80	IP44
ENDURA STYLE Cylinder 800 6 W ST	4058075205390	3	Steel	Stainless steel	30 000	6.00	360	660	3 000	>80	IP44
ENDURA STYLE Cylinder 500 6 W ST	4058075205376	4	Steel	Stainless steel	30 000	6.00	360	660	3 000	>80	IP44
ENDURA STYLE Cylinder Ceiling 6 W ST	4058075205413	5	Steel	Stainless steel	30 000	6.00	360	660	3 000	>80	IP44

Product name		 [mm]	 [mm]	 [mm]	 [mm]	
ENDURA STYLE Cylinder Wall Sensor 6 W ST	15 000	150.0	102.0	135.0	-	6
ENDURA STYLE Cylinder Wall 6 W ST	15 000	138.0	102.0	135.0	-	6
ENDURA STYLE Cylinder 800 6 W ST	15 000	-	-	800.0	102.0	2
ENDURA STYLE Cylinder 500 6 W ST	15 000	-	-	500.0	102.0	2
ENDURA STYLE Cylinder Ceiling 6 W ST	15 000	-	-	87.0	102.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® CLASSIC PIPE AMBER

OUTDOOR LUMINAIRE FAMILY WITH GLASS DIFFUSER IN ELEGANT AMBER – FOR LED LAMPS WITH E27 BASE



1
ENDURA CLASSIC PIPE Wall
E27

ALU



2
ENDURA CLASSIC PIPE
80cm Post E27

STAINLESS
STEEL



3
ENDURA CLASSIC PIPE
50cm Post E27

STAINLESS
STEEL



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 l (mm)	 b (mm)	 h (mm)	 Ø d (mm)	
ENDURA CLASSIC PIPE Wall E27	4058075554214	1	Dark gray	Aluminum	IP44	129.0	90.0	197.0	-	4
ENDURA CLASSIC PIPE 80CM Post E27	4058075554252	2	Dark gray	Stainless Steel	IP44	-	-	800.0	135.0	2
ENDURA CLASSIC PIPE 50CM Post E27	4058075554238	3	Dark gray	Stainless Steel	IP44	-	-	500.0	135.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC CASCADE AMBER

OUTDOOR LUMINAIRE FAMILY WITH AMBER-COATED GLASS DIFFUSERS – FOR LED LAMPS WITH E27 BASE



1
ENDURA CLASSIC CASCADE
80cm Post E27 AMB



2
ENDURA CLASSIC CASCADE
50cm Post E27 AMB



3
ENDURA CLASSIC CASCADE Wall
E27 AMB



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 l (mm)	 b (mm)	 h (mm)	
ENDURA CLASSIC CASCADE 80CM Post E27 AMB	4058075554313	1	Dark gray	Aluminum	IP44	200.0	160.0	800.0	2
ENDURA CLASSIC CASCADE 50CM Post E27 AMB	4058075554290	2	Dark gray	Aluminum	IP44	200.0	160.0	500.0	2
ENDURA CLASSIC CASCADE Wall E27 AMB	4058075554276	3	Dark gray	Aluminum	IP44	160.0	120.0	180.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC CASCADE CLEAR

OUTDOOR LUMINAIRE FAMILY WITH TRANSPARENT GLASS DIFFUSERS – FOR LED LAMPS WITH E27 BASE



- 

1
ENDURA CLASSIC CASCADE
80cm Post E27 CLR
- 

2
ENDURA CLASSIC CASCADE
50cm Post E27 CLR
- 

3
ENDURA CLASSIC CASCADE Wall
E27 CLR





Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 l (mm)	 b (mm)	 h (mm)	
ENDURA CLASSIC CASCADE 80CM Post E27 CLR	4058075554375	1	Dark gray	Aluminum	IP44	200.0	160.0	800.0	2
ENDURA CLASSIC CASCADE 50CM Post E27 CLR	4058075554351	2	Dark gray	Aluminum	IP44	200.0	160.0	500.0	2
ENDURA CLASSIC CASCADE Wall E27 CLR	4058075554337	3	Dark gray	Aluminum	IP44	160.0	120.0	180.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC FRAME

OUTDOOR LUMINAIRE FAMILY IN A CLASSIC FRAME DESIGN – FOR LED LAMPS WITH E27 BASE



1
ENDURA CLASSIC FRAME Wall E27



2
ENDURA CLASSIC FRAME
80cm Post E27



3
ENDURA CLASSIC FRAME
60cm Post E27



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 l (mm)	 b (mm)	 h (mm)	
ENDURA CLASSIC FRAME Wall E27	4058075554399	1	Dark gray	Aluminum	IP44	140.0	110.0	245.0	4
ENDURA CLASSIC FRAME 80CM Post E27	4058075554436	2	Dark gray	Aluminum	IP44	110.0	110.0	800.0	2
ENDURA CLASSIC FRAME 60CM Post E27	4058075554412	3	Dark gray	Aluminum	IP44	110.0	110.0	600.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC CALICE

WALL AND BOLLARD LUMINAIRES WITH GLAS DIFFUSOR AND ELEGANT STAINLESS STEEL HOUSING



1
ENDURA CLASSIC CALICE WALL Sensor E27



2
ENDURA CLASSIC CALICE WALL E27 ST



3
ENDURA CLASSIC CALICE 80CM Post E27



4
ENDURA CLASSIC CALICE 50CM Post E27




Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 h (mm)	 b (mm)	 d (mm)		
ENDURA CLASSIC CALICE WALL Sensor E27	4058075477971	1	Steel	Stainless steel	IP44	161.0	120.0	305.0	-	4
ENDURA CLASSIC CALICE WALL E27 ST	4058075477957	2	Steel	Stainless steel	IP44	161.0	120.0	290.0	-	4
ENDURA CLASSIC CALICE 80CM Post E27	4058075478015	3	Steel	Stainless steel	IP44	-	-	800.0	120.0	2
ENDURA CLASSIC CALICE 50CM Post E27	4058075477995	4	Steel	Stainless steel	IP44	-	-	500.0	120.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC TRADITION ALU

CLASSIC OUTDOOR LUMINAIRES MADE FROM ALUMINUM WITH E27 BASE



1
ENDURA CLASSIC Trad Alu Up Sensor
E27 GD

2
ENDURA CLASSIC Trad Alu Up
E27 GD

3
ENDURA CLASSIC Trad Alu Down
E27 GD



4
ENDURA CLASSIC Trad Alu
1000 E27 BK/GD

5
ENDURA CLASSIC Trad Alu
330 E27 GD



Product name	GTIN (EAN)	 No.	COLOR	MATERIAL	IP	 L (mm)	 W (mm)	 h (mm)	
ENDURA CLASSIC Trad Alu Up Sensor E27 GD ¹	4058075206281	1	Black/Gold	Aluminum	IP44	230.0	170.0	280.0	4
ENDURA CLASSIC Trad Alu Up E27 GD ³	4058075206229	2	Black/Gold	Aluminum	IP44	230.0	170.0	260.0	4
ENDURA CLASSIC Trad Alu Down E27 GD ³	4058075206168	3	Black/Gold	Aluminum	IP44	230.0	170.0	230.0	4
ENDURA CLASSIC Trad Alu 1000 E27 GD ³	4058075206380	4	Black/Gold	Aluminum	IP44	170.0	170.0	1000.0	4
ENDURA CLASSIC Trad Alu 330 E27 GD ³	4058075206342	5	Black/Gold	Aluminum	IP44	170.0	170.0	325.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC POST

TIMELESS STAINLESS STEEL OUTDOOR LUMINAIRES WITH E27 BASE



1
ENDURA CLASSIC Post Down
E27 ST



2
ENDURA CLASSIC Post Up
E27 ST



3
ENDURA CLASSIC Post Up Sensor
E27 ST



4
ENDURA CLASSIC Post
550 E27 ST



5
ENDURA CLASSIC Post
800 E27 ST



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	w [mm]	h [mm]	Ø d [mm]	
ENDURA CLASSIC Post Down E27 ST ¹	4058075206526	1	Steel	Stainless steel	IP44	212.0	127.0	195.0	-	4
ENDURA CLASSIC Post Up E27 ST ¹	4058075206502	2	Steel	Stainless steel	IP44	212.0	127.0	193.0	-	4
ENDURA CLASSIC Post Up Sensor E27 ST ¹	4058075206540	3	Steel	Stainless steel	IP44	212.0	127.0	193.0	-	4
ENDURA CLASSIC Post 550 E27 ST ¹	4058075206564	4	Steel	Stainless steel	IP44	-	-	550.0	127.0	4
ENDURA CLASSIC Post 800 E27 ST ¹	4058075206588	5	Steel	Stainless steel	IP44	-	-	127.0	800.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

SMART+ WIFI ROTARY UPDOWN RGBW

SMART OUTDOOR WALL LIGHT WITH ROTATABLE ALUMINUM HOUSING



1
SMART+ WIFI ROTARY UPDOWN RGBW

works with alexa works with LEDVANCE app works with Hey Google Switch on/off WIFI COLOR WARM LIGHT HEAD ADJUSTABLE DIM LEDVANCE 3 JAHRE GARANTIE											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t_h²	W	lm³ OUTPUT	lm⁴ LIGHT SOURCE	K	CRI	°
SMART+ WIFI ROTARY UPDOWN RGBW	4058075763265	1	Dark	Aluminum/Steel	25 000	10.00	520	800	3 000	≥80	285
Product name IP l_{max}³ b_{max}³ h_{max}³ d_{max}³											
SMART+ WIFI ROTARY UPDOWN RGBW	IP44	12 500	69.0	112.0	175.0	60.0	4				

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI BEAM ADJUST WALL RGBW

SMART DIE-CAST ALUMINUM OUTDOOR WALL LIGHT WITH ADJUSTABLE BEAM ANGLE



1
SMART+ WIFI BEAM ADJUST WALL RGBW




works with alexa works with LEDVANCE app works with Hey Google Switch on/off WIFI WIFI SMART+ COLOR WARM COOL USB LEDVANCE 3 JAHRE GARANTIE										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI BEAM ADJUST WALL RGBW	4058075763463	1	Black	Aluminium Plastic (ABS)	30 000	8.00	320	750	3000..1	> 80
IP l_{lmw} b_{lmw} h_{lmw}										
SMART+ WIFI BEAM ADJUST WALL RGBW	65	IP44	100 000	100.0	105.0	100.0	4			


¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI BRICK

SMART WALL LUMINAIRES WITH RGBW FUNCTION AND LIGHT OUTPUT UPWARD AND DOWNWARD



1
SMART+ WIFI OUTDOOR BRICK Wide
Dark Grey



2
SMART+ WIFI OUTDOOR BRICK
Dark grey



3
SMART+ WIFI OUTDOOR BRICK
Stainless steel



4
SMART+ WIFI OUTDOOR BRICK Wide
Stainless steel



Product name	GTIN (EAN)		COLOR	MATERIAL		W	lm ³	lm ⁴	K	CRI	
SMART+ WIFI OUTDOOR BRICK Wide Dark Grey	4058075564404	1	Dark gray	Aluminum	25 000	14.00	600	1 350	3 000	≥80	290
SMART+ WIFI OUTDOOR BRICK Dark grey	4058075564367	2	Dark gray	Aluminum	25 000	14.00	550	1 350	3 000	≥80	275
SMART+ WIFI OUTDOOR BRICK Stainless steel	4058075564428	3	Steel	Aluminum/Steel	25 000	14.00	550	1 350	3 000	≥80	275
SMART+ WIFI OUTDOOR BRICK Wide Stainless steel	4058075564442	4	Steel	Aluminum/Steel	25 000	14.00	600	1 350	3 000	≥80	290

Product name	IP					
SMART+ WIFI OUTDOOR BRICK Wide Dark Grey	IP44	12 500	145.0	75.0	85.0	4
SMART+ WIFI OUTDOOR BRICK Dark grey	IP44	12 500	85.0	85.0	85.0	4
SMART+ WIFI OUTDOOR BRICK Stainless steel	IP44	12 500	85.0	85.0	85.0	4
SMART+ WIFI OUTDOOR BRICK Wide Stainless steel	IP44	12 500	75.0	145.0	85.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI CURVE MULTICOLOR

WALL LUMINAIRES IN AESTHETIC CURVED DESIGNS WITH COLOR-CHANGING FUNCTION



1
SMART+ WIFI CURVE DG

2
SMART+ WIFI CURVE SI

works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI SWITCH ON/OFF LED MODULE INTEGRATED DIM COLOR WARM LIGHT LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ WIFI CURVE DG	4058075478336	1	Dark gray	Aluminum	25 000	9.00	550	850	RGB, 3 000	≥80
SMART+ WIFI CURVE SI	4058075478350	2	Silver	Aluminum	25 000	9.00	550	850	RGB, 3 000	≥80

Product name	°	IP	lm	l [mm]	b [mm]	h [mm]	
SMART+ WIFI CURVE DG	260	IP44	12 500	93.0	100.0	248.0	4
SMART+ WIFI CURVE SI	260	IP44	12 500	93.0	100.0	248.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE SOLAR GLOW

AESTHETIC OUTDOOR WALL LUMINAIRE WITH ALUMINUM HOUSING, SOLAR PANEL AND MOTION SENSOR



1
ENDURA STYLE SOLAR GLOW WALL SEN



LED IP 44 WARM LIGHT 5Y¹ PARTIAL GUARANTEE											
Product name	GTIN (EAN)		 No.	MATERIAL	²	³	⁴	K	CRI	IP	 [mm]
ENDURA STYLE SOLAR GLOW WALL SEN	4058075763210		1	Aluminum/Plastic (PC)	25 000	180	420	3 000	≥80	IP44	177.0
Product name	 [mm]	 [mm]									
ENDURA STYLE SOLAR GLOW WALL SEN	80.0	80.0	2								

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE SOLAR OVAL WALL

MODERN OUTDOOR WALL LUMINAIRES WITH ALUMINUM HOUSING, SOLAR PANEL AND MOTION SENSOR



1
ENDURA STYLE SOLAR OVAL WALL SEN



Product name	GTIN (EAN)	 No.	 MATERIAL	 t(h) ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI	 IP	 ° (mm)
ENDURA STYLE SOLAR OVAL WALL SEN	4058075766242	1	Aluminum	25 000	6.00	540	550	4 000	≥80	IP44	340.0
ENDURA STYLE SOLAR OVAL WALL SEN	4058075766228	1	Aluminum	25 000	6.00	540	550	3 000	≥80	IP44	340.0
ENDURA STYLE SOLAR OVAL S WALL SEN	4058075766266	1	Aluminum	25 000	4.00	380	400	3 000	≥80	IP44	200.0

Product name	 b (mm)	 h (mm)	
ENDURA STYLE SOLAR OVAL WALL SEN	125.0	60.0	4
ENDURA STYLE SOLAR OVAL WALL SEN	125.0	60.0	4
ENDURA STYLE SOLAR OVAL S WALL SEN	124.0	45.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE SOLAR LUNAR

ATTRACTIVE OUTDOOR WALL LUMINAIRE WITH SWIVEL LUMINAIRE HEAD, SOLAR PANEL AND MOTION SENSOR



1
ENDURA STYLE SOLAR LUNAR WALL SEN

LED IP44 HEAD ADJUSTABLE SOLAR WARM LIGHT 5Y PARTIAL GUARANTEE													
Product name		GTIN (EAN)		No.	MATERIAL	t(h) 2	W	lm OUTPUT 5	lm LIGHT SOURCE 4	K	CRI	IP	l mm
ENDURA STYLE SOLAR LUNAR WALL SEN		4058075766280		1	Plastic (ABS)	25 000	4.50	300	500	3 000	≥80	IP44	160.0
Product name		b mm	h mm	Ø d mm									
ENDURA STYLE SOLAR LUNAR WALL SEN		226.5	83.2	160.0	4								

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE SOLAR TOSSA

CLASSIC OUTDOOR WALL LUMINAIRE WITH ALUMINUM HOUSING, SOLAR PANEL AND MOTION SENSOR



1
ENDURA STYLE SOLAR TOSSA WALL SEN



LED IP44 ALU WARM LIGHT 5Y¹ PARTIAL GUARANTEE											
Product name	GTIN (EAN)	 No.	MATERIAL	²	W	³ OUTPUT	⁴ LIGHT SOURCE	K	CRI	IP	 [lm]
ENDURA STYLE SOLAR TOSSA WALL SEN	4058075766303	1	Aluminum	25 000	6.00	500	650	3 000	>80	IP44	160.0
 [mm] [mm]											
ENDURA STYLE SOLAR TOSSA WALL SEN	173.0	50.0	4								

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE SOLAR SENSOR WALL CIRCLE

SELF-POWERED SOLAR WALL LUMINAIRE WITH DAYLIGHT- AND MOTION SENSOR



1
ENDURA STYLE Solar Sensor Wall Circle
6W BK

Product name	GTIN (EAN)		COLOR	MATERIAL		W	lm OUTPUT	lm LIGHT SOURCE	K	CRI	IP
ENDURA STYLE Solar Sensor Wall Circle 6W BK	4058075392762	1	Black	Plastic (PC + ABS)	50 000	6.00	400	-	3000	≥80	IP44
Product name											
ENDURA STYLE Solar Sensor Wall Circle 6W BK	12 500	200.0	160.0	70.0	4						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE DISC WALL

LED OUTDOOR WALL LUMINAIRES WITH OR WITHOUT INTEGRATED SENSORS



		LED MODULE INTEGRATED		WARM LIGHT		LEDVANCE 10 year guarantee					
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	IP
ENDURA STYLE DISC Wall Sensor	4058075564145	1	Steel	Stainless Steel	25 000	8.00	370	850	3 000	≥80	IP44
ENDURA STYLE DISC Wall	4058075564121	2	Steel	Stainless Steel	25 000	8.00	370	850	3 000	≥80	IP44

Product name						
ENDURA STYLE DISC Wall Sensor	12 500	244.0	200.0	60.0	-	4
ENDURA STYLE DISC Wall	12 500	-	-	60.0	200.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE BOW WALL

AESTHETIC LED OUTDOOR WALL LUMINAIRES FOR INDIRECT LIGHTING



1
ENDURA STYLE BOW Wall

LED
MODULE
INTEGRATED

WARM
LIGHT

LEDVANCE¹
10 year
guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
ENDURA STYLE BOW Wall	4058075564589	1	Dark gray	Aluminum	25 000	7.00	280	750	3 000	>80	355

Product name	IP		$\varnothing$ [mm]	h [mm]		
ENDURA STYLE BOW Wall	IP44	100 000	270.0	37.0	58.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE EDGE WALL UPDOWN

WALL LUMINAIRE IN A REDUCED ALUMINUM LOOK WITH LIGHT OUTLET UP AND DOWN




1
ENDURA STYLE EDGE Wall UpDown
7W



		LED MODULE INTEGRATED		WARM LIGHT		LEDVANCE 10 year guarantee					
Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ²	 W	 ³	 ⁴	 K	 CRI	 IP
ENDURA STYLE EDGE Wall UpDown 7W	40580754 78091	1	Steel	Stainless steel	25 000	7.00	360	850	3 000	≥80	IP44
Product name											
											
ENDURA STYLE EDGE Wall UpDown 7W	12 500	110.0	120.0	260.0	4						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE PLATE WALL
WITH AND WITHOUT SENSORS: WALL LUMINAIRES IN
ATTRACTIVE STAINLESS STEEL DESIGNS



1
ENDURA STYLE PLATE Wall Sensor
12,5W

2
ENDURA STYLE PLATE Wall
12W



Product name	GTIN (EAN)	 No.	 MATERIAL	 ²	 W	 ³	 ⁴	 K	 CRI	 IP	
ENDURA STYLE PLATE Wall Sensor 12,5W	4058075477872	1	Steel	25 000	12.50	630	1 500	3 000	≥80	IP44	12 500
ENDURA STYLE PLATE Wall 12W	4058075477858	2	Steel	25 000	12.00	600	1 500	3 000	≥80	IP44	12 500

Product name	 l (mm)	 b (mm)	 h (mm)	
ENDURA STYLE PLATE Wall Sensor 12,5W	60.0	180.0	283.0	4
ENDURA STYLE PLATE Wall 12W	54.0	180.0	280.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE UPDOWN FLEX
OUTDOOR WALL LED LUMINAIRES WITH
ADJUSTABLE LUMINAIRE HEADS



1
ENDURA STYLE UpDown Flex
13 W DG



LED MODULE INTEGRATED ROTA- TABLE WARM LIGHT LEDVANCE¹ 10 year guarantee											
Product name	GTIN (EAN)		COLOR	MATERIAL		W			K	CRI	
ENDURA STYLE UpDown Flex 13 W DG	4058075205437	1	Dark gray	Aluminum	30 000	12.50	700	1 450	3 000	≥80	110
Product name											
ENDURA STYLE UpDown Flex 13 W DG	IP44	15 000	94.0	65.0	220.0	6					

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE UPDOWN DECO

OUTDOOR WALL LED LUMINAIRES WITH
DISTINCTIVE LIGHTING DESIGN



1
ENDURA STYLE UpDown Deco II
11 W DG



2
ENDURA STYLE UpDown Deco I
6 W DG



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ² t[h]	 W	 ³ lm OUTPUT	 ⁴ lm LIGHT SOURCE	 K	 CRI	
ENDURA STYLE UpDown Deco II 11 W DG	4058075205543	1	Dark gray	Aluminum	30 000	10.50	550	940	3 000	≥80	55
ENDURA STYLE UpDown Deco I 6 W DG	4058075205529	2	Dark gray	Aluminum	30 000	6.00	280	500	3 000	≥80	55

Product name	 IP		 ¹ lx [mm²]	 ² W [mm²]	 ³ h [mm]	
ENDURA STYLE UpDown Deco II 11 W DG	IP44	100 000	50.0	140.0	130.0	6
ENDURA STYLE UpDown Deco I 6 W DG	IP44	100 000	50.0	100.0	130.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE UPDOWN PUCK
POWERFUL OUTDOOR WALL LED LUMINAIRES



1
ENDURA STYLE UpDown Puck
13 W DG



2
ENDURA STYLE UpDown Puck
13 W WT



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ² t[h]	 W	 ³ lm OUTPUT	 ⁴ lm LIGHT SOURCE	 K	 CRI	
ENDURA STYLE UpDown Puck 13 W DG	4058075205567	1	Dark gray	Aluminum	30 000	12.50	980	1 450	3 000	≥80	110
ENDURA STYLE UpDown Puck 13 W WT	4058075205581	2	White	Aluminum	30 000	12.50	980	1 450	3 000	≥80	110

Product name	 IP		 ¹ l [lm/w]	 ² w [max]	 ³ h [mm]	
ENDURA STYLE UpDown Puck 13 W DG	IP44	15 000	131.0	91.0	110.0	6
ENDURA STYLE UpDown Puck 13 W WT	IP44	15 000	131.0	91.0	110.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE UPDOWN
LED WALL LUMINAIRES IN CLASSIC DESIGN



1
ENDURA STYLE UpDown
12 W AL



2
ENDURA STYLE UpDown
12 W DG



3
ENDURA STYLE UpDown
12 W WT



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t _{av} ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI	 °C
ENDURA STYLE UpDown 12 W AL	4058075205604	1	Aluminum	Aluminum	30 000	11.50	700	1 050	3 000	≥80	110
ENDURA STYLE UpDown 12 W DG	4058075214057	2	Dark gray	Aluminum	30 000	11.50	700	1 050	3 000	>80	110
ENDURA STYLE UpDown 12 W WT	4058075214071	3	White	Aluminum	30 000	11.50	700	1 050	3 000	>80	110

Product name	 IP		 l (lm)	 W (lm)	 h (mm)	
ENDURA STYLE UpDown 12 W AL	IP44	15 000	55.0	90.0	160.0	6
ENDURA STYLE UpDown 12 W DG	IP44	15 000	55.0	90.0	160.0	6
ENDURA STYLE UpDown 12 W WT	IP44	15 000	55.0	90.0	160.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE WALL WIDE SENSOR

OUTDOOR WALL LED LUMINAIRE WITH DAYLIGHT AND MOTION SENSOR



1
ENDURA STYLE Wall Wide Sensor
12W DG



LED MODULE INTEGRATED   WARM LIGHT  LEDVANCE 10 year guarantee 											
Product name	GTIN (EAN)	 No.	COLOR	MATERIAL	 ²		 ³	 ⁴	K	CRI	
ENDURA STYLE Wall Wide Sensor 12W DG	4058075205666	1	Dark gray	Aluminum	30 000	12.00	750	900	3 000	≥80	106
Product name											
ENDURA STYLE Wall Wide Sensor 12W DG	IP44	15 000	118.0	176.0	212.0	4					

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE WALL
SLIM LED WALL LUMINAIRES WITH OR WITHOUT SENSOR



1
ENDURA STYLE Wall Sensor
12 W DG



3
ENDURA STYLE Wall
12 W DG



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ² t[h]	 W	 ³ lm OUTPUT	 ⁴ lm LIGHT SOURCE	 K	 CRI	
ENDURA STYLE Wall Sensor 12 W DG	4058075214170	1	Dark gray	Aluminum	30 000	12.20	740	950	3 000	>80	107
ENDURA STYLE Wall 12 W DG	4058075214132	3	Dark gray	Aluminum	30 000	11.50	740	950	3 000	>80	107

Product name	 IP		 ¹ lm [watt]	 W [watt]	 h [mm]	
ENDURA STYLE Wall Sensor 12 W DG	IP44	15 000	168.0	100.0	273.0	4
ENDURA STYLE Wall 12 W DG	IP44	15 000	168.0	100.0	273.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE MIDI SPOT

FLEXIBLE OUTDOOR WALL LED SPOTLIGHTS WITH ADJUSTABLE LUMINAIRE HEADS



1
ENDURA STYLE Midi Spot II
20 W DG



2
ENDURA STYLE Midi Spot I
13 W DG



LED
MODULE
INTEGRATED

ROTA-
TABLE

WARM
LIGHT

LEDVANCE¹
10 year
guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
ENDURA STYLE Midi Spot II 20 W DG	4058075205499	1	Dark gray	Aluminum	30 000	20.00	1 200	2 450	3 000	≥80	110
ENDURA STYLE Midi Spot I 13 W DG	4058075205475	2	Dark gray	Aluminum	30 000	12.50	800	1 450	3 000	≥80	110

Product name	IP		l [lm]	W [pmw]	h [mm]	
ENDURA STYLE Midi Spot II 20 W DG	IP44	15 000	168.0	252.0	115.0	6
ENDURA STYLE Midi Spot I 13 W DG	IP44	15 000	162.0	125.0	128.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE MINI SPOT

FLEXIBLE LED LUMINAIRES FOR DIRECT LIGHT



1
ENDURA STYLE Mini Spot II
13 W DG



2
ENDURA STYLE Mini Spot II
13 W WT



3
ENDURA STYLE Mini Spot I
8 W DG



4
ENDURA STYLE Mini Spot I
8 W WT



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	IP
ENDURA STYLE Mini Spot II 13 W DG	4058075205178	1	Dark gray	Aluminum	30 000	13.00	630	720	3 000	>80	IP44
ENDURA STYLE Mini Spot II 13 W WT	4058075205192	2	White	Aluminum	30 000	13.00	800	720	3 000	>80	IP44
ENDURA STYLE Mini Spot I 8 W DG	4058075205130	3	Dark gray	Aluminum	30 000	7.50	320	720	3 000	>80	IP44
ENDURA STYLE Mini Spot I 8 W WT	4058075205154	4	White	Aluminum	30 000	7.50	410	720	3 000	>80	IP44

Product name					
ENDURA STYLE Mini Spot II 13 W DG	15 000	100.0	230.0	54.0	6
ENDURA STYLE Mini Spot II 13 W WT	15 000	100.0	230.0	54.0	6
ENDURA STYLE Mini Spot I 8 W DG	15 000	100.0	110.0	54.0	6
ENDURA STYLE Mini Spot I 8 W WT	15 000	100.0	110.0	54.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE SPOT ROUND

FLEXIBLE LED WALL LUMINAIRE FOR DIRECT LIGHT



1
ENDURA STYLE Spot Round
8 W DG



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t[h] ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI	
ENDURA STYLE Spot Round 8 W DG	4058075214095	1	Dark gray	Aluminum	30 000	8.00	440	750	3000	>80	110°

Product name	 IP		 l [lm]	 W [Watt]	 h [mm]	
ENDURA STYLE Spot Round 8 W DG	IP44	15 000	135.0	90.0	140.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE WIDE
LED WALL LUMINAIRES IN CLASSIC SHAPE



1
ENDURA STYLE Wide
12 W DG



2
ENDURA STYLE Wide
12 W WT



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	IP
ENDURA STYLE Wide 12 W DG	4058075214019	1	Dark gray	Aluminum	30 000	12.00	530	1 220	3 000	>80	IP44
ENDURA STYLE Wide 12 W WT	4058075214033	2	White	Aluminum	30 000	12.00	530	1 220	3 000	>80	IP44

Product name	Area [m²]	Beam angle [°]	W [mm]	H [mm]	Weight [kg]
ENDURA STYLE Wide 12 W DG	15 000	86.0	210.0	90.0	6
ENDURA STYLE Wide 12 W WT	15 000	86.0	210.0	90.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE SQUARE
MULTIFACETED LED WALL AND CEILING LUMINAIRES



1
ENDURA STYLE Square SQ
13 W DG



2
ENDURA STYLE Square SQ
13 W WT



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	IP
ENDURA STYLE Square SQ 13 W DG	4058075205253	1	Dark gray	Aluminum	30 000	13.00	480	1 450	3 000	>80	IP44
ENDURA STYLE Square SQ 13 W WT	4058075205277	2	White	Aluminum	30 000	13.00	600	1 450	3 000	>80	IP44

Product name					
ENDURA STYLE Square SQ 13 W DG	15 000	202.0	202.0	45.0	6
ENDURA STYLE Square SQ 13 W WT	15 000	202.0	202.0	45.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE RING
MULTIFACETED LED WALL AND CEILING LUMINAIRE



1
ENDURA STYLE Ring RD
13 W DG



LED MODULE INTEGRATED WARM LIGHT LEDVANCE¹ 10 year guarantee 													
Product name		GTIN (EAN)		 No.	COLOR	MATERIAL	 ²	W	 ³	 ⁴	K	CRI	IP
ENDURA STYLE Ring RD 13 W DG		4058075205215		1	Dark gray	Aluminum	30 000	13.00	480	1 450	3 000	>80	IP44
Product name													
ENDURA STYLE Ring RD 13 W DG		15 000	45.0	202.0	6								

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® STYLE SHIELD
UPDOWN LUMINAIRES IN FRESH DESIGN



1
ENDURA STYLE Shield RD
11 W DG

2
ENDURA STYLE Shield SQ
11 W DG

											
Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ²		 ³	 ⁴			
ENDURA STYLE Shield RD 11 W DG	4058075205291	1	Dark gray	Aluminum	30 000	10.50	400	1 150	3 000	>80	IP44
ENDURA STYLE Shield SQ 11 W DG	4058075205314	2	Dark gray	Aluminum	30 000	10.50	410	1 150	3 000	>80	IP44

Product name					
ENDURA STYLE Shield RD 11 W DG	15 000	60.0	240.0	142.0	6
ENDURA STYLE Shield SQ 11 W DG	15 000	60.0	240.0	142.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® CLASSIC SQUARE

OUTDOOR WALL LIGHTS IN CLASSIC DESIGN FOR GU10 LIGHT SOURCES





1
ENDURA CLASSIC SQUARE UpDown black

2x GU10



2
ENDURA CLASSIC SQUARE UpDown white

2x GU10



3
ENDURA CLASSIC SQUARE Down black

GU10



4
ENDURA CLASSIC SQUARE Down white

GU10



NOT INCL.

ALU

LEDVANCE 5 JAHRE GARANTIE

Product name	GTIN (EAN)		COLOR	MATERIAL	IP	l (mm)	b (mm)	h (mm)	
ENDURA CLASSIC SQUARE UpDown black	4058075763647	1	Black	Aluminum	IP44	68.0	150.0	92.0	6
ENDURA CLASSIC SQUARE UpDown white	4058075763685	2	White	Aluminum	IP44	68.0	150.0	92.0	6
ENDURA CLASSIC SQUARE Down black	4058075763623	3	Black	Aluminum	IP44	68.0	81.0	92.0	6
ENDURA CLASSIC SQUARE Down white	4058075763661	4	White	Aluminum	IP44	68.0	81.0	92.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC SPOT SQUARE WALL GX53

OUTDOOR WALL LUMINAIRE WITH TIMELESS DESIGN, GX53 LIGHT SOURCE AND ROTATABLE HEAD



1
ENDURA CLASSIC SPOT SQUARE
WALL GX53



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 l (mm)	 b (mm)	 h (mm)	
ENDURA CLASSIC SPOT SQUARE WALL GX	4058075763845	1	Black	Aluminum/Plastic (PC)	IP44	100.0	170.0	90.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC CUBE ADJUST

CLASSIC OUTDOOR WALL LIGHTS WITH GU10 BASE AND ADJUSTABLE HEAD



- 

1
ENDURA CLASSIC CUBE Black
- 

2
ENDURA CLASSIC CUBE Silver
- 

3
ENDURA CLASSIC CUBE White



NOT INCL.

GU10

HEAD ADJUSTABLE

ALU

LEDVANCE¹
5 JAHRE GARANTIE

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l (mm)	b (mm)	h (mm)	
ENDURA CLASSIC CUBE Black	4058075763562	1	Black	Aluminum	IP44	66.0	93.0	100.0	6
ENDURA CLASSIC CUBE Silver	4058075763586	2	Silver	Aluminum	IP44	66.0	93.0	100.0	6
ENDURA CLASSIC CUBE White	4058075763609	3	White	Aluminum	IP44	66.0	93.0	100.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC ROTARY UPDOWN

OUTDOOR WALL LIGHTS WITH ROTATABLE ALUMINUM HOUSING FOR GU10 LIGHT SOURCES



1
ENDURA® CLASSIC ROTARY UPDOWN



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 l [mm]	 b [mm]	 h [mm]	
ENDURA® CLASSIC ROTARY UPDOWN	4058075763449	1	Dark	Aluminum/Steel	IP44	69.0	112.0	175.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC TUBULAR WALL
WALL LUMINAIRE IN A CLASSIC LOOK – FOR LED LAMPS WITH E27 BASE



1
ENDURA CLASSIC TUBULAR Wall E27



Product name	GTIN (EAN)	 No.	COLOR	MATERIAL	 IP	 l [mm]	 b [mm]	 h [mm]	
ENDURA CLASSIC TUBULAR Wall E27	4058075554450	1	Dark gray	Aluminum	IP44	117.0	82.0	222.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC CANNON WALL
ELEGANT OUTDOOR WALL LUMINAIRES IN A PURIST BARREL
DESIGN – FOR LED LAMPS WITH GU10 BASE



1
ENDURA CLASSIC CANNON Wall updown
GU10



2
ENDURA CLASSIC CANNON Wall up
GU10



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	b [mm]	h [mm]	
ENDURA CLASSIC CANNON Wall updown GU10	4058075554498	1	Dark gray	Aluminum	IP44	105.0	75.0	180.0	4
ENDURA CLASSIC CANNON Wall up GU10	4058075554474	2	Dark gray	Aluminum	IP44	90.0	75.0	120.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC BEAM WALL

STYLISH OUTDOOR WALL LUMINAIRES WITH LIGHT OUTPUT UPWARD AND DOWNWARD – FOR LED LAMPS WITH GU10 BASE



1
ENDURA CLASSIC BEAM GAP wall updown
GU10



2
ENDURA CLASSIC BEAM Wall updown
GU10



3
ENDURA CLASSIC BEAM GAP wall down
GU10



4
ENDURA CLASSIC BEAM Wall down
GU10



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l (mm)	b (mm)	h (mm)	
ENDURA CLASSIC BEAM GAP wall updown GU10	4058075554559	1	Dark gray	Aluminum	IP44	104.0	92.0	233.0	4
ENDURA CLASSIC BEAM Wall updown GU10	4058075554573	2	Dark gray	Aluminum	IP44	104.0	92.0	200.0	4
ENDURA CLASSIC BEAM GAP wall down GU10	4058075554511	3	Dark gray	Aluminum	IP44	104.0	92.0	163.0	4
ENDURA CLASSIC BEAM Wall down GU10	4058075554535	4	Dark gray	Aluminum	IP44	104.0	92.0	146.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC LANTERN CYLINDER

CYLINDRICAL SHAPED WALL LUMINAIRES WITH GLASS DIFFUSOR AND E27 BASE



1
ENDURA CLASSIC Lantern Cylinder
E27 WD



2
ENDURA CLASSIC Lantern Cylinder
E27 WT



3
ENDURA CLASSIC Lantern Cylinder
E27 BK



Product name	GTIN (EAN)	 No.	COLOR	MATERIAL	IP	 l (mm)	 w (mm)	 h (mm)	
ENDURA CLASSIC Lantern Cylinder E27 WD	4058075392625	1	WOOD DECOR	Aluminum	IP43	210.0	118.0	212.0	4
ENDURA CLASSIC Lantern Cylinder E27 WT	4058075392649	2	White	Aluminum	IP43	210.0	118.0	212.0	4
ENDURA CLASSIC Lantern Cylinder E27 BK	4058075392663	3	Black	Aluminum	IP43	210.0	118.0	212.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® CLASSIC LANTERN

TIMELESS LANTERNS WITH E27 BASE



1
ENDURA CLASSIC Lantern SQ M
E27 BK



2
ENDURA CLASSIC Lantern SQ S
E27 BK




Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 L [mm]	 W [mm]	 h [mm]	
ENDURA CLASSIC Lantern SQ M E27 BK ¹	4058075206649	1	Black	Aluminum	IP23	150.0	105.0	293.0	6
ENDURA CLASSIC Lantern SQ S E27 BK ¹	4058075206625	2	Black	Aluminum	IP23	150.0	105.0	225.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee



OUTDOOR GARDEN LUMINAIRES



SMART+ OUTDOOR STRING LIGHTS 480



SMART+ GARDEN LUMINAIRES 482



SOLAR GARDEN LUMINAIRES 496



GARDEN LUMINAIRES 498

SMART+ WIFI STRING LIGHT IP44 RGBW

SMART OUTDOOR CHAIN OF LIGHTS WITH RGB COLOR CHANGE AND DIMMING FUNCTION



1
SMART+ OUTDOOR WIFI STRING LIGHT



works with alexa works with LEDVANCE app works with Hey Google WIFI LEDVANCE SMART+ WIFI DIM 12x WARM LIGHT COLOR LEDVANCE 3 year guarantee											
Product name	GTIN (EAN)	No.	MATERIAL	tw ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	5	K	CRI	IP
SMART+ OUTDOOR WIFI STRING LIGHT	4058075763906	1	Plastic (ABS)	15 000	4.50	120	240	F	2200	>80	IP44

Product name	x	l (mm)	b (mm)	h (mm)	
SMART+ OUTDOOR WIFI STRING LIGHT	12	7 468.0	44.7	210.0	2

HOW TO READ OUR PRODUCT TABLES

The new lighting regulation states that the new EU label indicating the energy efficiency class must be clearly visible on every product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a colored arrow but a letter. See on the right.

Energy efficiency class	Information Table
A G	A
B G	B
C G	C
D G	D
E G	E
F G	F
G G	G

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser | ⁵ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A (highest efficiency) to G (lowest efficiency).

SMART+ BLUETOOTH SPOT & BOLLARD

SMART RGBW OUTDOOR SPIKE LUMINAIRE WITH SWIVEL LUMINAIRE HEAD AND INDEPENDENT SOLAR PANEL



1
SMART+ OUTD BT SOL
2BOLLARDSPOTPANEL

works with LEDVANCE app Bluetooth DIM HEAD ADJUSTABLE SOLAR WARM LIGHT COLOR LEDVANCE 3 year guarantee												
Product name	GTIN (EAN)	No.	MATERIAL	l ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	IP	h ² (mm)	
SMART+ OUTD BT SOL 2BOLLARDSPOTPANEL	4058075763708	1	Plastic (ABS)	25 000	2.00	90	200	3 000	>80	IP44	455.0	
Product name												
SMART+ OUTD BT SOL 2BOLLARDSPOTPANEL												
	48.0	4										

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ BLUETOOTH SOLAR PATH

SMART, SOLAR-POWERED OUTDOOR SPIKE LUMINAIRES WITH TUNABLE WHITE, RGB AND DIMMING FUNCTION



1
SMART+ OUTD BT SOLAR PATH RGBTW



works with
LEDVANCE app

Bluetooth

DIM

SOLAR

WARM
COOL

COLOR

LEDVANCE
3 year
guarantee

Product name	GTIN (EAN)	No.	MATERIAL	t _h ²	W	lm _{OUTPUT} ³	lm _{LIGHT SOURCE} ⁴	K	CRI	
SMART+ OUTD BT SOLAR PATH RGBTW	4058075763869	1	Glass/Aluminum	15 000	0.12	5	15	3 000...6 500	>80	175

Product name	IP		h _{mount}	Ø _d (mm)	
SMART+ OUTD BT SOLAR PATH RGBTW	IP44	1 000	562.0	150.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ BLUETOOTH SOLAR SPOT

SMART, SOLAR-POWERED OUTDOOR SPOTLIGHTS WITH TUNABLE WHITE, RGB AND DIMMING FUNCTION



1
SMART+ OUTD BT SOLAR SPOT RGBTW

works with LEDVANCE app Bluetooth WIFI SMART+ DIM HEAD ADJUSTABLE SOLAR WARM COOL COLOR LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
SMART+ OUTD BT SOLAR SPOT RGBTW	4058075763883	1	Plastic (ABS)	15 000	0.60	45	60	3 000...6 500	>80	58
Product name	IP		I _{avg}	b _{avg}	h _{beam}					
SMART+ OUTD BT SOLAR SPOT RGBTW	IP44	1 000	92.0	245.0	348.0	4				

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI GARDEN POLE MULTICOLOR

DECORATIVE, EXPANDABLE GARDEN LIGHTING WITH COLOR-CHANGING FUNCTION



1
SMART+ WIFI GARDEN
5 Pole



2
SMART+ WIFI GARDEN
5 Pole mini



3
SMART+ WIFI GARDEN
3 Pole extension



4
SMART+ WIFI GARDEN
3 Pole mini extension



Product name	GTIN (EAN)									
SMART+ WIFI GARDEN 5 Pole	4058075478213	1	Steel	Stainless steel	25 000	5.70	200	350	RGB, 3 000	≥80
SMART+ WIFI GARDEN 5 Pole mini	4058075478190	2	Steel	Stainless steel	25 000	3.80	75	220	RGB, 3 000	≥80
SMART+ WIFI GARDEN 3 Pole extension	4058075478251	3	Steel	Stainless steel	25 000	3.10	110	210	RGB, 3 000	≥80
SMART+ WIFI GARDEN 3 Pole mini extension	4058075478237	4	Steel	Stainless steel	25 000	1.90	45	132	RGB, 3 000	≥80

Product name							
SMART+ WIFI GARDEN 5 Pole	280	IP65	12 500	38.0	365.0	38.0	4
SMART+ WIFI GARDEN 5 Pole mini	280	IP65	12 500	22.0	227.0	22.0	4
SMART+ WIFI GARDEN 3 Pole extension	280	IP65	12 500	38.0	365.0	38.0	4
SMART+ WIFI GARDEN 3 Pole mini extension	280	IP65	12 500	22.0	227.0	22.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI GARDEN SPOT MULTICOLOR

COMPACT SPOTLIGHTS FOR GARDENS AND TERRACES WITH COLOR-CHANGING FUNCTION



1
SMART+ WIFI GARDEN
3 Spot



2
SMART+ WIFI GARDEN
1 Spot



3
SMART+ WIFI GARDEN
1 Spot extension



Product name	GTIN (EAN)		COLOR	MATERIAL		W			K	CRI
SMART+ WIFI GARDEN 3 Spot	4058075478497	1	Dark gray	Aluminum	25 000	14.50	680	1 200	RGB, 3 000	≥80
SMART+ WIFI GARDEN 1 Spot	4058075478374	2	Dark gray	Aluminum	25 000	5.00	260	400	RGB, 3 000	≥80
SMART+ WIFI GARDEN 1 Spot extension	4058075478398	3	Dark gray	Aluminum	25 000	4.50	260	400	RGB, 3 000	≥80

Product name		IP					
SMART+ WIFI GARDEN 3 Spot	76	IP65	12 500	145.0	90.0	295.0	4
SMART+ WIFI GARDEN 1 Spot	76	IP65	12 500	145.0	90.0	295.0	4
SMART+ WIFI GARDEN 1 Spot extension	76	IP65	12 500	145.0	90.0	295.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI GARDEN DOT MULTICOLOR

SMALL GARDEN SPOTLIGHTS WITH FLEXIBLE MOUNTING AND COLOR-CHANGING FUNCTION



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 ²		 ³	 ⁴		
SMART+ WIFI GARDEN 18 Dot	4058075478558	1	Transparent	Plastic (PC)	25 000	4.00	680	-	RGB	33
SMART+ WIFI GARDEN 9 Dot	4058075478534	2	Transparent	Plastic (PC)	25 000	2.50	380	-	RGB	33
SMART+ WIFI GARDEN 3 Dot extension	4058075478572	3	Transparent	Plastic (PC)	25 000	0.70	110	-	RGB	33

Product name	 IP					
SMART+ WIFI GARDEN 18 Dot	IP65	12 500	23.0	96.0	23.0	4
SMART+ WIFI GARDEN 9 Dot	IP65	12 500	23.0	96.0	23.0	4
SMART+ WIFI GARDEN 3 Dot extension	IP65	12 500	23.0	96.0	23.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ ZIGBEE GARDENPOLE MULTICOLOR

DECORATIVE, EXPANDABLE GARDEN SPOTLIGHTS WITH COLOR-CHANGING FUNCTION



1
SMART+ ZB GARDENPOLE Basic Set



works with alexa

works with Hey Google

zigbee certified product

LED MODULE INTEGRATED

EASY MOUNTING

DIM

COLOR

WARM COOL

LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	Im ³ OUTPUT	Im ⁴ LIGHT SOURCE	K	CRI
SMART+ ZB GARDENPOLE Basic Set	4058075208346	1	Gray	Aluminum	20 000	8.50	420	420	RGB, 2 000...6 500	>80

Product name	°	IP	lm	l _{beam}	b _{beam}	h _{beam}	Ø _{beam}	
SMART+ ZB GARDENPOLE Basic Set	90	IP65	10 000	14 000.0	38.0	365.0	38.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® GARDEN SOLAR SPOT WALL & SPIKE

SOLAR-POWERED GARDEN SPOTLIGHTS WITH RGB FUNCTION – INCL. WALL MOUNT AND GROUND SPIKE



1
ENDURA GARDEN SOLAR SPOT RGBW



Product name		GTIN (EAN)				COLOR		MATERIAL				W						K		CRI			
ENDURA GARDEN SOLAR SPOT RGBW		4058075564169		1		Dark gray		Plastic		25 000		0.50		55		-		3 000		≥80		IP44	
Product name																							
ENDURA GARDEN SOLAR SPOT RGBW		12 500		175.0		92.0		295.0		4													

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® CLASSIC GARDENSPOT SPIKE

GARDEN SPIKE SPOTLIGHT MADE OF DIE-CAST ALUMINUM WITH MOVABLE LUMINAIRE HEAD AND GU10 BASE



1
ENDURA CLASSIC GARDN SPOTSPIKE
GU10


		NOT INCL. 		IP 54	HEAD ADJUSTABLE 	ALU	 GU10	MAX. 35W	LEDVANCE 1 5 year guarantee 
Product name		GTIN (EAN)	 No.	MATERIAL	IP	 l [mm]	 b [mm]	 h [mm]	
ENDURA CLASSIC GARDN SPOTSPIKE GU10		4058075763548	1	Aluminum	IP54	65.0	130.0	415.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

ENDURA® GARDEN DOT

SMALL GARDEN SPOTLIGHTS FOR AESTHETIC ACCENT LIGHTING – WITH REMOVABLE GROUND STAKES



- 

1
ENDURA GARDEN
18 Dot 12W
- 

2
ENDURA GARDEN
9 Dot 6W
- 

3
ENDURA GARDEN
3 Dot extension 2,1 W



LED
MODULE
INTEGRATED

EASY
MOUNTING

WARM
LIGHT

LEDVANCE¹
3 year
guarantee

Product name	GTIN (EAN)	No.	MATERIAL	t _h ²	W	lm ³	lm/lumen ⁴	K	CRI		IP
ENDURA GARDEN 18 Dot 12W	4058075478473	1	Plastic (PC)	25 000	12.00	850	1 260	3 000	≥80	33	IP65
ENDURA GARDEN 9 Dot 6W	4058075478411	2	Plastic (PC)	25 000	6.00	480	630	3 000	≥80	33	IP65
ENDURA GARDEN 3 Dot extension 2,1 W	4058075478510	3	Plastic (PC)	25 000	2.10	160	210	3 000	≥80	33	IP65

Product name	b [mm]	h [mm]	Ø [mm]		
ENDURA GARDEN 18 Dot 12W	12 500	23.0	96.0	23.0	4
ENDURA GARDEN 9 Dot 6W	12 500	23.0	96.0	23.0	4
ENDURA GARDEN 3 Dot extension 2,1 W	12 500	23.0	96.0	23.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® GARDEN FLOOD

LED FLOODLIGHT WITH SPIKE



1
ENDURA GARDEN Flood
20 W 830 Spike



2
ENDURA GARDEN Flood
10 W 830 Spike



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
ENDURA GARDEN Flood 20 W 830 Spike	4058075206861	1	Dark gray	Aluminum	25 000	20.00	1 700	-	3 000	≥80	120
ENDURA GARDEN Flood 10 W 830 Spike	4058075206847	2	Dark gray	Aluminum	25 000	10.00	800	-	3 000	≥80	120

Product name	IP	lm	I [lm]	W [lm]	h [mm]	lm
ENDURA GARDEN Flood 20 W 830 Spike	IP65	100 000	44.0	133.0	323.0	8
ENDURA GARDEN Flood 10 W 830 Spike	IP65	100 000	44.0	108.0	292.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser



OUTDOOR LED STRIPS



SMART⁺ OUTDOOR WIFI LED STRIPS

506



SMART⁺ OUTDOOR ZIGBEE LED STRIPS

508



DECORATIVE OUTDOOR LED STRIPS

510

SMART+ WIFI NEON FLEX MULTICOLOR

DECORATIVE LED STRIPS WITH PARTICULARLY HOMOGENEOUS LIGHT DISTRIBUTION – FOR INDOORS AND OUTDOORS



1
SMART+ WIFI NEON FLEX



works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI LED MODULE INTEGRATED DIFFUSE LIGHT DIM COLOR WARM COOL LEDVANCE 3 year guarantee										
Product name	GTIN (EAN)	No.	MATERIAL	t(h) ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
SMART+ WIFI NEON FLEX 5M	4058075504806	1	Silicone	30 000	20.00	630	2 100	2 700...6 500	>80	110
SMART+ WIFI NEON FLEX 3M	4058075504783	1	Silicone	30 000	15.00	520	1 260	2 700...6 500	>80	110

Product name	IP		$\frac{l}{p(mm)}$	$\frac{b}{p(mm)}$	$\frac{h}{p(mm)}$	
SMART+ WIFI NEON FLEX 5M	IP44	15 000	5 000.0	8.8	17.5	4
SMART+ WIFI NEON FLEX 3M	IP44	15 000	3 000.0	8.8	17.5	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ ZIGBEE FLEX OUTDOOR MULTICOLOR

FLEXIBLE LED STRIP WITH COLOR-CHANGING FUNCTION AND TUNABLE WHITE – FOR OUTDOOR USE



1
SMART+ ZB OUTDOOR FLEX



works with alexa works with Hey Google zigbee certified product LED MODULE INTEGRATED DIM COLOR WARM COOL LEDVANCE 1 3 year guarantee										
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
SMART+ ZB OUTDOOR FLEX EU	4058075208360	1	White	Plastic	20 000	24.00	1 500	1 400	2 000...6 500	>80
IP l_{avg}² b_{avg}² h_{avg}²										
SMART+ ZB OUTDOOR FLEX EU	120	IP65	100 0000	4 880.0	14.5	4.0	4			

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

NEON DIGITAL FLEX MULTICOLOR

DECORATIVE COLORFUL LED STRIPS FOR OUTDOOR USE WITH HOMOGENIOUS ILLUMINATION



		LED MODULE INTEGRATED		REMOTE	DIFFUSE LIGHT	COLOR	LEDVANCE 3 year guarantee											
Product name	GTIN (EAN)	No.	MATERIAL	t(h) ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	°	IP	mm	l (mm)							
NEON DIGITAL FLEX 5M	4058075504769	1	Silicone	30 000	23.00	180	-	160	IP44	15 000	5 000.0							
NEON DIGITAL FLEX 3M	4058075504745	1	Silicone	30 000	15.00	120	-	160	IP44	15 000	3 000.0							
		b (mm)		h (mm)														
NEON DIGITAL FLEX 5M	6.7	13.5	4															
NEON DIGITAL FLEX 3M	6.7	13.5	4															

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

NEON FLEX

FLEXIBLE LED STRIPS WITH A PARTICULARLY HOMOGENEOUS WARM WHITE LIGHT IN A NEON LOOK – FOR INDOORS AND OUTDOORS



1
NEON FLEX



LED
MODULE
INTEGRATED

DIFFUSE
LIGHT

WARM
LIGHT

LEDVANCE¹
3 year
guarantee

Product name	GTIN (EAN)	No.	MATERIAL	t(h) ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°C	IP
NEON FLEX 5M	4058075504721	1	Silicone	30 000	29.00	1 700	3 100	3 000	>80	110	IP44
NEON FLEX 3M	4058075504707	1	Silicone	30 000	19.00	1 000	1 860	3 000	>80	110	IP44

Product name		l [mm]	b [mm]	h [mm]	
NEON FLEX 5M	15 000	5 000.0	13.5	6.7	4
NEON FLEX 3M	15 000	3 000.0	13.5	6.7	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser



OUTDOOR CAMERA LUMINAIRES



SMART⁺ WALL CAMERA LUMINAIRES

516



SMART⁺ CAMERA FLOODLIGHTS

518

SMART+ WIFI CLOUD CAMERA

SMART OUTDOOR WALL LUMINAIRE WITH CAMERA AND INTERCOM FUNCTION



1
SMART+ OUTD WIFI CLOUD CAM

works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	WARM LIGHT											LEDVANCE 3 JAHRE GARANTIE
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	lm ² OUTPUT	lm ³ LIGHT SOURCE	K	CRI	IP							
SMART+ OUTD WIFI CLOUD CAM	4058075763401	1	White	Plastic (PC)	900	1 400	3 000	≥80	IP44	2						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Total luminous flux of the luminaire taking into account the diffuser | ³ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI GLOBE E27 CAMERA

SMART OUTDOOR WALL LUMINAIRE WITH AUTO-SWIVEL CAMERA, INTERCOM FUNCTION AND E27 BASE



1
SMART+ WIFI GLOBE E27 CAMERA

works with alexa		works with LEDVANCE app	works with Hey Google	WIFI									LEDVANCE 3 year guarantee
Product name		GTIN (EAN)		No.	MATERIAL	IP	l [mm]	b [mm]	h [mm]	Ø [mm]			
SMART+ WIFI GLOBE E27 CAMERA		4058075763425		1	Plastic (PC + Glass)	IP44	197.5	311.0	314.0	175.0			2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

SMART+ WIFI MULTISPOT CAMERA

SMART OUTDOOR WALL SPOTLIGHT WITH CAMERA, INTERCOM FUNCTION AND TWO ADJUSTABLE LUMINAIRE HEADS



1
SMART+ WIFI MULTISPOT CAMERA



works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	WIFI SMART+	EASY MOUNTING	IP 44			WARM LIGHT	LEDVANCE 3 year guarantee	
Product name		GTIN (EAN)										
SMART+ WIFI MULTISPOT CAMERA		4058075763487	1	Aluminium/Plastic (ABS)	30 000	16.00	900	1 720	3 000	>80	85	
Product name		IP										
SMART+ WIFI MULTISPOT CAMERA		IP44	100 000	250.0	130.0	135.0	4					

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI CIRCLE CAMERA CONTROL WALL & CEILING

SMART OUTDOOR WALL AND CEILING LUMINAIRE WITH AUTO-SWIVEL CAMERA AND INTERCOM FUNCTION



1
SMART+ WIFI CIRCLE CAMERA CONTROL
WALL & CEILING

works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	SMART+	IP44					WARM LIGHT	LEDVANCE 3 year guarantee	
Product name		GTIN (EAN)		No.	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°	IP
SMART+ WIFI CIRCLE CAMERA CONTROL WALL & CEILING		4058075763500		1	Plastic (ABS)	30 000	22.00	1 600	2 450	3 000	>80	112	IP44
Product name													
SMART+ WIFI CIRCLE CAMERA CONTROL WALL & CEILING		100 000	112.0	280.0	4								

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ENTRANCE CAMERA

SMART HOUSE NUMBER LUMINAIRE WITH CAMERA AND INTERCOM FUNCTION



1
SMART+ WIFI ENTRANCE CAMERA

works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	WIFI SMART+	EASY MOUNTING	IP 44			WARM LIGHT	LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)		No.	MATERIAL	t/h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°	IP
SMART+ WIFI ENTRANCE CAMERA	4058075763524		1	Plastic (ABS)	30 000	22.00	1 500	2 550	3 000	>80	117	IP44
Product name												
SMART+ WIFI ENTRANCE CAMERA	100 000	180.0	73.0	280.0	4							

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI ROUND CAMERA

SMART OUTDOOR WALL LUMINAIRE WITH CAMERA, INTERCOM AND ALARM FUNCTION FOR ENTRANCE AREAS



1
SMART+ WIFI OUTDOOR ROUND CAMERA
DG

works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI SWITCH ON/OFF EASY MOUNTING SENSOR DIM WARM LIGHT LEDVANCE 1 3 year guarantee											
Product name	GTIN (EAN)										
SMART+ WIFI OUTDOOR ROUND CAMERA DG	4058075564480	1	Dark gray	Plastic	25 000	15.00	950	1 350	3 000	≥80	120
Product name	IP										
SMART+ WIFI OUTDOOR ROUND CAMERA DG	IP44	12 500	105.0	-	105.0	180.0	4				

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI WALL CAMERA

SMART OUTDOOR WALL LUMINAIRES WITH CAMERA, INTERCOM AND ALARM FUNCTION FOR FACADE LIGHTING



1
SMART+ WIFI OUTDOOR WALL CAMERA
CONTROL DG

works with alexa		works with LEDVANCE app	works with Hey Google	WIFI	LDV WIFI	SWITCH ON/OFF	EASY MOUNTING	SENSOR	DIM	WARM LIGHT	LEDVANCE 3 year guarantee	
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°	
SMART+ WIFI OUTDOOR WALL CAMERA CONTROL DG	4058075564602	1	Dark	Plastic	25 000	16.00	900	1 750	3 000	>80	208	
Product name	IP		L [mm]	b [mm]	h [mm]							
SMART+ WIFI OUTDOOR WALL CAMERA CONTROL DG	IP44	12 500	120.0	80.0	320.0	4						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

SMART+ WIFI FLOOD CAMERA

SMART OUTDOOR FLOODLIGHTS WITH CAMERA,
INTERCOM AND ALARM FUNCTION



1
SMART+ WIFI OUTDOOR FLOOD CAMERA
CONTROL DG

works with alexa works with LEDVANCE app works with Hey Google WIFI LDV WIFI EASY MOUNTING DIM WARM LIGHT LEDVANCE 1 3 year guarantee											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	
SMART+ WIFI OUTDOOR FLOOD CAMERA CONTROL DG	4058075564626	1	Dark gray	Aluminum	25 000	23.00	2 000	2 580	3 000	>80	200
Product name IP l_{beam} b_{beam} h_{beam}											
SMART+ WIFI OUTDOOR FLOOD CAMERA CONTROL DG	IP44	12 500	1	200.0	197.0	262.0	4				

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser



OUTDOOR FLOODLIGHTS



SMART⁺ FLOODLIGHTS

534



SOLAR FLOODLIGHTS

536

SMART+ WIFI FLOOD

EXTREMELY LOW-PROFILE AND ROBUST FLOODLIGHTS IN DIFFERENT SIZES – ALSO AVAILABLE WITH RGB FUNCTION



1
SMART+ WIFI FLOOD
50W



2
SMART+ WIFI FLOOD
30W



3
SMART+ WIFI FLOOD
20W



4
SMART+ WIFI FLOOD
10W



Product name	GTIN (EAN)			COLOR	MATERIAL		W			K	CRI	
SMART+ WIFI FLOOD 50 W	4058075474666	1	Dark gray	Aluminum	30 000	50.00	4 000	-	3 000	≥80	-	
SMART+ WIFI FLOOD 30W	4058075474642	2	Dark gray	Aluminum	30 000	30.00	2 400	-	3 000	≥80	-	
SMART+ WIFI FLOOD 20W	4058075474628	3	Dark gray	Aluminum	30 000	20.00	1 600	-	3 000	≥80	-	
SMART+ WIFI FLOOD 10W	4058075474604	4	Dark gray	Aluminum	30 000	10.00	800	-	3 000	≥80	100	

Product name	IP					
SMART+ WIFI FLOOD 50 W	IP65	30 000	237.0	200.0	36.0	8
SMART+ WIFI FLOOD 30W	IP65	30 000	209.0	168.0	30.0	12
SMART+ WIFI FLOOD 20W	IP65	30 000	152.0	125.0	28.0	12
SMART+ WIFI FLOOD 10W	IP65	30 000	152.0	125.0	28.0	12

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® FLOOD SOLAR

SOLAR-POWERED LED FLOODLIGHTS WITH MOTION SENSOR
AND INTELLIGENT LIGHTING CONTROL





1

ENDURA FLOOD Solar
10W 4000K

LEDVANCE

5 year guarantee

COOL LIGHT



2

ENDURA FLOOD Solar
double Sensor

LEDVANCE

3 year guarantee

WARM LIGHT

DIM



Product name		GTIN (EAN)		 No.		COLOR		MATERIAL		 t[h] ²		W		 lm ³ OUTPUT		K		CRI		 °		IP	
ENDURA FLOOD Solar 10W 4000K		4058075762350		1		Black		Metal		36 000		10.00		1 200		4 000		80		95		IP65	
ENDURA FLOOD Solar double Sensor		4058075576636		2		Dark gray		Plastic		25 000		2.90		380		3 000		≥80		110		IP44	
Product name				 l [mm]		 b [mm]		 h [mm]															
ENDURA FLOOD Solar 10W 4000K		36000		194.0		67.0		313.0		4													
ENDURA FLOOD Solar double Sensor		12500		160.0		110.0		172.0		8													

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

ENDURA® PRO FLOOD SENSOR

HIGHLY EFFICIENT OUTDOOR WALL SENSOR SPOTLIGHT WITH WIDE BEAM ANGLE IN INNOVATIVE DESIGN



1
ENDURA PRO FLOOD SENSOR
27W 840 IP55 WT



2
ENDURA PRO FLOOD SENSOR
27W 840 IP55 DG



3
ENDURA PRO FLOOD SENSOR
15W 840 IP55 WT



4
ENDURA PRO FLOOD SENSOR
15W 840 IP55 DG



LED MODULE INTEGRATED COOL LIGHT LEDVANCE 10 year guarantee										
Product name	GTIN (EAN)		COLOR	MATERIAL		W			K	CRI
ENDURA PRO FLOOD SENSOR 27W 840 IP55 WT	4058075228825	1	White	Plastic (PC)	50 000	27.00	3 000	3 800	4 000	≥80
ENDURA PRO FLOOD SENSOR 27W 840 IP55 DG	4058075228849	2	Dark	Plastic (PC)	30 000	27.00	3 000	3 800	4 000	≥80
ENDURA PRO FLOOD SENSOR 15W 840 IP55 WT	4058075228788	3	White	Plastic (PC)	30 000	15.00	1 500	1 980	4 000	≥80
ENDURA PRO FLOOD SENSOR 15W 840 IP55 DG	4058075228801	4	Dark	Plastic (PC)	50 000	15.00	1 500	1 980	4 000	≥80

Product name		IP					
ENDURA PRO FLOOD SENSOR 27W 840 IP55 WT	100	IP55	100000	201.0	56.0	225.0	4
ENDURA PRO FLOOD SENSOR 27W 840 IP55 DG	100	IP55	100000	201.0	56.0	225.0	4
ENDURA PRO FLOOD SENSOR 15W 840 IP55 WT	100	IP55	100000	151.0	56.0	205.0	6
ENDURA PRO FLOOD SENSOR 15W 840 IP55 DG	100	IP55	100000	151.0	56.0	205.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® PRO SPOT SENSOR

HIGHLY EFFICIENT OUTDOOR WALL SENSOR SPOTLIGHT WITH NARROW BEAM ANGLE IN NOVEL DESIGN



1
ENDURA PRO SPOT SENSOR
16 W 1500 840 IP55 WT



2
ENDURA PRO SPOT SENSOR
16 W 1500 840 IP55 DG



3
ENDURA PRO SPOT SENSOR
8 W 750 840 IP55 WT



4
ENDURA PRO SPOT SENSOR
8 W 750 840 IP55 DG



Product name	GTIN (EAN)	LED No.	COLOR	MATERIAL	t _{av} ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
ENDURA PRO SPOT SENSOR 16 W 1500 840 IP55 WT	4058075228900	1	White	Plastic (PC)	50 000	16.00	1 500	2 140	4 000	≥80	50
ENDURA PRO SPOT SENSOR 16 W 1500 840 IP55 DG	4058075228924	2	Dark gray	Plastic (PC)	50 000	16.00	1 500	2 140	4 000	≥80	50
ENDURA PRO SPOT SENSOR 8 W 750 840 IP55 WT	4058075228863	3	White	Plastic (PC)	50 000	8.00	750	1 070	4 000	≥80	50
ENDURA PRO SPOT SENSOR 8 W 750 840 IP55 DG	4058075228887	4	Dark gray	Plastic (PC)	50 000	8.00	750	1 070	4 000	≥80	50

Product name	IP	Beam angle	l _d ¹ [mm]	W _d ¹ [mm]	h _d ¹ [mm]	Weight
ENDURA PRO SPOT SENSOR 16 W 1500 840 IP55 WT	IP55	100 000	177.0	58.0	187.0	6
ENDURA PRO SPOT SENSOR 16 W 1500 840 IP55 DG	IP55	100 000	177.0	58.0	187.0	6
ENDURA PRO SPOT SENSOR 8 W 750 840 IP55 WT	IP55	100 000	87.0	58.0	187.0	6
ENDURA PRO SPOT SENSOR 8 W 750 840 IP55 DG	IP55	100 000	87.0	58.0	187.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® PRO UPDOWN SENSOR

MODERN SHAPED WALL SENSOR LUMINAIRES WITH LIGHT OUTLET UP AND DOWN



1
ENDURA PRO UpDown SENSOR
10 W 1000 840 IP55 WT



2
ENDURA PRO UpDown SENSOR
10 W 1000 840 IP55 DG



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t[h] ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI	
ENDURA PRO UpDown SENSOR 10 W 1000 840 IP55 WT	4058075228948	1	White	Plastic (PC)	50 000	10.00	1 000	1 360	4 000	≥80	50
ENDURA PRO UpDown SENSOR 10 W 1000 840 IP55 DG	4058075228962	2	Dark gray	Plastic (PC)	50 000	10.00	1 000	1 360	4 000	≥80	50

Product name	 IP		 l [lm]	 w [w]	 h [mm]	
ENDURA PRO UpDown SENSOR 10 W 1000 840 IP55 WT	IP55	15 000	87.0	55.0	180.0	6
ENDURA PRO UpDown SENSOR 10 W 1000 840 IP55 DG	IP55	15 000	87.0	55.0	180.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® FLOOD SENSOR COOL WHITE

LED FLOODLIGHTS WITH COLD WHITE LIGHT AND SENSOR



1
ENDURA FLOOD Sensor
50 W 4000 K DG



2
ENDURA FLOOD Sensor
30 W 4000 K DG



3
ENDURA FLOOD Sensor
20 W 4000 K DG



4
ENDURA FLOOD Sensor
10 W 4000 K DG



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{av} ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°C
ENDURA FLOOD Sensor 50 W 4000 K DG	4058075206786	1	Dark gray	Aluminum	25 000	50.00	4 500	-	4 000	≥80	120
ENDURA FLOOD Sensor 30 W 4000 K DG	4058075206762	2	Dark gray	Aluminum	25 000	30.00	2 700	-	4 000	≥80	120
ENDURA FLOOD Sensor 20 W 4000 K DG	4058075206748	3	Dark gray	Aluminum	25 000	20.00	1 700	-	4 000	≥80	120
ENDURA FLOOD Sensor 10 W 4000 K DG	4058075292192	4	Dark gray	Aluminum	25 000	10.00	800	-	4 000	≥80	120

Product name	IP	Beam spread	l [mm]	W [mm]	h [mm]	Weight
ENDURA FLOOD Sensor 50 W 4000 K DG	IP44	100 000	267.0	210.0	70.0	8
ENDURA FLOOD Sensor 30 W 4000 K DG	IP44	100 000	223.0	170.0	66.0	8
ENDURA FLOOD Sensor 20 W 4000 K DG	IP44	100 000	189.0	133.0	66.0	8
ENDURA FLOOD Sensor 10 W 4000 K DG	IP44	100 000	168.0	108.0	63.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

FLOODLIGHT ESSENTIAL SENSOR

LOW-COST LED FLOODLIGHTS WITH ALUMINUM HOUSING AND MOTION SENSOR FOR BASIC APPLICATIONS



LED MODULE INTEGRATED HEAD ADJUSTABLE COOL DAYLIGHT COOL WHITE WARM LIGHT											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h	W	lm ² OUTPUT	lm ³ LIGHT SOURCE	K	CRI	
Floodlight Essential Sensor 50W 6500K	4058075768413	1	Black	Aluminum	25 000	50.00	4 500	4 750	6 500	≥80	100
Floodlight Essential Sensor 50W 4000K	4058075768390	1	Black	Aluminum	25 000	50.00	4 500	4 750	4 000	≥80	100
Floodlight Essential Sensor 50W 3000K	4058075768376	1	Black	Aluminum	25 000	50.00	4 250	4 500	3 000	≥80	100
Floodlight Essential Sensor 30W 6500K	4058075768352	2	Black	Aluminum	25 000	30.00	2 700	2 850	6 500	≥80	100
Floodlight Essential Sensor 30W 4000K	4058075768338	2	Black	Aluminum	25 000	30.00	2 700	2 850	4 000	≥80	100
Floodlight Essential Sensor 30W 3000K	4058075768314	2	Black	Aluminum	25 000	30.00	2 550	2 700	3 000	≥80	100
Floodlight Essential Sensor 20W 6500K	4058075768291	3	Black	Aluminum	25 000	20.00	1 800	1 900	6 500	≥80	100
Floodlight Essential Sensor 20W 4000K	4058075768277	3	Black	Aluminum	25 000	20.00	1 800	1 900	4 000	≥80	100
Floodlight Essential Sensor 20W 3000K	4058075768253	3	Black	Aluminum	25 000	20.00	1 600	1 800	3 000	≥80	100
Floodlight Essential Sensor 10W 6500K	4058075768239	4	Black	Aluminum	25 000	10.00	900	950	6 500	≥80	100
Floodlight Essential Sensor 10W 4000K	4058075768215	4	Black	Aluminum	25 000	10.00	900	950	4 000	≥80	100
Floodlight Essential Sensor 10W 3000K	4058075768178	4	Black	Aluminum	25 000	10.00	750	900	3 000	≥80	100

Product name	IP	t _h	lm ²	lm ³	b _{beam}	h _{beam}	
Floodlight Essential Sensor 50W 6500K	IP65	25 000	238.0	34.0	161.0	12	
Floodlight Essential Sensor 50W 4000K	IP65	25 000	238.0	34.0	161.0	12	
Floodlight Essential Sensor 50W 3000K	IP65	25 000	238.0	34.0	161.0	12	
Floodlight Essential Sensor 30W 6500K	IP65	25 000	186.0	33.0	128.0	20	
Floodlight Essential Sensor 30W 4000K	IP65	25 000	186.0	33.0	128.0	20	
Floodlight Essential Sensor 30W 3000K	IP65	25 000	186.0	33.0	128.0	20	
Floodlight Essential Sensor 20W 6500K	IP65	25 000	173.0	33.0	111.0	20	
Floodlight Essential Sensor 20W 4000K	IP65	25 000	173.0	33.0	111.0	20	
Floodlight Essential Sensor 20W 3000K	IP65	25 000	173.0	33.0	111.0	20	
Floodlight Essential Sensor 10W 6500K	IP65	25 000	132.0	33.0	83.0	20	
Floodlight Essential Sensor 10W 4000K	IP65	25 000	132.0	33.0	83.0	20	
Floodlight Essential Sensor 10W 3000K	IP65	25 000	132.0	33.0	83.0	20	

¹ Average lifetime in hours | ² Total luminous flux of the luminaire taking into account the diffuser | ³ Total luminous flux of the contained light sources without the diffuser

ENDURA® FLOOD WARM WHITE

LED FLOODLIGHTS WITH WARM WHITE LIGHT



1
ENDURA FLOOD
50 W 3000 K DG/WT



2
ENDURA FLOOD
30 W 3000 K DG/WT



3
ENDURA FLOOD
20 W 3000 K DG/WT



4
ENDURA FLOOD
10 W 3000 K DG/WT



Product name	GTIN (EAN)	 No.	COLOR	MATERIAL	 ²	W	 ³	 ⁴	K	CRI	
ENDURA FLOOD 50 W 3000 K DG	4058075239340	1	Dark gray	Aluminum	25 000	50.00	4 500	-	3 000	≥80	120
ENDURA FLOOD 50 W 3000 K WT	4058075239678	1	White	Aluminum	25 000	50.00	4 500	-	3 000	≥80	120
ENDURA FLOOD 30 W 3000 K DG	4058075237964	2	Dark gray	Aluminum	25 000	30.00	2 700	-	3 000	≥80	120
ENDURA FLOOD 30 W 3000 K WT	4058075239654	2	White	Aluminum	25 000	30.00	2 700	-	3 000	≥80	120
ENDURA FLOOD 20 W 3000 K DG	4058075237940	3	Dark gray	Aluminum	25 000	20.00	1 700	-	3 000	≥80	120
ENDURA FLOOD 20 W 3000 K WT	4058075239630	3	White	Aluminum	25 000	20.00	1 700	-	3 000	≥80	120
ENDURA FLOOD 10 W 3000 K DG	4058075237926	4	Dark gray	Aluminum	25 000	10.00	800	-	3 000	≥80	120
ENDURA FLOOD 10 W 3000 K WT	4058075239616	4	White	Aluminum	25 000	10.00	800	-	3 000	≥80	120

Product name	IP		 ¹	 ¹	 ¹	
ENDURA FLOOD 50 W 3000 K DG	IP65	100 000	245.0	210.0	43.0	8
ENDURA FLOOD 50 W 3000 K WT	IP65	100 000	245.0	210.0	43.0	8
ENDURA FLOOD 30 W 3000 K DG	IP65	100 000	193.0	170.0	39.0	12
ENDURA FLOOD 30 W 3000 K WT	IP65	100 000	193.0	170.0	39.0	12
ENDURA FLOOD 20 W 3000 K DG	IP65	100 000	153.0	133.0	34.0	12
ENDURA FLOOD 20 W 3000 K WT	IP65	100 000	153.0	133.0	34.0	12
ENDURA FLOOD 10 W 3000 K DG	IP65	100 000	122.0	108.0	33.0	12
ENDURA FLOOD 10 W 3000 K WT	IP65	100 000	122.0	108.0	33.0	12

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

ENDURA® FLOOD COOL WHITE

LED FLOODLIGHTS WITH COLD WHITE LIGHT



1
ENDURA FLOOD
150 W 4000 K DG

LEDVANCE 1
5 year guarantee



2
ENDURA FLOOD
100 W 4000 K DG

LEDVANCE 1
5 year guarantee



3
ENDURA FLOOD
50 W 4000 K DG

LEDVANCE 1
3 year guarantee



4
ENDURA FLOOD
30 W 4000 K DG

LEDVANCE 1
3 year guarantee



5
ENDURA FLOOD
20 W 4000 K DG

LEDVANCE 1
3 year guarantee



6
ENDURA FLOOD
10 W 4000 K DG

LEDVANCE 1
3 year guarantee



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°C
ENDURA FLOOD 150 W 4000 K DG	4058075206823	1	Dark gray	Aluminum	25 000	150.00	13 200	-	4 000	≥80	120
ENDURA FLOOD 100 W 4000 K DG	4058075206809	2	Dark gray	Aluminum	25 000	100.00	8 800	-	4 000	≥80	120
ENDURA FLOOD 50 W 4000 K DG	4058075206724	3	Dark gray	Aluminum	25 000	50.00	4 500	-	4 000	≥80	120
ENDURA FLOOD 30 W 4000 K DG	4058075206700	4	Dark gray	Aluminum	25 000	30.00	2 700	-	4 000	≥80	120
ENDURA FLOOD 20 W 4000 K DG	4058075206687	5	Dark gray	Aluminum	25 000	20.00	1 700	-	4 000	≥80	120
ENDURA FLOOD 10 W 4000 K DG	4058075206663	6	Dark gray	Aluminum	25 000	10.00	800	-	4 000	≥80	120

Product name	IP	l [mm]	w [mm]	h [mm]	Weight
ENDURA FLOOD 150 W 4000 K DG	IP65	421.0	364.0	72.0	2
ENDURA FLOOD 100 W 4000 K DG	IP65	356.0	306.0	70.0	2
ENDURA FLOOD 50 W 4000 K DG	IP65	245.0	210.0	43.0	8
ENDURA FLOOD 30 W 4000 K DG	IP65	193.0	170.0	39.0	12
ENDURA FLOOD 20 W 4000 K DG	IP65	153.0	133.0	34.0	12
ENDURA FLOOD 10 W 4000 K DG	IP65	122.0	108.0	33.0	12

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

FLOODLIGHT ESSENTIAL

LOW-COST LED FLOODLIGHTS WITH ALUMINUM HOUSING FOR BASIC APPLICATIONS



1
Floodlight Essential
50W 3000K



2
Floodlight Essential
30W 3000K



3
Floodlight Essential
20W 3000K



4
Floodlight Essential
10W 3000K



- LED
MODULE
INTEGRATED
- HEAD
ADJUSTABLE
- COOL
DAYLIGHT
- COOL
WHITE
- WARM
LIGHT

Product name	GTIN (EAN)	 No.	COLOR	MATERIAL		W	 ²	 ³	K	CRI	
Floodlight Essential 50W 6500K	4058075768154	1	Black	Aluminum	25 000	50.00	4 500	4 750	6 500	≥80	100
Floodlight Essential 50W 4000K	4058075768130	1	Black	Aluminum	25 000	50.00	4 500	4 750	4 000	≥80	100
Floodlight Essential 50W 3000K	4058075768116	1	Black	Aluminum	25 000	50.00	4 250	4 500	3 000	≥80	100
Floodlight Essential 30W 6500K	4058075768093	2	Black	Aluminum	25 000	30.00	2 700	2 850	6 500	≥80	100
Floodlight Essential 30W 4000K	4058075768079	2	Black	Aluminum	25 000	30.00	2 700	2 850	4 000	≥80	100
Floodlight Essential 30W 3000K	4058075768055	2	Black	Aluminum	25 000	30.00	2 550	2 700	3 000	≥80	100
Floodlight Essential 20W 6500K	4058075768031	3	Black	Aluminum	25 000	20.00	1 800	1 900	6 500	≥80	100
Floodlight Essential 20W 4000K	4058075768017	3	Black	Aluminum	25 000	20.00	1 800	1 900	4 000	≥80	100
Floodlight Essential 20W 3000K	4058075767997	3	Black	Aluminum	25 000	20.00	1 600	1 800	3 000	≥80	100
Floodlight Essential 10W 6500K	4058075767973	4	Black	Aluminum	25 000	10.00	900	950	6 500	≥80	100
Floodlight Essential 10W 4000K	4058075767935	4	Black	Aluminum	25 000	10.00	900	950	4 000	≥80	100
Floodlight Essential 10W 3000K	4058075767911	4	Black	Aluminum	25 000	10.00	750	900	3 000	≥80	100

Product name	IP		 ¹	 ²	 ³	
Floodlight Essential 50W 6500K	IP65	25 000	238.0	30.0	161.0	12
Floodlight Essential 50W 4000K	IP65	25 000	238.0	30.0	161.0	12
Floodlight Essential 50W 3000K	IP65	25 000	238.0	30.0	161.0	12
Floodlight Essential 30W 6500K	IP65	25 000	186.0	28.0	128.0	20
Floodlight Essential 30W 4000K	IP65	25 000	186.0	28.0	128.0	20
Floodlight Essential 30W 3000K	IP65	25 000	186.0	28.0	128.0	20
Floodlight Essential 20W 6500K	IP65	25 000	173.0	28.0	111.0	20
Floodlight Essential 20W 4000K	IP65	25 000	173.0	28.0	111.0	20
Floodlight Essential 20W 3000K	IP65	25 000	173.0	28.0	111.0	20
Floodlight Essential 10W 6500K	IP65	25 000	132.0	33.0	83.0	20
Floodlight Essential 10W 4000K	IP65	25 000	132.0	28.0	83.0	20
Floodlight Essential 10W 3000K	IP65	25 000	132.0	33.0	83.0	20

¹ Average lifetime in hours | ² Total luminous flux of the luminaire taking into account the diffuser | ³ Total luminous flux of the contained light sources without the diffuser



MOBILE LUMINAIRES



MOBILE LUMINAIRES FOR INDOORS 556



MOBILE LUMINAIRES FOR INDOORS AND OUTDOORS 580



MOBILE LUMINAIRES FOR OUTDOORS 588

LINEAR LED CLOCK USB

BATTERY-OPERATED, DIMMABLE LED AMBIENT LIGHT WITH CLOCK



1
LINEAR LED CLOCK WHITE

LED DIM ACCU INCL. USB DIFFUSE LIGHT COOL LIGHT LEDVANCE 2 year guarantee											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	W	lm OUTPUT ²	K	CRI		IP	
LINEAR LED CLOCK WHITE	4058075747906	1	White	Plastic (ABS)	3.40	12	4 000	> 90	80	IP20	7 000
Product name l (mm) b (mm) h (mm)											
LINEAR LED CLOCK WHITE	150.0	47.0	85.0	40							

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Total luminous flux of the luminaire taking into account the diffuser

MOBILE BATHROOM ACCESSORIES

HOOK, TOWEL AND TOILET PAPER HOLDER WITH NIGHT-LIGHT FUNCTION AND MOTION SENSOR



1
BATHROOM TOWEL RACK

6x
INCL.



2
BATHROOM HAND TOWEL HOLDER

3x
INCL.



3
BATHROOM TOILET PAPER HOLDER

3x
INCL.



4
BATHROOM HOOK HANGER

3x
INCL.



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{av} ²	W	lm ³ OUTPUT	K	CRI	°C	IP
BATHROOM TOWEL RACK	4058075759060	1	Silver	Plastic (ABS)	25 000	0.36	20	3 000	≥80	100	IP44
BATHROOM HAND TOWEL HOLDER	4058075758605	2	Silver	Plastic (ABS)	25 000	0.18	10	3 000	≥80	100	IP44
BATHROOM TOILET PAPER HOLDER	4058075758643	3	Silver	Plastic (ABS)	25 000	0.18	10	3 000	≥80	100	IP44
BATHROOM HOOK HANGER	4058075759121	4	Silver	Plastic (ABS)	25 000	0.18	10	3 000	≥80	100	IP44

Product name					
BATHROOM TOWEL RACK	100	797.0	67.0	111.0	6
BATHROOM HAND TOWEL HOLDER	100	190.0	223.0	111.0	6
BATHROOM TOILET PAPER HOLDER	100	180.0	67.0	111.0	6
BATHROOM HOOK HANGER	100	84.0	67.0	111.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

LUNETTA® ADVANCED
NIGHT LIGHT FAMILY WITH ADDED FUNCTIONS



1
LUNETTA LED White



2
LUNETTA TORCH INDUCTIVE WHITE



3
LUNETTA Hall Sensor White



4
LUNETTA Wave White



5
LUNETTA Slim White



6
LUNETTA Round White



7
LUNETTA HALL WT



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	K	CRI	°	IP
LUNETTA LED White	4058075266902	1	White	Plastic (PC/ABS)	25 000	13.00	3	3 000	≥80	120	IP20
LUNETTA TORCH INDUCTIVE WHITE	4058075759404	2	White	Plastic (PC)	25 000	2.00	10	-	≥80	115	IP20
LUNETTA Hall Sensor White	4058075266780	3	White	Plastic (PC/ABS)	25 000	0.70	10	3 000	≥80	110	IP20
LUNETTA Wave White	4058075399662	4	White	Plastic (PC/ABS)	25 000	0.50	5	3 000	≥80	80	IP20
LUNETTA Slim White	4058075227934	5	White	Plastic (PC/ABS)	25 000	0.30	3	3 000	≥80	100	IP20
LUNETTA Round White	4058075266827	6	White	Plastic (PC/ABS)	25 000	0.30	3	3 000	≥80	110	IP20
LUNETTA HALL WT	4058075730120	7	White	Plastic (PC)	25 000	0.20	3	3 000	> 80	-	IP20

Product name		l [mm]	b [mm]	h [mm]	d [mm]	
LUNETTA LED White	100 000	-	-	80.0	90.0	6
LUNETTA TORCH INDUCTIVE WHITE	100 000	63.0	79.0	122.0	-	6
LUNETTA Hall Sensor White	100 000	67.0	84.0	73.0	-	6
LUNETTA Wave White	12 500	55.0	60.0	60.0	-	6
LUNETTA Slim White	100 000	58.0	60.0	60.0	-	6
LUNETTA Round White	100 000	-	-	60.0	71.0	6
LUNETTA HALL WT	-	65.0	84.0	73.0	-	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

LUNETTA®
PLUG-IN NIGHT LIGHTS WITH WHITE LIGHT OR
RGB COLOR CHANGE



1
LUNETTA SUNSET



2
LUNETTA RAINDROP WHITE



3
LUNETTA SQUARE SENSOR WHITE



4
LUNETTA Shine RGB



5
LUNETTA Glow White



6
LUNETTA Hall White



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	K	CRI	°C
LUNETTA SUNSET	4058075570221	1	White	Plastic	25 000.00	0.60	15	4 000	> 80	120
LUNETTA RAINDROP WHITE	4058075759343	2	White	Plastic (PC)	25 000.00	0.50	15	3 000	≥80	110
LUNETTA SQUARE SENSOR WHITE	4058075759282	3	White	Plastic (PC)	25 000.00	0.30	-	-	-	110
LUNETTA Shine White	4058075266889	4	White	Plastic (PC)	25 000.00	0.28	5	3 000	> 80	-
LUNETTA Glow White	4058075266766	5	White	Plastic (PC)	25 000.00	0.28	5	3 000	> 80	-
LUNETTA Shine RGB	4058075266841	4	White	Plastic (PC)	25 000.00	0.28	-	2 700 ... 6 000	≥80	-
LUNETTA Hall White	4058075266803	6	White	Plastic (PC)	25 000.00	0.20	3	3 000	> 80	-

Product name						
LUNETTA SUNSET	IP20	10 000	195.0	140.0	38.0	6
LUNETTA RAINDROP WHITE	IP20	100 000	55.0	63.0	64.0	6
LUNETTA SQUARE SENSOR WHITE	IP20	100 000	62.0	62.0	62.0	6
LUNETTA Shine White	IP20	10 000	60.0	60.0	90.0	6
LUNETTA Glow White	IP20	10 000	60.0	60.0	90.0	6
LUNETTA Shine RGB	IP20	10 000	60.0	60.0	90.0	6
LUNETTA Hall White	IP20	10 000	65.0	84.0	73.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

NIGHTLUX®
MOBILE LED LUMINAIRES WITH VARIOUS ADDED FUNCTIONS





1
NIGHTLUX TOUCH Rabbit





2
NIGHTLUX TOUCH TV





3
NIGHTLUX Ceiling Silver





4
NIGHTLUX Ceiling White





5
NIGHTLUX MOBILE LANTERN





6
NIGHTLUX MOBILE MULTI Power-bank





7
NIGHTLUX CLOCK WHITE





8
NIGHTLUX Cartoon Sensor








Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	K	CRI
NIGHTLUX TOUCH Rabbit	4058075602113	1	White	Plastic	25 000.00	2.50	20	-	> 80
NIGHTLUX TOUCH TV	4058075602137	2	White	Plastic	25 000.00	2.50	20	-	> 80
NIGHTLUX Ceiling Silver	4058075270855	3	Silver	Plastic (PC/ABS)	25 000.00	1.70	105	4 000	> 80
NIGHTLUX Ceiling White	4058075270886	4	White	Plastic (PC/ABS)	25 000.00	1.70	105	4 000	> 80
NIGHTLUX MOBILE LANTERN	4058075570184	5	White	Plastic (PC)	25 000.00	0.65	30	4 000	> 80
NIGHTLUX MOBILE MULTI Power-bank	4058075570207	6	Gray/White	Plastic (PC)	20 000.00	0.50	25...45	3 000 ... 4 000	> 80
NIGHTLUX CLOCK WHITE	4058075757721	7	White	Plastic (ABS)	25 000.00	0.30	5	-	≥80
NIGHTLUX Cartoon Sensor	4058075575592	8	White	Plastic	25 000.00	0.20	10	3 000	≥80

Product name	°	IP	lm	l	b	h	d	mm
NIGHTLUX TOUCH Rabbit	250	IP20	12 500	200.0	141.0	115.0	-	6
NIGHTLUX TOUCH TV	200	IP20	12 500	200.0	141.0	115.0	-	6
NIGHTLUX Ceiling Silver	120	IP20	25 000	-	-	47.0	86.0	6
NIGHTLUX Ceiling White	120	IP20	25 000	-	-	47.0	86.0	6
NIGHTLUX MOBILE LANTERN	180	IP20	10 000	73.0	51.0	160.0	-	6
NIGHTLUX MOBILE MULTI Power-bank	180	IP20	-	46.0	46.0	148.0	-	6
NIGHTLUX CLOCK WHITE	110	IP20	100 000	90.0	48.4	96.1	-	6
NIGHTLUX Cartoon Sensor	120	IP20	15 000	400.0	160.0	36.0	-	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

LINEAR LED MOBILE ADVANCED

MOBILE, LINEAR LED LUMINAIRES WITH USB CABLE AND INTEGRATED SENSORS



1
Linear LED Magnet
3 spot sensor



2
Linear LED Magnet
2 spot sensor



3
LINEAR LED TASKLIGHT WHITE



4
Linear LED Mobile Tilt Sensor



5
Linear LED Mobile Backlight sensor
400mm



6
Linear LED Mobile Backlight sensor
200mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI
Linear LED Magnet 3 spot sensor	4058075575677	1	White	Aluminum/Plastic	30 000	9.50	600	750	4 000	> 80
Linear LED Magnet 2 spot sensor	4058075575653	2	White	Aluminum/Plastic	30 000	7.00	400	500	4 000	> 80
LINEAR LED TASKLIGHT WHITE	4058075759183	3	White	Plastic (PC)	25 000	6.90	400	650	6 500	≥80
Linear LED Mobile Tilt Sensor	4058075575578	4	White	Plastic (ABS)	20 000	1.90	115	-	4 000	> 80
Linear LED Mobile Backlight sensor 400mm	4058075610507	5	White	Aluminum/Plastic (PC)	20 000	1.00	70	-	4 000	> 80
Linear LED Mobile Backlight sensor 200mm	4058075610484	6	White	Aluminum/Plastic (PC)	20 000	1.00	50	-	4 000	> 80

Product name	△	IP	lm	l _{lm}	b _{lm}	h _{lm}	lm
Linear LED Magnet 3 spot sensor	120	IP20	100 000	645.0	71.0	59.0	8
Linear LED Magnet 2 spot sensor	120	IP20	100 000	445.0	71.0	59.0	8
LINEAR LED TASKLIGHT WHITE	110	IP54	5000	42.0	43.0	215.0	6
Linear LED Mobile Tilt Sensor	120	IP20	10 000	300.0	140.0	45.0	6
Linear LED Mobile Backlight sensor 400mm	120	IP20	10 000	451.0	46.0	41.0	8
Linear LED Mobile Backlight sensor 200mm	120	IP20	10 000	256.0	46.0	41.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

MOBILE CAMERA LIGHT RING

MOBILE LED RING LIGHT FOR FILMING AND PHOTOGRAPHY



1
MOBILE CAMERA LIGHT RING DESKTOP



2
MOBILE CAMERA LIGHT RING 2100



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t(h) ²	W	lm ³ OUTPUT	K	CRI	°	IP
--------------	------------	-----	-------	----------	-------------------	---	------------------------	---	-----	---	----

MOBILE CAMERA LIGHT RING DESKTOP USB	4058075668515	1	Black	Plastic (PC)	25 000	6.00	250	2 700 ... 6 500	>80	120	IP20
MOBILE CAMERA LIGHT RING 2100 USB	4058075666870	2	Black	Plastic (PC)	25 000	5.50	250	2 700 ... 6 500	>80	120	IP20

Product name	
--------------	--

MOBILE CAMERA LIGHT RING DESKTOP USB	6
MOBILE CAMERA LIGHT RING 2100 USB	20

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

LINEAR LED MOBILE

MOBILE CABINET LUMINAIRES WITH SENSOR AND FLEXIBLE MOUNTING CONCEPT



1
Linear LED Mobile Hanger USB
270



2
Linear LED Mobile Battery
300




3
Linear LED Mobile Battery
200



4
Linear LED Mobile USB
300



5
Linear LED Mobile USB
200



6
Linear LED Mobile IR USB



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm ³ OUTPUT	K	CRI	°	IP
Linear LED Mobile Hanger USB 270	4058075504363	1	White	Plastic (PC/ABS)	30 000	2.35	120	4 000	>80	120	IP20
Linear LED Mobile Battery 300	4058075226883	2	White	Aluminum	25 000	2.90	174	4 000	>80	120	IP20
Linear LED Mobile Battery 200	4058075226838	3	White	Aluminum	25 000	1.90	90	4 000	>80	120	IP20
Linear LED Mobile USB 300	4058075260467	4	Silver	Aluminum	25 000	1.50	98	4 000	>80	120	IP20
Linear LED Mobile USB 200	4058075260436	5	Silver	Aluminum	25 000	1.00	69	4 000	>80	120	IP20
Linear LED Mobile IR USB	4058075399747	6	White	Plastic (ABS)	25 000	0.50	20	4 000	90	105	IP20

Product name					
Linear LED Mobile Hanger USB 270	15 000	324.0	47.0	15.0	6
Linear LED Mobile Battery 300	12 500	314.0	48.0	18.0	6
Linear LED Mobile Battery 200	12 500	214.0	48.0	18.0	6
Linear LED Mobile USB 300	12 500	300.0	50.0	22.0	6
Linear LED Mobile USB 200	12 500	200.0	50.0	22.0	6
Linear LED Mobile IR USB	12 500	116.0	11.0	47.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

LINEAR SHELF

SHELVES WITH INTEGRATED LED LIGHTS



1
LINEAR SHELF
600mm



2
LINEAR SHELF
400mm



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t[h] ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI	
LINEAR SHELF 600mm	4058075575752	1	White	Aluminum/Plastic	30 000	12.00	1 100	1 400	3 000	≥80	110
LINEAR SHELF 400mm	4058075575738	2	White	Aluminum/Plastic	30 000	6.00	550	700	3 000	≥80	110

Product name	 IP		 l [lm]	 b [mm]	 h [mm]	
LINEAR SHELF 600mm	IP44	100 000	600.0	130.0	30.0	8
LINEAR SHELF 400mm	IP44	100 000	400.0	130.0	30.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser | ⁴ Total luminous flux of the contained light sources without the diffuser

LEDSTIXX®

SMALL, MOBILE, LINEAR LUMINAIRE – ALSO AVAILABLE AS MIRROR LIGHT WITH RECHARGEABLE BATTERY AND TOUCH-DIM FUNCTION



1
LEDstixx USB Silver

2
LEDSTIXX SI



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	K	CRI	°	IP
LEDstixx USB Silver	4058075399723	1	Silver	Aluminum	30 000	2.00	150	4 000	90	110	IP44
LEDSTIXX SI	4058075227866	2	Silver	Aluminum	10 000	0.60	25	6 200	≥80	90	IP20

Product name	l [mm]	l [mm]	w [mm]	h [mm]	h [mm]
LEDstixx USB Silver	15 000	206.0	17.0	17.0	6
LEDSTIXX SI	100 000	222.0	16.2	22.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

LUMISTIXX®
SLIM AND CABLE-FREE



1
LUMISTIXX WT



LED MODULE INTEGRATED BATTERY INCL. LEDVANCE¹ 2 year guarantee 													
Product name		GTIN (EAN)		 No.	 COLOR	 MATERIAL	 t[h] ²	 W	 lm ³ OUTPUT	 K	 CRI	 °	 IP
LUMISTIXX WT		4058075227897		1	White	Plastic (ABS)	10 000	0.60	25	6 200	≥80	120	IP20
Product name													
LUMISTIXX WT		100 000	222.0	16.2	21.0	16.2	6						

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

DOT-IT®
UNIVERSAL MINI LED LUMINAIRES WITH VARIABLE MOUNTING



LEDVANCE 2 year guarantee											
Product name	GTIN (EAN)	Light No.	COLOR	MATERIAL	t ₉₀	W	lm ³ OUTPUT	K	CRI	°C	IP
DOT-it TOUCH High White	4058075399709	1	White	Plastic (ABS)	30 000	0.45	32	4 000	≥80	120	IP20
DOT-it TOUCH Slim White	4058075399686	2	White	Plastic (ABS)	30 000	0.45	32	4 000	≥80	120	IP20
DOT-it CLASSIC CLASSIC SI	4058075227804	3	Silver	Plastic (ABS)	20 000	0.23	10	7 000	>80	70	IP20

Product name	Light No.	b (mm)	h (mm)	Ø d (mm)	Weight (kg)
DOT-it TOUCH High White	15 000	-	35.0	65.0	6
DOT-it TOUCH Slim White	15 000	-	18.0	65.0	6
DOT-it CLASSIC CLASSIC SI	15 000	67.0	22.0	68.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

SPYLUX®
STATIONARY OR MOBILE LED LIGHT



1
SPYLUX White



													
Product name		GTIN (EAN)			COLOR	MATERIAL	 ²	W	 ³	K	CRI	IP	
SPYLUX White		4058075227835		1	White	Plastic (PC)	10 000	0.30	17	3 000	>85	IP43	68.0
Product name													
SPYLUX White		68.0		6									

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

NIGHTLUX® HALL

BATTERY-OPERATED MULTIFUNCTIONAL LUMINAIRES WITH SENSOR



1
NIGHTLUX Hall White



2
NIGHTLUX Hall Silver



																							
Product name		GTIN (EAN)				COLOR						W				K		CRI					
NIGHTLUX Hall White		4058075260658		1		White		Plastic (PC)		25 000		0.25		14		4 000		>80		IP54		10 000	
NIGHTLUX Hall Silver		4058075260672		2		Silver		Plastic (PC)		25 000		0.25		14		4 000		>80		IP54		10 000	

Product name									
NIGHTLUX Hall White		84.0		73.0		22.0		6	
NIGHTLUX Hall Silver		84.0		73.0		22.0		6	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

NIGHTLUX® TORCH

CLEVER SENSOR LUMINAIRES “TO GO”



1
NIGHTLUX Torch White



2
NIGHTLUX Torch Silver



LED MODULE INTEGRATED BATTERY INCL. COOL LIGHT LEDVANCE 2 year guarantee											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	K	CRI	IP	
NIGHTLUX Torch White	4058075260696	1	White	Plastic (PC)	25 000	0.35	10	4 000	>80	IP54	10 000
NIGHTLUX Torch Silver	4058075260719	2	Silver	Plastic (PC)	25 000	0.35	10	4 000	>80	IP54	10 000

Product name				
NIGHTLUX Torch White	36.0	42.0	108.0	6
NIGHTLUX Torch Silver	36.0	42.0	108.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

NIGHTLUX® STAIR

DISCREET LIGHTING FOR STAIRS AND STEPS



1
NIGHTLUX Stair White

2
NIGHTLUX Stair Silver

LED MODULE INTEGRATED BATTERY INCL. COOL LIGHT LEDVANCE 2 year guarantee											
Product name	GTIN (EAN)		COLOR	MATERIAL		W		K	CRI	IP	
NIGHTLUX Stair White	4058075 260733	1	White	Plastic (ABS)	25 000	0.25	10	4 000	>80	IP54	10 000
NIGHTLUX Stair Silver	4058075 260757	2	Silver	Plastic (ABS)	25 000	0.25	10	4 000	>80	IP54	10 000

Product name				
NIGHTLUX Stair White	28.0	84.0	73.0	6
NIGHTLUX Stair Silver	28.0	84.0	73.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

DOORLED UPDOWN

MOBILE LUMINAIRE FOR ENTRANCE AREAS,
LIGHT OUTPUT UPWARD AND DOWNWARD



1
DOORLED UpDown WT



LED MODULE INTEGRATED 4x INCL. ON OFF AUTOMATIC  COOL LIGHT LEDVANCE 2 year guarantee 													
Product name		GTIN (EAN)		 No.	 COLOR	 MATERIAL	 t[h] ²	 W	 lm ³ OUTPUT	 K	 CRI	 IP	
DOORLED UpDown WT		4058075472778		1	White	Plastic (ABS)	25 000	0.80	40	4 000	>80	IP54	10 000
Product name		 l [mm]	 b [mm]	 h [mm]									
DOORLED UpDown WT		41.0	70.0	90.0	6								

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

BATTERY LED SPOTLIGHT

OUTDOOR FLOODLIGHTS WITH SINGLE OR DOUBLE LUMINAIRE HEAD



1 Battery LED Spotlight Double Black

2 Battery LED Spotlight Double White

3 Battery LED Spotlight Single Black

4 Battery LED Spotlight Single White

LED MODULE INTEGRATED ROTA-TABLE COOL LIGHT LEDVANCE 1 2 year guarantee											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	²	W	³	K	CRI		IP
Battery LED Spotlight Double Black	4058075227361	1	Black	Plastic (ABS)	15 000	10.00	480	4 000	≥80	95	IP54
Battery LED Spotlight Double White	4058075227408	2	White	Plastic (ABS)	15 000	10.00	480	4 000	≥80	95	IP54
Battery LED Spotlight Single Black	4058075227347	3	Black	Plastic (ABS)	15 000	4.00	260	4 000	≥80	95	IP54
Battery LED Spotlight Single White	4058075227385	4	White	Plastic (ABS)	15 000	4.00	260	4 000	≥80	95	IP54

Product name		[mm]	[mm]	[mm]	
Battery LED Spotlight Double Black	100 000	332.0	105.0	112.0	4
Battery LED Spotlight Double White	100 000	332.0	105.0	112.0	4
Battery LED Spotlight Single Black	100 000	127.0	108.0	215.0	4
Battery LED Spotlight Single White	100 000	127.0	108.0	215.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

DOORLED SOLAR

OFF-GRID OUTDOOR SOLAR LUMINAIRES



1
DoorLED Solar Silver



2
DoorLED Solar White



LED MODULE INTEGRATED INCL SOLAR COOL LIGHT LEDVANCE¹ 2 year guarantee											
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	²		³	K	CRI		IP
DoorLED Solar Silver	4058075267862	1	Silver	Plastic (ABS)	30 000	3.00	320	4 000	≥80	100	IP44
DoorLED Solar White	4058075267909	2	White	Plastic (ABS)	30 000	3.00	320	4 000	≥80	100	IP44

Product name					
DoorLED Solar Silver	100 000	192.0	110.0	30.0	6
DoorLED Solar White	100 000	192.0	110.0	30.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser

DOOR LED DOWN

BATTERY-POWERED WELCOME LIGHTS WITH SENSOR CONTROL



Product name		GTIN (EAN)				COLOR		MATERIAL				W				K		CRI					
DoorLED Down Silver		4058075 267824		1		Silver		Plastic (PC)		25 000		0.95		40		4 000		>80		IP54		10 000	
DoorLED Down White		4058075 267848		2		White		Plastic (PC)		25 000		0.95		40		4 000		>80		IP54		10 000	

Product name									
DoorLED Down Silver		102.5		92.4		36.5		6	
DoorLED Down White		102.5		92.4		36.5		6	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Total luminous flux of the luminaire taking into account the diffuser



ACCESSORIES



SENSORS FOR CEILING MOUNTING

598



SENSORS FOR WALL MOUNTING

602



SMART⁺ REMOTE CONTROLLER

604

SENSOR CEILING FLUSH

STAND-ALONE MOTION AND LIGHT SENSOR FOR FLUSH CEILING MOUNTING



1
SENSOR CEILING FLUSH
360DEG IP20 WT

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	d (mm)	
SENSOR CEILING FLUSH 360DEG IP20 WT	4058075240315	1	White	Plastic (PC)	IP20	63.0	83.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

SENSOR CEILING

STAND-ALONE MOTION AND LIGHT SENSOR FOR CEILING MOUNTING



1
SENSOR CEILING
360DEG IP44 WT



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	d (mm)	
SENSOR CEILING 360DEG IP44 WT	4058075244719	1	White	Plastic (PC)	IP44	50.0	92.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

SENSOR WALL

STAND-ALONE MOTION AND LIGHT SENSORS FOR WALL MOUNTING





1
SENSOR WALL
360DEG IP55 WT





2
SENSOR WALL
360DEG IP55 DG





3
SENSOR WALL
180DEG IP55 WT





4
SENSOR WALL
180DEG IP55 DG





5
SENSOR WALL
110DEG IP44 WT





6
SENSOR WALL
110DEG IP44 DG








Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	L [mm]	W [mm]	H [mm]	Weight
SENSOR WALL 360DEG IP55 WT	4058075244818	1	White	Plastic (PC)	IP55	76.0	95.0	111.0	8
SENSOR WALL 360DEG IP55 DG	4058075244832	2	Dark grey	Plastic (PC)	IP55	76.0	95.0	111.0	8
SENSOR WALL 180DEG IP55 WT	4058075244771	3	White	Plastic (PC)	IP55	76.0	50.0	91.0	8
SENSOR WALL 180DEG IP55 DG	4058075244795	4	Dark grey	Plastic (PC)	IP55	76.0	50.0	91.0	8
SENSOR WALL 110DEG IP44 WT	4058075244733	5	White	Plastic (PC)	IP44	60.0	77.0	72.0	8
SENSOR WALL 110DEG IP44 DG	4058075244757	6	Dark grey	Plastic (PC)	IP44	60.0	77.0	72.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

SMART+ WIFI REMOTE CONTROL COLOR CHANGE

REMOTE CONTROL FOR SMART+ WIFI PRODUCTS – ALSO WITH RGB CONTROL



1
SMART+ WiFi Remote Control Color Change

WIFI     LEDVANCE¹ 2 year guarantee 										
Product name	GTIN (EAN)									
SMART+ WiFi Remote Control Color Change	4058075570917	1	White	Plastic (ABS)	IP20	19.0	41.0	120.0	4	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee

PLANT CENTRIC LIGHTING



INDOOR GARDEN GROW ILLUMINATION

608



INDOOR GARDEN GROW ILLUMINATION

LED INDOOR PLANT LIGHT WITH SPECIAL FUNCTIONS AND ACCESSORIES



1
Indoor Garden Kit Pro



2
Indoor Garden Kit



3
Indoor Garden Light Stand



4
Indoor Garden Umbrella USB



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _m	W	lm ² OUTPUT	K	CRI	°	IP
Indoor Garden Kit Pro	4058075576179	1	Black	Aluminum/Plastic	25 000	24.00	1 670	3 600	≥80	110	IP20
Indoor Garden Kit	4058075576131	2	White	Plastic/Stainless Steel	25 000	20.00	1 350	3 550	≥80	110	IP20
Indoor Garden Light Stand	4058075576193	3	White	Plastic/Metal	25 000	14.00	750	3 650	≥80	110	IP20
Indoor Garden Umbrella USB	4058075576155	4	White	Plastic/Metal	25 000	5.00	235	3 400	≥80	105	IP20

Product name					
Indoor Garden Kit Pro	12 500	355.0	217.0	489.0	4
Indoor Garden Kit	12 500	495.0	189.0	476.0	4
Indoor Garden Light Stand	12 500	440.0	180.0	310.0	6
Indoor Garden Umbrella USB	12 500	110.0	110.0	711.0	6

¹ Average lifetime in hours | ² Total luminous flux of the luminaire taking into account the diffuser



Any manipulation of our products or packaging, including but not limited to modification, reworking or restamping, is prohibited and infringes our registered trademark rights. Such modifications may impair the technical properties of our products, destroy them or cause consequential damage or injury, for which LEDVANCE cannot under any circumstances be held responsible.

For more information on our products, go to:

www.ledvance.de
www.ledvance.com

Subject to change without notice. Errors and omissions excepted.
The pictures in the catalog are for illustration purposes only.

ABOUT LEDVANCE



LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from OSRAM's general lighting division, LEDVANCE offers a wide-ranging portfolio of LED luminaires for a broad spectrum of applications, intelligent lighting products for Smart Home and Smart Building solutions, one of the most comprehensive ranges of advanced LED lamps in the lighting industry, traditional light sources, an LED Strip System and light management systems.

LEDVANCE Benelux B.V.
Cypresbaan 7
2908 LT Capelle a/d IJssel
Nederland
+31 (0) 10750 14 14
Zeteladres
Passport Building - Leopoldlaan
1930 Zaventem
Belgie
BENELUX.LEDVANCE.COM