




Spectrum Test Report

Sample : Date : 2024-10-17 17:40:15
Specification : CYLINDPS020UNHD8SC2R4BZP Max 500Sam. Statusn + u:
Sample No. : Standard : LM-79-19
Manufacturer : LEDVANCE LLC Instrument : HaasSuite(EVERFINE)
Remark : Test by : Alan Wang

Test Condition

Temperature : 25.3Deg RH : 65.0%
WL Range : 380nm-780nm IP : 51931 (79%)
Test Mode : Accuracy Test T : 1209 ms

Spectrum : Low



Colorimetric Parameters

Chromaticity Coordinate: $x = 0.3423$ $y = 0.3525$ / $u' = 0.2092$ $v' = 0.4847$ (duv=1.61e-03)

CCT= 5119K Prcp WL: Ld=569.3nm Purity=8.5%

Peak WL: Lp=455nm FWHM: =23.7nm Ratio:R=15.9% G=78.9% B=5.2%

Render Index: Ra = 85.3 AvgR = 79.4 TM30:Rf=84 Rg=94

EEL: 0.09766 A++ Highest

R1 =84 R2 =93 R3 =95 R4 =83 R5 =84 R6 =88 R7 =86

R8 =69 R9 =17 R10=81 R11=82 R12=64 R13=87 R14=98 R15=79

Photometric & Radiometric Parameters

Flux = 2533.1 lm Eff. : 132.48 lm/W Fe = 8.4154 W

Electrical parameters

V = 120.00 V I = 0.1619 A P = 19.12 W PF = 0.9841 F=60.00 Hz

Dongguan New Testing Centre Co., Ltd

3F, No. 1 the 1st North Industry Road, Songshan Lake Science & Technology Park, Dongguan, Guangdong, China