



TRACKLIGHT SPOT XR



TRACKLIGHT SPOT XR 20W










TRACKLIGHT SPOT XR 30W








	EAN	Ø x h [mm]	W	VAC	Hz	lm	lm/W	K
TR SP XR V 20W 930 24DEG WT	4099854616273	68 x 215	20	220-240V	50/60Hz	2400	120	3000
TR SP XR V 20W 930 24DEG BK	4099854616297	68 x 215	20	220-240V	50/60Hz	2400	120	3000
TR SP XR V 20W 940 24DEG WT	4099854616310	68 x 215	20	220-240V	50/60Hz	2400	120	4000
TR SP XR V 20W 940 24DEG BK	4099854616334	68 x 215	20	220-240V	50/60Hz	2400	120	4000
TR SP XR V 30W 930 24DEG WT	4099854616365	80 x 240	30	220-240V	50/60Hz	3600	120	3000
TR SP XR V 30W 930 24DEG BK	4099854616389	80 x 240	30	220-240V	50/60Hz	3600	120	3000
TR SP XR V 30W 940 24DEG WT	4099854616402	80 x 240	30	220-240V	50/60Hz	3600	120	4000
TR SP XR V 30W 940 24DEG BK	4099854616426	80 x 240	30	220-240V	50/60Hz	3600	120	4000
TR SP XR V 30W 924 24DEG BREAD BK	4099854616907	80 x 240	30	220-240V	50/60Hz	2100	70	2400
TR SP XR V 30W 924 24DEG BREAD WT	4099854617089	80 x 240	30	220-240V	50/60Hz	2100	70	2400
TR SP XR V 30W 930 24DEG FRUIT BK	4099854617102	80 x 240	30	220-240V	50/60Hz	2250	75	3000
TR SP XR V 30W 930 24DEG FRUIT WT	4099854617126	80 x 240	30	220-240V	50/60Hz	2250	75	3000
TR SP XR V 30W 730 24DEG MEAT BK	4099854617164	80 x 240	30	220-240V	50/60Hz	1950	65	3000
TR SP XR V 30W 730 24DEG MEAT WT	4099854617287	80 x 240	30	220-240V	50/60Hz	1950	65	3000
TR SP XR V 30W 950 24DEG VEG BK	4099854617508	80 x 240	30	220-240V	50/60Hz	2700	90	5000
TR SP XR V 30W 950 24DEG VEG WT	4099854617706	80 x 240	30	220-240V	50/60Hz	2700	90	5000
TR SP XR V 30W 950 24DEG BK SEAFOOD	4099854617782	80 x 240	30	220-240V	50/60Hz	2700	90	5000
TR SP XR V 30W 950 24DEG WT SEAFOOD	4099854617805	80 x 240	30	220-240V	50/60Hz	2700	90	5000

	EAN	IP	▽	R _a	PF	👤
TR SP XR V 20W 930 24DEG WT	4099854616273	20	15°/24°/36°/50°/60°	>90	0.9	0.48 kg
TR SP XR V 20W 930 24DEG BK	4099854616297	20	15°/24°/36°/50°/60°	>90	0.9	0.48 kg
TR SP XR V 20W 940 24DEG WT	4099854616310	20	15°/24°/36°/50°/60°	>90	0.9	0.48 kg
TR SP XR V 20W 940 24DEG BK	4099854616334	20	15°/24°/36°/50°/60°	>90	0.9	0.48 kg
TR SP XR V 30W 930 24DEG WT	4099854616365	20	15°/24°/36°/50°/60°	>90	0.9	0.62 kg
TR SP XR V 30W 930 24DEG BK	4099854616389	20	15°/24°/36°/50°/60°	>90	0.9	0.62 kg
TR SP XR V 30W 940 24DEG WT	4099854616402	20	15°/24°/36°/50°/60°	>90	0.9	0.62 kg
TR SP XR V 30W 940 24DEG BK	4099854616426	20	15°/24°/36°/50°/60°	>90	0.9	0.62 kg
TR SP XR V 30W 924 24DEG BREAD BK	4099854616907	20	15°/24°/36°/50°/60°	>90	0.9	0.62 kg
TR SP XR V 30W 924 24DEG BREAD WT	4099854617089	20	15°/24°/36°/50°/60°	>90	0.9	0.62 kg
TR SP XR V 30W 930 24DEG FRUIT BK	4099854617102	20	15°/24°/36°/50°/60°	>90	0.9	0.62 kg
TR SP XR V 30W 930 24DEG FRUIT WT	4099854617126	20	15°/24°/36°/50°/60°	>90	0.9	0.62 kg
TR SP XR V 30W 730 24DEG MEAT BK	4099854617164	20	15°/24°/36°/50°/60°	>70	0.9	0.62 kg
TR SP XR V 30W 730 24DEG MEAT WT	4099854617287	20	15°/24°/36°/50°/60°	>70	0.9	0.62 kg
TR SP XR V 30W 950 24DEG VEG BK	4099854617508	20	15°/24°/36°/50°/60°	>90	0.9	0.62 kg
TR SP XR V 30W 950 24DEG VEG WT	4099854617706	20	15°/24°/36°/50°/60°	>90	0.9	0.62 kg
TR SP XR V 30W 950 24DEG BK SEAFOOD	4099854617782	20	15°/24°/36°/50°/60°	>90	0.9	0.62 kg
TR SP XR V 30W 950 24DEG WT SEAFOOD	4099854617805	20	15°/24°/36°/50°/60°	>90	0.9	0.62 kg


TRACKLIGHT SPOT XR



TRACKLIGHT SPOT XR











TRACKLIGHT SPOT REFLECTOR




TRACKLIGHT SPOT XR 20W	EAN	Ø x h [mm]	▽
TR SP REFLECTOR V 20W 15DEG	4099854616785	63 x 41	15°
TR SP REFLECTOR V 20W 36DEG	4099854616808	63 x 41	36°
TR SP REFLECTOR V 20W 50DEG	4099854616822	63 x 41	50°

TRACKLIGHT SPOT XR 30W	EAN	Ø x h [mm]	▽
TR SP REFLECTOR V 30W 15DEG	4099854616846	75 x 43	15°
TR SP REFLECTOR V 30W 36DEG	4099854616860	75 x 43	36°
TR SP REFLECTOR V 30W 50DEG	4099854616884	75 x 43	50°



C10449057
G11247140
04.08.25



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

© LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom