

LEDVANCE.COM



LEDVANCE



URBAN CLASSIC

TIMELESS DESIGN MEETS MODERNITY

POWERED THROUGH DURABLE LED EFFICIENCY

URBAN VILLA



URBAN FERNANDINO



NEW: URBAN CLASSIC PATHWAY LUMINAIRES

CLASSIC DESIGN, MODERN LIGHTING

URBAN CLASSIC blends timeless, decorative design with modern LED technology. The four families – URBAN VILLA, URBAN FERNANDINO, URBAN VILLA COMPACT and URBAN VILLA RETROFIT – integrate seamlessly into historic cityscapes, parks and residential areas, enhancing the urban environment without detracting from its character.



Across the range, 2200K and 2700K light colours offer an insect- and wildlife-friendly choice as these warmer tones emit less blue light and are less attractive to most insects.


Robust, efficient and long-lasting, they offer flexible installation options and optional frosted panel sets for a softer, diffused light effect. The URBAN VILLA RETROFIT modules allow simple LED upgrades for existing luminaires – sustainable and future-proof.

* Applies to Urban Villa & Urban Fernandino models

URBAN VILLA
COMPACT



UPGRADE



URBAN VILLA
RETROFIT

FIVE COMPELLING BENEFITS

- + MODERN & DURABLE – designed for long-lasting performance, up to 100 000 h (L70 @ 25 °C)
- + EFFICIENT – high luminous efficacy up to 120 lm/W
- + CORROSION RESISTANT – low-copper aluminium AC-47100* with excellent protection against salt-laden air and tested to 1 000 h salt-mist standards
- + HIGH TECH – D4i/DALI-2 driver, 24V Aux for Zhaga & Smart City compatibility, replaceable modules, 5-year warranty, optional frosted panel set
- + EASY TO INSTALL – 60 mm spigot adapter for mast mounting included with every luminaire for fast, convenient installation. Safety wires included.

THE RIGHT ATMOSPHERE FOR EVERY ENVIRONMENT



Soft, uniform light enhances pathways and promenades.



A matching aesthetic that highlights architectural details with elegance.



Timeless design and efficient technology for refined outdoor spaces.



Warm, ambient light creates an inviting social atmosphere in communal areas.

URBAN VILLA



URBAN VILLA represents classic elegance and durable outdoor LED lighting. Inspired by traditional luminaires, it blends seamlessly into historic and contemporary environments alike. With a warm-white spectrum designed to protect insects and support urban biodiversity, it creates a pleasant, welcoming atmosphere – ideal for pathways, plazas and outdoor spaces where style, quality and responsibility meet.

CRAFTED FOR THE FUTURE

MATERIAL

Low-copper aluminium AC-47100 with anti-corrosion treatment.

EASY SPD REPLACEABILITY

The integrated Surge Protection Device (SPD) safeguards the luminaire against voltage peaks, for example from lightning strikes. It is easy to access and replace – and ensures a long service life without having to replace the entire luminaire.

D4I DRIVER

Equipped with a DALI-2, IoT-ready D4i driver, including a 24 V Aux connection for Zhaga nodes and Smart City integration. Up to eight programmable dimming levels via NFC possible – either by fixed-hour timer or self-adaptive mode that adjusts to seasonal light changes.

SAFETY WIRE

Two fixed safety wires connect the lid to the main luminaire body, preventing accidental drops during installation or maintenance.

FROSTED PANEL SET (OPTIONAL)

Separately available frosted panels can be added easily to achieve a softer, more diffused lighting effect.

MOUNTING VERSATILITY

The URBAN VILLA is fitted with a 60 mm spigot adapter for post-top installation. Built with a G $\frac{3}{4}$ -compatible mounting hole, it is also suitable for wall-arm installations, offering maximum flexibility on site.


Post-top installation

Wall-arm installation

HIGHLIGHTS

- + TIMELESS DESIGN – decorative shape inspired by heritage lanterns
- + DURABLE MATERIALS – low-copper aluminium AC-47100 with anti-corrosion treatment
- + VERSATILE LIGHTING – three beam angles, two colour temperatures (2 200 K/3 000 K)
- + SMART READY – to 120 lm/W, easy to maintain


LIGHT DISTRIBUTION



Product name	EAN (GTIN)	W	lm	lm/W	K	L80 ¹			L x W x H [mm] Ø x H [mm]
URBAN VILLA SYMMETRIC									
URBAN VLA P 40W 722 SYM140	4099854 609206	40	4200	105	2200	100000	140	DALI D4i	425 x 425 x 816
URBAN VLA P 40W 730 SYM140	4099854 609213	40	4800	120	3000	100000	140	DALI D4i	425 x 425 x 816
URBAN VLA P 60W 722 SYM140	4099854 609220	60	6300	105	2200	100000	140	DALI D4i	425 x 425 x 816
URBAN VLA P 60W 730 SYM140	4099854 609237	60	7200	120	3000	100000	140	DALI D4i	425 x 425 x 816
URBAN VILLA ASYMMETRIC									
URBAN VLA P 40W 722 A50X150	4099854 609244	40	4200	105	2200	100000	50 x 150	DALI D4i	425 x 425 x 816
URBAN VLA P 40W 730 A50X150	4099854 609251	40	4800	120	3000	100000	50 x 150	DALI D4i	425 x 425 x 816
URBAN VLA P 40W 722 A60X120	4099854 609268	40	4200	105	2200	100000	60 x 120	DALI D4i	425 x 425 x 816
URBAN VLA P 40W 730 A60X120	4099854 609275	40	4800	120	3000	100000	60 x 120	DALI D4i	425 x 425 x 816
URBAN VLA P 60W 722 A50X150	4099854 609282	60	6300	105	2200	100000	50 x 150	DALI D4i	425 x 425 x 816
URBAN VLA P 60W 730 A50X150	4099854 609299	60	7200	120	3000	100000	50 x 150	DALI D4i	425 x 425 x 816
URBAN VLA P 60W 722 A60X120	4099854 609305	60	6300	105	2200	100000	60 x 120	DALI D4i	425 x 425 x 816
URBAN VLA P 60W 730 A60X120	4099854 609312	60	7200	120	3000	100000	60 x 120	DALI D4i	425 x 425 x 816

¹ t[h]: L70/B50 @ 25 °C (T_a)/t[h]: L80/B10 @ 25 °C (T_a) | ² Refer to www.ledvance.com/guarantee for precise conditions

URBAN FERNANDINO



URBAN FERNANDINO brings decorative refinement and a touch of grandeur to historic outdoor spaces. Its crowned top and design elements echo traditional lantern artistry, creating a distinctive presence in classic architectural settings. The warm light enhances façades, bridges and promenades. Perfect for prestigious plazas, courtyards and heritage environments.

TRADITION REFINED

MATERIAL

Low-copper aluminium AC-47100 with anti-corrosion treatment.

EASY SPD REPLACEABILITY

The integrated Surge Protection Device (SPD) safeguards the luminaire against voltage peaks, for example from lightning strikes. It is easy to access and replace – and ensures a long service life without having to replace the entire luminaire.

D4I DRIVER

Equipped with a DALI-2, IoT-ready D4i driver, including a 24 V Aux connection for Zhaga nodes and Smart City integration. Up to eight programmable dimming levels via NFC possible – either by fixed-hour timer or self-adaptive mode that adjusts to seasonal light changes.

SAFETY WIRE

The fixed safety wire connects the lid to the main luminaire body, preventing accidental drops during installation or maintenance.

FROSTED PANEL SET (OPTIONAL)

Separately available frosted panels can be added easily to achieve a softer, more diffused lighting effect.

Post-top installation

Wall-arm installation


MOUNTING VERSATILITY

The URBAN VILLA is fitted with a 60 mm spigot adapter for post-top installation. Built with a G $\frac{3}{4}$ -compatible mounting hole, it is also suitable for wall-arm installations, offering maximum flexibility on site.

HIGHLIGHTS

- + DECORATIVE CROWN DESIGN – graceful, curved form with ornamental detailing
- + PREMIUM MATERIALS – low-copper aluminium AC-47100 housing with durable anti-corrosion treatment
- + UNIFORM LIGHTING – symmetric light distribution available in 2200 K and 3000 K warm-white tones
- + SMART READY – D4i/DALI-2 compatible, up to 120 lm/W and designed for easy maintenance access

LIGHT DISTRIBUTION



Symmetric = SYM140

Product name	EAN (GTIN)	W	Im	lm/W	K	L80 ¹			L x W x H [mm] Ø x H [mm]
URBAN FERNANDINO SYMMETRIC									
URBAN FDO P 40W 722 SYM140	4099854609329	40	4200	105	2200	100000	140	DALI D4i	970 x 495
URBAN FDO P 40W 730 SYM140	4099854609336	40	4800	120	3000	100000	140	DALI D4i	970 x 495
URBAN FDO P 60W 722 SYM140	4099854609343	60	6300	105	2200	100000	140	DALI D4i	970 x 495
URBAN FDO P 60W 730 SYM140	4099854609350	60	7200	120	3000	100000	140	DALI D4i	970 x 495

¹ t[h]: L70/B50 @ 25 °C (T_a)/t[h]: L80/B10 @ 25 °C (T_a) | ² Refer to www.ledvance.com/guarantee for precise conditions

URBAN VILLA COMPACT



URBAN VILLA COMPACT delivers modern efficiency in a compact, durable and timeless form. Designed for residential streets and contemporary housing developments, it provides clear, uniform illumination with a white tone that enhances visibility and comfort at night. Mounted along driveways, walkways and green areas, its balanced light creates a safe and welcoming environment.

COMPACT BY DESIGN



EASY SPD REPLACEABILITY

The integrated Surge Protection Device (SPD) safeguards the luminaire against voltage peaks, for example from lightning strikes. It is easy to access and replace – and ensures a long service life without having to replace the entire luminaire.

D4I DRIVER

Equipped with a DALI-2, IoT-ready D4i driver, including a 24 V Aux connection for Zhaga nodes and Smart City integration. Up to eight programmable dimming levels via NFC possible – either by fixed-hour timer or self-adaptive mode that adjusts to seasonal light changes.




MOUNTING VERSATILITY

The URBAN VILLA is fitted with a 60 mm spigot adapter for post-top installation. Built with a G $\frac{3}{4}$ -compatible mounting hole, it is also suitable for wall-arm installations, offering maximum flexibility on site.

HIGHLIGHTS

- + REFINED COMPACT SHAPE – decorative design for modern residential and urban settings
- + ROBUST DESIGN – lightweight, durable housing developed for cost-efficient outdoor use
- + PRECISE LIGHTING – symmetric and asymmetric optics, available in 2 700, 3 000 and 4 000 K
- + SMART READY – D4/DALI-2 compatible, up to 120 lm/W, designed for quick installation

LIGHT DISTRIBUTION




Symmetric = SYM140

Asymmetric = A45 x 140

Product name	EAN (GTIN)	W	lm	lm/W	K	L80 ¹				L x W x H [mm] Ø x H [mm]
URBAN VILLA COMPACT SYMMETRIC										
URBAN VLA COMP V 40W 727 SYM140	4099854 609480	40	4600	115	2700	100000	140	DALI D4i		300 x 300 x 645
URBAN VLA COMP V 40W 730 SYM140	4099854 609497	40	4800	120	3000	100000	140	DALI D4i		300 x 300 x 645
URBAN VLA COMP V 40W 740 SYM140	4099854 609503	40	5000	125	4000	100000	140	DALI D4i		300 x 300 x 645
URBAN VILLA COMPACT ASYMMETRIC										
URBAN VLA COMP V 40W 727 A45x140	4099854 609510	40	4600	115	2700	100000	45 x 140	DALI D4i		300 x 300 x 645
URBAN VLA COMP V 40W 730 A45x140	4099854 609527	40	4800	120	3000	100000	45 x 140	DALI D4i		300 x 300 x 645
URBAN VLA COMP V 40W 740 A45x140	4099854 609534	40	5000	125	4000	100000	45 x 140	DALI D4i		300 x 300 x 645

¹ t[h]: L70/B50 @ 25 °C (T_a)/t[h]: L80/B10 @ 25 °C (T_a) | ² Refer to www.ledvance.com/guarantee for precise conditions

URBAN VILLA RETROFIT



URBAN VILLA RETROFIT retains the heritage charm of existing luminaires while enabling a seamless LED upgrade. Already a familiar part of historic streetscapes, town centres and plazas, this retrofit module upgrades energy performance and longevity, all while preserving the classic appearance of the surroundings.


UPGRADE

PRESERVE WHAT BELONGS. PREPARE FOR THE FUTURE.

ADJUSTABLE RETROFIT SOLUTION FOR EXISTING HOUSINGS

Provides a convenient LED upgrade for the majority of existing streetlights in the market without the need to replace the entire luminaire.

The adjustable expandable mounting brackets allow precise alignment and simple integration into various existing luminaire heads.





D4i DRIVER

Equipped with a DALI-2, IoT-ready D4i driver, including a 24 V Aux connection for Zhaga nodes and Smart City integration. Up to eight programmable dimming levels via NFC possible – either by fixed-hour timer or self-adaptive mode that adjusts to seasonal light changes.

ADJUSTABLE FIT


Width-adjustable mounting brackets allow for easy and flexible retrofitting into luminaires with widths between 347 and 427 mm.



HIGHLIGHTS

- MODULAR DESIGN – LED module concept for easy upgrade of existing luminaires to LED technology
- LIGHTING VERSATILITY – three light distributions and two colour temperatures (2 200 K/3 000 K)
- SMART READY – D4i/DALI-2 driver with 24 V Aux output for Zhaga and Smart City use
- SUSTAINABLE SOLUTION – preserves existing housings and reduces waste

LIGHT DISTRIBUTION



Symmetric = SYM140

Asymmetric = A50 x 150

Asymmetric = A60 x 120

Product name	EAN (GTIN)	W	Im	lm/W	K	L80 ¹	°	°	L x W x H [mm] Ø x H [mm]
URBAN VILLA RETROFIT SYMMETRIC									
URBAN VLA RET P 40W 722 SYM140	4099854609367	40	4800	120	2200	100000	140	DALI D4i	320 x 320 x 134
URBAN VLA RET P 40W 730 SYM140	4099854609374	40	5200	130	3000	100000	140	DALI D4i	320 x 320 x 134
URBAN VLA RET P 60W 722 SYM140	4099854609428	60	7200	120	2200	100000	140	DALI D4i	320 x 320 x 134
URBAN VLA RET P 60W 730 SYM140	4099854609435	60	8100	135	3000	100000	140	DALI D4i	320 x 320 x 134
URBAN VILLA RETROFIT ASYMMETRIC									
URBAN VLA RET P 40W 722 A50X150	4099854609381	40	4800	120	2200	100000	50 x 150	DALI D4i	320 x 320 x 134
URBAN VLA RET P 40W 722 A60X120	4099854609404	40	4800	120	2200	100000	60 x 120	DALI D4i	320 x 320 x 134
URBAN VLA RET P 40W 730 A50X150	4099854609398	40	5200	130	3000	100000	50 x 150	DALI D4i	320 x 320 x 134
URBAN VLA RET P 40W 730 A60X120	4099854609411	40	5200	130	3000	100000	60 x 120	DALI D4i	320 x 320 x 134
URBAN VLA RET P 60W 722 A50X150	4099854609442	60	7200	120	2200	100000	50 x 150	DALI D4i	320 x 320 x 134
URBAN VLA RET P 60W 722 A60X120	4099854609466	60	7200	120	2200	100000	60 x 120	DALI D4i	320 x 320 x 134
URBAN VLA RET P 60W 730 A50X150	4099854609459	60	8100	135	3000	100000	50 x 150	DALI D4i	320 x 320 x 134
URBAN VLA RET P 60W 730 A60X120	4099854609473	60	8100	135	3000	100000	60 x 120	DALI D4i	320 x 320 x 134

¹ t[h]: L70/B50 @ 25 °C (T_a)/t[h]; L80/B10 @ 25 °C (T_a) | ² Refer to www.ledvance.com/guarantee for precise conditions

ABOUT LEDVANCE

With business activities in over 140 countries, LEDVANCE is one of the world's leading general lighting companies. Emerging from OSRAM's general lighting division, LEDVANCE's portfolio includes LED lamps and luminaires, intelligent lighting products, traditional lamps and renewable energy solutions.
#POWERTHROUGHLIGHT



LEDVANCE

LEDVANCE GmbH
Parking 1–5
85748 Garching
Germany

URBAN CLASSIC ACCESSORIES



The optional frosted panel sets can be easily fitted to the URBAN CLASSIC luminaires, creating a softer, more muted light effect.

Product name	EAN (GTIN)	L x W x H [mm]	Material		
URBAN VLA P SET GLASS FROSTED	4099854 618642	323 x 2 x 335	Polycarbonate (PC)	1	1
URBAN FDO P SET GLASS FROSTED	4099854 618666	254 x 61 x 353	Polycarbonate (PC)	1	2
URBAN VLA COMP V SET GLASS FROSTED	4099854 618680	203 x 2 x 248	Polycarbonate (PC)	1	3