





STREETLIGHT AREA



STREETLIGHT AREA






	EAN	l x w x h [mm]	W	VAC	Hz	lm	lm/W	K
SL AREA SM V 12W 727 RV20ST GY	4099854905476	448 x 172 x 73	12	100-240	50/60	1740	145	2700
SL AREA SM V 12W 730 RV20ST GY	4099854905568	448 x 172 x 73	12	100-240	50/60	1740	145	3000
SL AREA SM V 12W 740 RV20ST GY	4099854905643	448 x 172 x 73	12	100-240	50/60	1920	160	4000
SL AREA SM V 12W 765 RV20ST GY	4099854905667	448 x 172 x 73	12	100-240	50/60	1920	160	6500
SL AREA SM V 25W 727 RV20ST GY	4099854905711	448 x 172 x 73	25	100-240	50/60	3625	145	2700
SL AREA SM V 25W 730 RV20ST GY	4099854905797	448 x 172 x 73	25	100-240	50/60	3625	145	3000
SL AREA SM V 25W 740 RV20ST GY	4099854905841	448 x 172 x 73	25	100-240	50/60	4000	160	4000
SL AREA SM V 25W 765 RV20ST GY	4099854905926	448 x 172 x 73	25	100-240	50/60	4000	160	6500
SL AREA SM V 38W 727 RV20ST GY	4099854905940	448 x 172 x 73	38	100-240	50/60	5510	145	2700
SL AREA SM V 38W 730 RV20ST GY	4099854905995	448 x 172 x 73	38	100-240	50/60	5510	145	3000
SL AREA SM V 38W 740 RV20ST GY	4099854906046	448 x 172 x 73	38	100-240	50/60	6080	160	4000
SL AREA SM V 38W 765 RV20ST GY	4099854906091	448 x 172 x 73	38	100-240	50/60	6080	160	6500
SL AREA MD V 55W 727 RV20ST GY	4099854906176	515 x 193 x 73	55	100-240	50/60	7975	145	2700
SL AREA MD V 55W 730 RV20ST GY	4099854906220	515 x 193 x 73	55	100-240	50/60	7975	145	3000
SL AREA MD V 55W 740 RV20ST GY	4099854906305	515 x 193 x 73	55	100-240	50/60	8800	160	4000
SL AREA MD V 55W 765 RV20ST GY	4099854906411	515 x 193 x 73	55	100-240	50/60	8800	160	6500
SLAREA SPD SM V 12W 727 RV20STGY	4099854906497	448 x 172 x 73	12	100-240	50/60	1740	145	2700
SLAREA SPD SM V 12W 730 RV20STGY	4099854906541	448 x 172 x 73	12	100-240	50/60	1740	145	3000
SLAREA SPD SM V 12W 740 RV20STGY	4099854906596	448 x 172 x 73	12	100-240	50/60	1920	160	4000
SLAREA SPD SM V 12W 765 RV20STGY	4099854906640	448 x 172 x 73	12	100-240	50/60	1920	160	6500
SLAREA SPD SM V 25W 727 RV20STGY	4099854906817	448 x 172 x 73	25	100-240	50/60	3625	145	2700
SLAREA SPD SM V 25W 730 RV20STGY	4099854906831	448 x 172 x 73	25	100-240	50/60	3625	145	3000
SLAREA SPD SM V 25W 740 RV20STGY	4099854906855	448 x 172 x 73	25	100-240	50/60	4000	160	4000
SLAREA SPD SM V 25W 765 RV20STGY	4099854906879	448 x 172 x 73	25	100-240	50/60	4000	160	6500
SLAREA SPD SM V 38W 727 RV20STGY	4099854906893	448 x 172 x 73	38	100-240	50/60	5510	145	2700
SLAREA SPD SM V 38W 730 RV20STGY	4099854906916	448 x 172 x 73	38	100-240	50/60	5510	145	3000
SLAREA SPD SM V 38W 740 RV20STGY	4099854906930	448 x 172 x 73	38	100-240	50/60	6080	160	4000
SLAREA SPD SM V 38W 765 RV20STGY	4099854906954	448 x 172 x 73	38	100-240	50/60	6080	160	6500
SLAREA SPD MD V 55W 727 RV20STGY	4099854906978	515 x 193 x 73	55	100-240	50/60	7975	145	2700
SLAREA SPD MD V 55W 730 RV20STGY	4099854906992	515 x 193 x 73	55	100-240	50/60	7975	145	3000
SLAREA SPD MD V 55W 740 RV20STGY	4099854907012	515 x 193 x 73	55	100-240	50/60	8800	160	4000
SLAREA SPD MD V 55W 765 RV20STGY	4099854907036	515 x 193 x 73	55	100-240	50/60	8800	160	6500
SLAREA SPD LA V 75W727 RV35STGY	4099854907050	615 x 260 x 73	75	100-240	50/60	10875	145	2700
SLAREA SPD LA V 75W730 RV35STGY	4099854907074	615 x 260 x 73	75	100-240	50/60	10875	145	3000
SLAREA SPD LA V 75W740 RV35STGY	4099854907098	615 x 260 x 73	75	100-240	50/60	12000	160	4000
SLAREA SPD LA V 75W765 RV35STGY	4099854907111	615 x 260 x 73	75	100-240	50/60	12000	160	6500
SLAREA SPD LA V 100W727 RV35STGY	4099854907135	615 x 260 x 73	100	100-240	50/60	14500	145	2700
SLAREA SPD LA V 100W730 RV35STGY	4099854907159	615 x 260 x 73	100	100-240	50/60	14500	145	3000
SLAREA SPD LA V 100W740 RV35STGY	4099854907173	615 x 260 x 73	100	100-240	50/60	16000	160	4000
SLAREA SPD LA V 100W765 RV35STGY	4099854907197	615 x 260 x 73	100	100-240	50/60	16000	160	6500
SLAREA SPD XL V 130W727 RV35STGY	4099854908064	695 x 273 x 73	130	100-240	50/60	18850	145	2700
SLAREA SPD XL V 130W730 RV35STGY	4099854908088	695 x 273 x 73	130	100-240	50/60	18850	145	3000
SLAREA SPD XL V 130W740 RV35STGY	4099854908101	695 x 273 x 73	130	100-240	50/60	20800	160	4000
SLAREA SPD XL V 130W765 RV35STGY	4099854908125	695 x 273 x 73	130	100-240	50/60	20800	160	6500

STREETLIGHT AREA



	EAN	IP	IK	∇	R _a	° (°C)	PF	👤
SL AREA SM V 12W 727 RV20ST GY	4099854905476	66	08	160° x 58°	>70	-30...+50	>0.9	1.35 kg
SL AREA SM V 12W 730 RV20ST GY	4099854905568	66	08	160° x 58°	>70	-30...+50	>0.9	1.35 kg
SL AREA SM V 12W 740 RV20ST GY	4099854905643	66	08	160° x 58°	>70	-30...+50	>0.9	1.35 kg
SL AREA SM V 12W 765 RV20ST GY	4099854905667	66	08	160° x 58°	>70	-30...+50	>0.9	1.35 kg
SL AREA SM V 25W 727 RV20ST GY	4099854905711	66	08	160° x 58°	>70	-30...+50	>0.9	1.40 kg
SL AREA SM V 25W 730 RV20ST GY	4099854905797	66	08	160° x 58°	>70	-30...+50	>0.9	1.40 kg
SL AREA SM V 25W 740 RV20ST GY	4099854905841	66	08	160° x 58°	>70	-30...+50	>0.9	1.40 kg
SL AREA SM V 25W 765 RV20ST GY	4099854905926	66	08	160° x 58°	>70	-30...+50	>0.9	1.40 kg
SL AREA SM V 38W 727 RV20ST GY	4099854905940	66	08	160° x 58°	>70	-30...+50	>0.9	1.44 kg
SL AREA SM V 38W 730 RV20ST GY	4099854905995	66	08	160° x 58°	>70	-30...+50	>0.9	1.44 kg
SL AREA SM V 38W 740 RV20ST GY	4099854906046	66	08	160° x 58°	>70	-30...+50	>0.9	1.44 kg
SL AREA SM V 38W 765 RV20ST GY	4099854906091	66	08	160° x 58°	>70	-30...+50	>0.9	1.44 kg
SL AREA MD V 55W 727 RV20ST GY	4099854906176	66	08	160° x 58°	>70	-30...+50	>0.9	1.74 kg
SL AREA MD V 55W 730 RV20ST GY	4099854906220	66	08	160° x 58°	>70	-30...+50	>0.9	1.74 kg
SL AREA MD V 55W 740 RV20ST GY	4099854906305	66	08	160° x 58°	>70	-30...+50	>0.9	1.74 kg
SL AREA MD V 55W 765 RV20ST GY	4099854906411	66	08	160° x 58°	>70	-30...+50	>0.9	1.74 kg
SLAREA SPD SM V 12W 727 RV20STGY	4099854906497	66	08	160° x 58°	>70	-30...+50	>0.9	1.40 kg
SLAREA SPD SM V 12W 730 RV20STGY	4099854906541	66	08	160° x 58°	>70	-30...+50	>0.9	1.40 kg
SLAREA SPD SM V 12W 740 RV20STGY	4099854906596	66	08	160° x 58°	>70	-30...+50	>0.9	1.40 kg
SLAREA SPD SM V 12W 765 RV20STGY	4099854906640	66	08	160° x 58°	>70	-30...+50	>0.9	1.40 kg
SLAREA SPD SM V 25W 727 RV20STGY	4099854906817	66	08	160° x 58°	>70	-30...+50	>0.9	1.45 kg
SLAREA SPD SM V 25W 730 RV20STGY	4099854906831	66	08	160° x 58°	>70	-30...+50	>0.9	1.45 kg
SLAREA SPD SM V 25W 740 RV20STGY	4099854906855	66	08	160° x 58°	>70	-30...+50	>0.9	1.45 kg
SLAREA SPD SM V 25W 765 RV20STGY	4099854906879	66	08	160° x 58°	>70	-30...+50	>0.9	1.45 kg
SLAREA SPD SM V 38W 727 RV20STGY	4099854906893	66	08	160° x 58°	>70	-30...+50	>0.9	1.49 kg
SLAREA SPD SM V 38W 730 RV20STGY	4099854906916	66	08	160° x 58°	>70	-30...+50	>0.9	1.49 kg
SLAREA SPD SM V 38W 740 RV20STGY	4099854906930	66	08	160° x 58°	>70	-30...+50	>0.9	1.49 kg
SLAREA SPD SM V 38W 765 RV20STGY	4099854906954	66	08	160° x 58°	>70	-30...+50	>0.9	1.49 kg
SLAREA SPD MD V 55W 727 RV20STGY	4099854906978	66	08	160° x 58°	>70	-30...+50	>0.9	1.79 kg
SLAREA SPD MD V 55W 730 RV20STGY	4099854906992	66	08	160° x 58°	>70	-30...+50	>0.9	1.79 kg
SLAREA SPD MD V 55W 740 RV20STGY	4099854907012	66	08	160° x 58°	>70	-30...+50	>0.9	1.79 kg
SLAREA SPD MD V 55W 765 RV20STGY	4099854907036	66	08	160° x 58°	>70	-30...+50	>0.9	1.79 kg
SLAREA SPD LA V 75W727 RV35STGY	4099854907050	66	08	155° x 69°	>70	-30...+50	>0.9	3.05kg
SLAREA SPD LA V 75W730 RV35STGY	4099854907074	66	08	155° x 69°	>70	-30...+50	>0.9	3.05kg
SLAREA SPD LA V 75W740 RV35STGY	4099854907098	66	08	155° x 69°	>70	-30...+50	>0.9	3.05kg
SLAREA SPD LA V 75W765 RV35STGY	4099854907111	66	08	155° x 69°	>70	-30...+50	>0.9	3.05kg
SLAREA SPD LA V 100W727 RV35STGY	4099854907135	66	08	155° x 69°	>70	-30...+50	>0.9	3.10 kg
SLAREA SPD LA V 100W730 RV35STGY	4099854907159	66	08	155° x 69°	>70	-30...+50	>0.9	3.10 kg
SLAREA SPD LA V 100W740 RV35STGY	4099854907173	66	08	155° x 69°	>70	-30...+50	>0.9	3.10 kg
SLAREA SPD LA V 100W765 RV35STGY	4099854907197	66	08	155° x 69°	>70	-30...+50	>0.9	3.10 kg
SLAREA SPD XL V 130W727 RV35STGY	4099854908064	66	08	155° x 69°	>70	-30...+50	>0.9	4.30 kg
SLAREA SPD XL V 130W730 RV35STGY	4099854908088	66	08	155° x 69°	>70	-30...+50	>0.9	4.30 kg
SLAREA SPD XL V 130W740 RV35STGY	4099854908101	66	08	155° x 69°	>70	-30...+50	>0.9	4.30 kg
SLAREA SPD XL V 130W765 RV35STGY	4099854908125	66	08	155° x 69°	>70	-30...+50	>0.9	4.30 kg





STREETLIGHT AREA





STREETLIGHT AREA







SL AREA SPD XL V 150W







4058075730250




STREETLIGHT AREA




STREETLIGHT AREA



9




ON



	Inrush current [A]	Th50 [μ s]	B10	B16	B32	C10	C16	C32
SL AREA SM V 12W	9.6	448	14	18	36	18	30	60
SL AREA SM V 25W	8.9	100	51	82	165	55	88	177
SL AREA SM V 38W	8.6	100	37	60	120	40	64	129
SL AREA MD V 55W	8.4	100	23	37	75	25	40	81
SL AREA SPD LA V 75W	9.8	360	17	28	56	18	30	60
SL AREA SPD LA V 100W	6.1	840	12	20	41	13	22	44
SL AREA SPD XL V 130W	8.9	400	10	17	34	11	18	36



IP66



PAP
Raccolta Carta
Verifica le disposizioni
del tuo comune.



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com



FR

Cet appareil et
ses accessoires
se recyclent



Points de collecte sur www.quefairedemesdechets.fr

C10449057
G11285569
16.06.26

© LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom