DAMP PROOF DALI
5X THROUGHWIRING



	EAN	l x w x h [mm]	W	V_{AC}	Hz	lm	lm/W
DP DA 5TH 1200 P 27W 830 VW IP66	4099854856600	1200 x 82 x 68	27	220-240	0/50/60	4450	165
DP DA 5TH 1200 P 27W 840 VW IP66	4099854856624	1200 x 82 x 68	27	220-240	0/50/60	4600	170
DP DA 5TH 1200 P 27W 865 VW IP66	4099854856648	1200 x 82 x 68	27	220-240	0/50/60	4600	170
DP DA 5TH 1500 P 37W 830 VW IP66	4099854857027	1500 x 82 x 68	37	220-240	0/50/60	6150	166
DP DA 5TH 1500 P 37W 840 VW IP66	4099854857041	1500 x 82 x 68	37	220-240	0/50/60	6400	173
DP DA 5TH 1500 P 37W 865 VW IP66	4099854857065	1500 x 82 x 68	37	220-240	0/50/60	6400	173
DP DA 5TH 1500 P 61W 830 VW IP66	4099854857089	1500 x 82 x 68	61	220-240	0/50/60	10400	170
DP DA 5TH 1500 P 61W 840 VW IP66	4099854857102	1500 x 82 x 68	61	220-240	0/50/60	11000	180
DP DA 5TH 1500 P 61W 865 VW IP66	4099854857126	1500 x 82 x 68	61	220-240	0/50/60	11000	180

	EAN	K	IP	IK	▽	R_a	(°C)	PF	
DP DA 5TH 1200 P 27W 830 VW IP66	4099854856600	3000	66	10	110°	> 80	-20...+40	> 0.9	1.7 kg
DP DA 5TH 1200 P 27W 840 VW IP66	4099854856624	4000	66	10	110°	> 80	-20...+40	> 0.9	1.7 kg
DP DA 5TH 1200 P 27W 865 VW IP66	4099854856648	6500	66	10	110°	> 80	-20...+40	> 0.9	1.7 kg
DP DA 5TH 1500 P 37W 830 VW IP66	4099854857027	3000	66	10	110°	> 80	-20...+40	> 0.9	2.0 kg
DP DA 5TH 1500 P 37W 840 VW IP66	4099854857041	4000	66	10	110°	> 80	-20...+40	> 0.9	2.0 kg
DP DA 5TH 1500 P 37W 865 VW IP66	4099854857065	6500	66	10	110°	> 80	-20...+40	> 0.9	2.0 kg
DP DA 5TH 1500 P 61W 830 VW IP66	4099854857089	3000	66	10	110°	> 80	-20...+40	> 0.9	2.0 kg
DP DA 5TH 1500 P 61W 840 VW IP66	4099854857102	4000	66	10	110°	> 80	-20...+40	> 0.9	2.0 kg
DP DA 5TH 1500 P 61W 865 VW IP66	4099854857126	6500	66	10	110°	> 80	-20...+40	> 0.9	2.0 kg

DAMP PROOF DALI 5X THROUGHWIRING



For IK10	
DP DA 5TH 1200	12 pcs
DP DA 5TH 1500	14 pcs





1x DAMP PROOF DA 5TH

2x DAMP PROOF DA 5TH

3x DAMP PROOF DA 5TH

...

nx DAMP PROOF DA 5TH



n	B16	C10	C16
DP DA 5TH 1200 P 27W	26	26	42
DP DA 5TH 1500 P 37W	26	26	42
DP DA 5TH 1500 P 61W	27	23	36

1



2



[mm]	X	Y
DP DA 5TH 1200	19 ± 2	775 ± 220
DP DA 5TH 1500	19 ± 2	1075 ± 220

DAMP PROOF DALI 5X THROUGHWIRING













DAMP PROOF DALI 5X THROUGHWIRING











DAMP PROOF DALI 5X THROUGHWIRING

12



13





C10449058
G11292037
25.06.26

LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

GB LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom