

PRODUCT FAMILY DATASHEET

LUMILUX T5 Short EL

Tubular fluorescent lamps 16 mm, short, for emergency lighting, with G5 base



AREAS OF APPLICATION

- Public buildings
- Industry
- Shops
- Supermarkets and department stores

PRODUCT BENEFITS

- Very good luminous flux maintenance throughout the life of the lamp
- Optimized for emergency power operation
- Slim and compact

PRODUCT FEATURES

- Suitable for emergency power operation
- Good color rendering group: 1B (R_a : 80...89)





TECHNICAL DATA

Product description	Electrical data	Photometrical data							Dimensions & weight		Temperatures & operating conditions	Lifespan
	Nominal wattage	Color rendering index Ra	Luminous flux at 25 °C	Color temperature	Light color (designation)	Color temperature	Luminous flux	Color rendering index Ra	Tube diameter	Length with base excl. base pins/connection	Rated ambient temp.w. max.luminous flux	Lifespan
Emergency Lighting 6 W/840	6.00 W	≥80	320 lm	4000 K	LUMILUX Cool White	4000 K	320 lm	≥80	16 mm	212.00 mm	35.0 °C	8000 h ¹⁾
Emergency Lighting 8 W/840	8.00 W	≥80	450 lm	4000 K	LUMILUX Cool White	4000 K	450 lm	≥80	16 mm	288.00 mm	35.0 °C	8000 h ¹⁾

Product description	Additional product data		Certificates & standards	
	Base (standard designation)	Show WEEE picto	Energy efficiency class	Energy consumption
Emergency Lighting 6 W/840	G5	Yes	A	7 kWh/1000h
Emergency Lighting 8 W/840	G5	Yes	A	8 kWh/1000h

¹⁾ With CCG/LLCG



Emergency Lighting 6 W/840,
Emergency Lighting 8 W/840

Emergency Lighting 6 W/840,
Emergency Lighting 8 W/840

Emergency Lighting 6 W/840,
Emergency Lighting 8 W/840

Emergency Lighting 6 W/840,
Emergency Lighting 8 W/840

SYSTEM GUARANTEE

OSRAM System+ Guarantee in combination with OSRAM ECGs

SAFETY ADVICE

In case of lamp breakage: www.ledvance.com/brokenlamp

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321325679	Shipping carton box 25	247 mm x 116 mm x 109 mm	764.00 g	3.12 dm ³

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321325853	Shipping carton box 25	316 mm x 115 mm x 109 mm	976.00 g	3.96 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.