


PRODUCT FAMILY DATASHEET SPECIAL T


Incandescent lamps, tubular shape



TECHNICAL DATA

Product description	Electrical data	Photometrical data						Light technical data	Dimensions & weight		Lifespan
	Nominal wattage	Nominal luminous flux	Rated luminous flux	Color temperature	Color temperature	Luminous flux	Color rendering index Ra	Starting time	Diameter	Overall length	Nominal lamp life time
SPC.T CL 25 W 230 V E14	25.00 W	160 lm	160 lm	2700 K	2700 K	160 lm	100	0.0 s	26.0 mm	55.0 mm	1000 h

Product description	Additional product data			Capabilities	Certificates & standards		Country-specific categorizations
	Base (standard designation)	Mercury content	Mercury-free	Dimmable	Energy efficiency class	Energy consumption	ILCOS
SPC.T CL 25 W 230 V E14	E14	0.0 mg	Yes	Yes	E	25 kWh/1000h	IBT/C-25-230-E14-26



SPC.T CL 25 W 230 V E14

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300976716	Shipping carton box 100	285 mm x 140 mm x 150 mm	1301.00 g	5.99 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.