

## PRODUCT FAMILY DATASHEET LINEARlight Colormix Flex

### – Accessories



---

### PRODUCT BENEFITS

- Simple installation, no tools or soldering required (CONNECTsystem)
- Reduced installation time (CONNECTsystem)
- Low profile (CONNECTsystem)
- Extremely vibration-proof (CONNECTsystem)
- Permissible operating temperature perfectly matched to module (CONNECTsystem)
- Can be connected to the front of the module or at division points (CONNECTsystem)

---

**TECHNICAL DATA****Dimensions & weight**

Product description	Width	Length	Height
LF-LTS -2100	14.6 mm	2100 mm	9.2 mm
LF-LTS -MB	16.0 mm	35.0 mm	4.4 mm
LF-LTS -COVER-CLEAR	17.7 mm	2100 mm	5.3 mm
LF-LTS -COVER-DIFF	17.7 mm	2100 mm	24.0 mm
LF-LTS -ENDCAP	20.0 mm	20.0 mm	8.0 mm
LF -WIRE-150 FLEX SC	8.0 mm	150.0 mm	
LF -WIRE-30 FLEX SC	8.0 mm	30.0 mm	
LF -4PIN FLEX	13.2 mm	13.2 mm	5.3 mm
LF -CONN-10 FLEX	13.2 mm	13.2 mm	5.3 mm
LF -CONN-150 FLEX	13.2 mm	13.2 mm	5.3 mm

**Product line drawing**


---

LF-LTS -2100


—

---

LF-LTS -MB




LF-LTS -COVER-CLEAR



LF-LTS -COVER-DIFF

---

LF-LTS -ENDCAP



---

LF -WIRE-150 FLEX SC

---

LF -WIRE-30 FLEX SC

---

LF -4PIN FLEX

---

LF -CONN-10 FLEX

---

LF -CONN-150 FLEX

---

**APPLICATION ADVICE**

For more detailed application information and graphics please see product datasheet.

---










**SALES AND TECHNICAL SUPPORT**

Sales and Technical Support [www.ledvance.com](http://www.ledvance.com)

## COUNTRY SPECIFIC INFORMATION

Product description	Product code	METEL-Code	SEG number	STK number	UK Org
LF-LTS -2100	4008321978981	-	7500257	4107786	-
LF-LTS -MB	4008321979025	-	7500261	4107792	-
LF-LTS -MB	4008321790163	-	-	4107792	-
LF-LTS -MB	4052899381018	-	7503593	-	-
LF-LTS -COVER-CLEAR	4008321790187	-	7500259	4107794	-
LF-LTS -COVER-DIFF	4008321979001	-	7500258	4107788	-
LF-LTS -ENDCAP	4052899387591	-	7503594	4107791	-
LF -WIRE-150 FLEX SC	4008321875563	-	7500548	4030222	-
LF -WIRE-30 FLEX SC	4008321875587	-	7500547	4030220	-
LF -4PIN FLEX	4008321514585	OSRLF4PINF	7500112	4030249	-
LF -CONN-10 FLEX	4008321955333	OSRLFCONN10F	7552452	4030053	-
LF -CONN-150 FLEX	4008321955340	OSRLFCONN150F	7552453	4030054	-

## DOWNLOAD DATA

File
 Product Datasheet Specification Sheet Slim Track LF-LTS-2100
 Product Family Datasheet 349066_LINEARLIGHT FLEX SLIM TRACK SYSTEM - LF-LTS
 Eulumdat Eulumdat_LF LTS-2100_Clear
 Eulumdat Eulumdat_LF LTS-2100_Diffusive
 Eulumdat Eulumdat_LF LTS-2100_Opal
 Brochures Light is freedom of design (EN)
 Product Datasheet 726951_SLIMCONNECT SYSTEM 08 G2
 Product Family Datasheet 544831_SLIMCONNECTsystem FLEX Technical Datasheet
 Product Datasheet 335862_CONNECTsystem for LINEARlight Colormix Flex 8 mm LF4x-Flex (EN)

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321978998	Shipping carton box 40	2105 mm x 60 mm x 100 mm	9530.00 g	12.63 dm <sup>3</sup>



Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321979032	Shipping carton box 280	195 mm x 100 mm x 150 mm	1094.00 g	2.93 dm <sup>3</sup>
4052899381025	Shipping carton box 280	195 mm x 100 mm x 150 mm	1194.00 g	2.93 dm <sup>3</sup>
4008321790194	Shipping carton box 40	2110 mm x 105 mm x 40 mm	6546.00 g	8.86 dm <sup>3</sup>
4008321979018	Shipping carton box 40	2110 mm x 160 mm x 80 mm	9824.00 g	27.01 dm <sup>3</sup>
4052899387607	Shipping carton box 160	225 mm x 185 mm x 115 mm	336.00 g	4.79 dm <sup>3</sup>
4008321875570	Shipping carton box 5000	320 mm x 320 mm x 200 mm	5500.00 g	20.48 dm <sup>3</sup>
4008321875594	Shipping carton box 10000	320 mm x 320 mm x 200 mm	8370.00 g	20.48 dm <sup>3</sup>
4008321514592	Shipping carton box 100	102 mm x 62 mm x 166 mm	407.33 g	1.05 dm <sup>3</sup>
4008321955487	Shipping carton box 200	237 mm x 62 mm x 166 mm	2329.00 g	2.44 dm <sup>3</sup>
4008321955494	Shipping carton box 100	211 mm x 40 mm x 147 mm	1319.00 g	1.24 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### ACCESSORIES MANDATORY

Product description	Accessory name	Accessory code
LF-LTS -2100	LINEARlight FLEX Tunable White, -MB	▶ 4008321979032
LF-LTS -2100	LINEARlight FLEX Tunable White, -MB	▶ 4052899381025
LF-LTS -COVER-DIFF	LINEARlight FLEX Tunable White, -ENDCAP	▶ 4052899387607

#### ACCESSORIES OPTIONAL

Product description	Accessory name	Accessory code
LF-LTS -2100	LINEARlight FLEX Tunable White, -COVER-DIFF	▶ 4008321979018
LF-LTS -2100	LINEARlight FLEX ShortPitch, -COVER-SHORTPITCH	▶ 4008321790217
LF-LTS -2100	LINEARlight FLEX Tunable White, -COVER-CLEAR	▶ 4008321790194

#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.