

PRODUCT FAMILY DATASHEET EDGE LIGHTING TRACK System

– Flex accessories



PRODUCT BENEFITS

- Aluminum profile robust and corrosion-resistant thanks to anodization
- Quick and easy installation

PRODUCT FEATURES

- The perfect choice for installations with edge backlighting
- Compatible with Linearlight Flex

TECHNICAL DATA**Dimensions & weight**

| Product description | Height | Length | Width |
|----------------------------|---------|---------|---------|
| FX-QME-G1 -EXGP-T810G12H25 | 8.5 mm | 25.0 mm | 10.0 mm |
| FX-QME-G1 -T810G12H25-300 | 12.4 mm | 3000 mm | 25.0 mm |

Product line drawing

FX-QME-G1 -EXGP-T810G12H25

FX-QME-G1 -T810G12H25-300


APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

SALES AND TECHNICAL SUPPORT

Sales and Technical Support www.ledvance.com

DOWNLOAD DATA

| File | |
|---|--|
|  | Brochures Light is freedom of design (EN) |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4052899450103 | Shipping carton box 400 | 250 mm x 245 mm x 180 mm | 480.00 g | 11.03 dm ³ |
| 4052899448766 | Shipping carton box 4 | 3020 mm x 80 mm x 30 mm | 4284.00 g | 7.25 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.