

PRODUCT DATASHEET

LINEAR LED CORNER 12 W 3000 K

Linear LED Corner | Modular undercabinet luminaire system



AREAS OF APPLICATION

- Undercabinet lighting
- For indoor use only

PRODUCT BENEFITS

- Easy and quick series connection thanks to simple plug system
- Very homogenous light
- Connection of up to 15 luminaires in a row

PRODUCT FEATURES

- Housing material: aluminum



TECHNICAL DATA

Electrical data

Nominal wattage	12.00 W
Operating mode	Integrated LED driver
Nominal voltage	220...240 V
Mains frequency	50 Hz

Photometrical data

Color temperature	3000 K
Color rendering index Ra	>80
Light color (designation)	Warm White
Luminous flux	760 lm

Dimensions & weight



Length	478.0 mm
Width	90.0 mm
Height	44.0 mm
Product weight	499.00 g
Cable length	1000 mm

Colors & materials

Body material	Aluminum
Product color	Silver
Housing color	Silver
Cover material	Polycarbonate (PC)

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
Temperature range in operation	-20...+40 °C

Lifespan

Lifespan	25000 h
Lifespan	25000 h
Rated lamp life time	25000 h

Additional product data

Mounting type	Surface
Mounting location	Cabinet undersides
Mercury content	0.0 mg

Capabilities

Dimmable	No
Type of connection	Protective contact Plug type
LED module replaceable	Not replaceable

Certificates & standards

Protection class	I
Type of protection	IP20
Standards	CE/EAC/REACH/RoHS
ErP For end-consumer	yes
EEI of included LED module	A++/A+/A

Logistical data

ErP For end-consumer	yes
----------------------	-----

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075392120	Folding carton box 1	51 mm x 94 mm x 629 mm	579.00 g	3.02 dm ³
4058075392137	Shipping carton box 8	615 mm x 386 mm x 120 mm	5248.00 g	28.49 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.