

PRODUCT FAMILY DATASHEET

Vintage 1906 Wall and Ceiling

Wall and ceiling luminaires, vintage style, E27 socket



AREAS OF APPLICATION

- Living areas (living rooms, dining rooms, bedrooms etc.)
- Professional (hotels, bars, boutiques etc.)

PRODUCT BENEFITS

- Semi-matt surface with great look and feel
- Made of solid aluminum with high-quality appearance

PRODUCT FEATURES



- Special vintage appeal when combined with 1906 LED and halogen lamps
- Housing material: aluminum
- Reduced industrial design
- Available in various colors



TECHNICAL DATA

Product description	Electrical data		Dimensions & weight			Colors & materials			Capabilities	
	Nominal voltage	Mains frequency	Diameter	Height	Product weight	Body material	Housing color	Product color	Dimmable	Type of connection
Vintage 1906 Wall Single Black	220...240 V	50/60 Hz	110.0 mm	151.0 mm	600.00 g	Aluminum	Black	Black	No	Terminal, 2-Pole (L, N)
Vintage 1906 Wall Single Gold	220...240 V	50/60 Hz	110.0 mm	151.0 mm	600.00 g	Aluminum	Gold	Gold	No	Terminal, 2-Pole (L, N)

Product description	Holder designation	Certificates & standards	
		Protection class	Type of protection
Vintage 1906 Wall Single Black	E27	II	IP20
Vintage 1906 Wall Single Gold	E27	II	IP20



Vintage 1906 Wall Single Black

Vintage 1906 Wall Single Gold

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075073593	Shipping carton box 4	291 mm x 291 mm x 228 mm	2920.00 g	19.31 dm ³
4058075073616	Shipping carton box 4	291 mm x 291 mm x 228 mm	2925.00 g	19.31 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.