

PRODUCT FAMILY DATASHEET

PARATHOM CLASSIC A Mirror

LED lamps, classic bulb shape with mirror bulb crown



AREAS OF APPLICATION

- General illumination
- Mirror lighting
- Outdoor use in outdoor luminaires only (minimum IP65)

PRODUCT BENEFITS

- Long lifetime of up to 15,000 h
- Low energy consumption
- Easy relamping thanks to compact design
- Instant 100 % light, no warm-up time
- Lamps with innovative LED "filament" technology

PRODUCT FEATURES

- Mercury-free lamps
- Bulb crown coating: gold or silver




TECHNICAL DATA

Product description	Electrical data		Photometrical data					Light technical data		Dimensions & weight
	Nominal wattage	Nominal voltage	Lumen main.fact.at end of nom.life time	Light color (designation)	Color temperature	Luminous flux	Color rendering index Ra	Warm-up time (60 %)	Starting time	Overall length
P CLAS A 51 CL 7 W/2700K E27 ¹⁾	7.00 W	220...240 V	0.70	Warm White	2700 K	650 lm	≥80	< 0.50 s	< 0.5 s	105.0 mm
P CLAS A 50 6.5 W/2700K E27 ¹⁾	6.50 W	220...240 V	0.70	Warm White	2700 K	650 lm	≥80	< 0.50 s	< 0.5 s	105.0 mm

Product description	Temperatures & operating conditions	Lifespan		Additional product data		Capabilities	Certificates & standards	
	Ambient temperature range	Nominal lamp life time	Number of switching cycles	Base (standard designation)	Mercury-free	Dimmable	Energy efficiency class	Energy consumption
P CLAS A 51 CL 7 W/2700K E27 ¹⁾	-20...+40 °C	15000 h	100000	E27	Yes	No	A+	7 kWh/1000h
P CLAS A 50 6.5 W/2700K E27 ¹⁾	-20...+40 °C	15000 h	100000	E27	Yes	No	A+	7 kWh/1000h

¹⁾ All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value



P CLAS A 51 CL 7 W/2700K E27, P CLAS
A 50 6.5 W/2700K E27

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075114609	Shipping carton box 10	315 mm x 131 mm x 126 mm	543.00 g	5.20 dm ³
4058075287372	Shipping carton box 10	325 mm x 136 mm x 126 mm	543.00 g	5.57 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.