

PRODUCT FAMILY DATASHEET

ENDURA STYLE SPHERE

Spotlights with rotatable head, round shape



AREAS OF APPLICATION

- Outdoor use (IP44)
- Building facades
- Entrance lighting
- Patios, balconies

PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- Easy and quick installation

PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Die-cast aluminum housing
- Adjustable modules: rotation angle 180°




TECHNICAL DATA

Product description	Electrical data			Photometrical data		Light technical data	Dimensions & weight				Colors & materials
	Nominal wattage	Nominal voltage	Mains frequency	Color temperature	Luminous flux	Beam angle	Length	Width	Height	Product weight	Body material
ENDURA STYLE Sphere 8 W DG	8.00 W	220...240 V	50/60 Hz	3000 K	600 lm	170 °	105.0 mm	114.0 mm	89.0 mm	500.00 g	Aluminum

Product description	Product color	Housing color	Cover material	Temperatures & operating conditions	Lifespan			Capabilities	
				Ambient temperature range	Number of switching cycles	Lifespan	Lifespan	Dimmable	Type of connection
ENDURA STYLE Sphere 8 W DG	Dark gray	Dark gray	Polycarbonate (PC)	-20...+40 °C	15000	30000 h	30000 h	No	Screw terminal

Product description	Certificates & standards	
	Protection class	Type of protection
ENDURA STYLE Sphere 8 W DG	I	IP44



ENDURA STYLE Sphere 8 W DG

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075216631	Shipping carton box 6	385 mm x 170 mm x 355 mm	3472.00 g	23.23 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.