

# PRODUCT DATASHEET

## ENDURA STYLE Wall Loop 12 W ST

**ENDURA STYLE WALL LOOP | Stainless steel wall-luminaire with ring-shaped illumination and sensor option**



---

### AREAS OF APPLICATION

- Outdoor use (IP44)
- Building facades
- Entrance lighting
- Patios, balconies

---

### PRODUCT BENEFITS

- Easy and quick installation
- Energy-efficient thanks to LED technology

---

### PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Available with and without motion sensor
- Stainless steel housing



## TECHNICAL DATA

### Electrical data

<b>Nominal wattage</b>	12.00 W
<b>Operating mode</b>	Mains voltage
<b>Nominal voltage</b>	220...240 V
<b>Mains frequency</b>	50/60 Hz


### Photometrical data

<b>Color temperature</b>	3000 K
<b>Color rendering index Ra</b>	≥80
<b>Light color (designation)</b>	Warm White
<b>Luminous flux</b>	650 lm
<b>Luminous efficacy</b>	54 lm/W

### Light technical data

<b>Beam angle</b>	120 °
-------------------	-------

### Dimensions & weight



<b>Length</b>	167.0 mm
<b>Width</b>	180.0 mm
<b>Height</b>	222.0 mm
<b>Product weight</b>	500.00 g

### Colors & materials

<b>Body material</b>	Stainless steel
<b>Product color</b>	Steel
<b>Housing color</b>	Steel

### Temperatures & operating conditions

<b>Ambient temperature range</b>	-20...+40 °C
----------------------------------	--------------

### Lifespan

<b>Number of switching cycles</b>	15000
-----------------------------------	-------

### Additional product data

<b>Mounting type</b>	Surface
<b>Mounting location</b>	Wall

### Capabilities

<b>Dimmable</b>	No
<b>Type of connection</b>	Screw terminal
<b>LED module replaceable</b>	Not replaceable

### Certificates & standards

<b>Protection class</b>	I
<b>Type of protection</b>	IP44
<b>Standards</b>	CE/EAC/REACH/RoHS

### EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205888	Folding carton box 1	136 mm x 206 mm x 294 mm	576.00 g	8.24 dm <sup>3</sup>
4058075205895	Shipping carton box 4	427 mm x 287 mm x 314 mm	2890.00 g	38.48 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.