

# PRODUCT DATASHEET

## ENDURA STYLE Surface 320X220 13 W DG

ENDURA STYLE SURFACE | Wall and ceiling luminaires



---

### AREAS OF APPLICATION

- Outdoor use (IP44)
- Building facades
- Entrance lighting

---

### PRODUCT BENEFITS

- Easy and quick installation
- Energy-efficient thanks to LED technology

---

### PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Die-cast aluminum housing
- Available in two housing colors



**TECHNICAL DATA**

Electrical data

<b>Nominal wattage</b>	13.00 W
<b>Operating mode</b>	Electronic control gear (ECG)
<b>Nominal voltage</b>	220...240 V
<b>Mains frequency</b>	50/60 Hz


Photometrical data

<b>Color temperature</b>	3000 K
<b>Color rendering index Ra</b>	≥80
<b>Light color (designation)</b>	Warm White
<b>Luminous flux</b>	950 lm
<b>Luminous efficacy</b>	76 lm/W

Light technical data

<b>Beam angle</b>	110 °
-------------------	-------

Dimensions & weight



<b>Length</b>	87.0 mm
<b>Width</b>	220.0 mm
<b>Height</b>	320.0 mm
<b>Product weight</b>	1660.00 g

Colors & materials

<b>Body material</b>	Aluminum
<b>Product color</b>	Dark gray
<b>Housing color</b>	Dark gray
<b>Cover material</b>	Polycarbonate (PC)

## Temperatures &amp; operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

## Lifespan

Number of switching cycles	15000
----------------------------	-------

## Additional product data

Mounting type	Surface
Mounting location	Wall / Ceiling

## Capabilities

Dimmable	No
Type of connection	Screw terminal
LED module replaceable	Not replaceable

## Certificates &amp; standards

Protection class	I
Type of protection	IP44
Standards	CE/EAC/REACH/RoHS

## EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205826	Folding carton box 1	134 mm x 204 mm x 346 mm	1739.00 g	9.46 dm <sup>3</sup>
4058075205833	Shipping carton box 4	548 mm x 215 mm x 360 mm	7294.00 g	42.42 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.