

# PRODUCT FAMILY DATASHEET

## ENDURA STYLE SURFACE

Wall and ceiling luminaires



---

### AREAS OF APPLICATION

- Outdoor use (IP44)
- Building facades
- Entrance lighting

---

### PRODUCT BENEFITS

- Easy and quick installation
- Energy-efficient thanks to LED technology

---

### PRODUCT FEATURES


- Bright and functional outdoor LED luminaires
- Die-cast aluminum housing
- Available in two housing colors




TECHNICAL DATA

Product description	Electrical data			Photometrical data		Light technical data	Dimensions & weight				Colors & materials
	Nominal wattage	Nominal voltage	Mains frequency	Color temperature	Luminous flux	Beam angle	Length	Width	Height	Product weight	Body material
ENDURA STYLE Surface 200X200 12 W DG	12.00 W	220...240 V	50/60 Hz	3000 K	870 lm	115 °	55.0 mm	200.0 mm	200.0 mm	840.00 g	Aluminum
ENDURA STYLE Surface 200X200 12 W WT	12.00 W	220...240 V	50/60 Hz	3000 K	870 lm	115 °	55.0 mm	200.0 mm	200.0 mm	840.00 g	Aluminum
ENDURA STYLE Surface 320X220 13 W DG	13.00 W	220...240 V	50/60 Hz	3000 K	950 lm	110 °	87.0 mm	220.0 mm	320.0 mm	1660.00 g	Aluminum


Product description	Housing color	Product color	Cover material	Temperatures & operating conditions	Lifespan	Capabilities		Certificates & standards	
				Ambient temperature range	Number of switching cycles	Dimmable	Type of connection	Protection class	Type of protection
ENDURA STYLE Surface 200X200 12 W DG	Dark gray	Dark gray	Polycarbonate (PC)	-20...+40 °C	15000	No	Screw terminal	I	IP44
ENDURA STYLE Surface 200X200 12 W WT	White	White	Polycarbonate (PC)	-20...+40 °C	15000	No	Screw terminal	I	IP44
ENDURA STYLE Surface 320X220 13 W DG	Dark gray	Dark gray	Polycarbonate (PC)	-20...+40 °C	15000	No	Screw terminal	I	IP44



ENDURA STYLE Surface 200X200 12 W  
DG



ENDURA STYLE Surface 200X200 12 W  
WT



ENDURA STYLE Surface 320X220 13 W  
DG

### EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

### APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205796	Shipping carton box 6	470 mm x 255 mm x 215 mm	5674.00 g	25.77 dm <sup>3</sup>
4058075205819	Shipping carton box 6	470 mm x 255 mm x 215 mm	5674.00 g	25.77 dm <sup>3</sup>

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205833	Shipping carton box 4	548 mm x 215 mm x 360 mm	7294.00 g	42.42 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.