

# PRODUCT FAMILY DATASHEET

## ENDURA STYLE RING

Wall and ceiling luminaires with modern design in round shape



---

### AREAS OF APPLICATION

- Outdoor use (IP44)
- Building facades
- Patios, balconies

---

### PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- Easy and quick installation

---

### PRODUCT FEATURES


- Bright and functional outdoor LED luminaires
- Die-cast aluminum housing
- Available in two housing colors



**TECHNICAL DATA**

Product description	Electrical data			Photometrical data		Dimensions & weight			Colors & materials		
	Nominal wattage	Nominal voltage	Mains frequency	Color temperature	Luminous flux	Diameter	Height	Product weight	Body material	Housing color	Product color
ENDURA STYLE Ring RD 13 W WT	13.00 W	220...240 V	50/60 Hz	3000 K	600 lm	202.0 mm	45.0 mm	760.00 g	Aluminum	White	White
ENDURA STYLE Ring RD 13 W DG	13.00 W	220...240 V	50/60 Hz	3000 K	480 lm	202.0 mm	45.0 mm	760.00 g	Aluminum	Dark gray	Dark gray

Product description	Cover material	Temperatures & operating conditions	Lifespan	Capabilities		Certificates & standards	
		Ambient temperature range	Number of switching cycles	Dimmable	Type of connection	Protection class	Type of protection
ENDURA STYLE Ring RD 13 W WT	Polycarbonate (PC)	-20...+40 °C	15000	No	Screw terminal	I	IP44
ENDURA STYLE Ring RD 13 W DG	Polycarbonate (PC)	-20...+40 °C	15000	No	Screw terminal	I	IP44



ENDURA STYLE Ring RD 13 W WT,  
ENDURA STYLE Ring RD 13 W DG

**EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

---

#### APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

---

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205246	Shipping carton box 6	470 mm x 255 mm x 215 mm	5194.00 g	25.77 dm <sup>3</sup>
4058075205222	Shipping carton box 6	470 mm x 255 mm x 215 mm	5194.00 g	25.77 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.