

# PRODUCT FAMILY DATASHEET

## ENDURA STYLE UPDOWN

Luminaires with classic shape and light outlet up and down



---

### AREAS OF APPLICATION

- Outdoor use (IP44)
- Building facades
- Decorative illumination

---

### PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- Easy and quick installation

---

### PRODUCT FEATURES


- Very bright and functional outdoor LED luminaires
- Die-cast aluminum housing
- Available in two housing colors



TECHNICAL DATA

Product description	Electrical data			Photometrical data		Light technical data	Dimensions & weight				Colors & materials
	Nominal wattage	Nominal voltage	Mains frequency	Color temperature	Luminous flux	Beam angle	Length	Width	Height	Product weight	Body material
ENDURA STYLE UpDown 12 W DG	11.50 W	220...240 V	50/60 Hz	3000 K	700 lm	110 °	55.0 mm	90.0 mm	160.0 mm	470.00 g	Aluminum
ENDURA STYLE UpDown 12 W WT	11.50 W	220...240 V	50/60 Hz	3000 K	700 lm	110 °	55.0 mm	90.0 mm	160.0 mm	480.00 g	Aluminum
ENDURA STYLE UpDown 12 W AL	11.50 W	220...240 V	50/60 Hz	3000 K	700 lm	110 °	55.0 mm	90.0 mm	160.0 mm	480.00 g	Aluminum

Product description	Housing color	Product color	Cover material	Temperatures & operating conditions	Lifespan	Capabilities		Certificates & standards	
				Ambient temperature range	Number of switching cycles	Dimmable	Type of connection	Protection class	Type of protection
ENDURA STYLE UpDown 12 W DG	Dark gray	Dark gray	Glass	-20...+40 °C	15000	No	Screw terminal	I	IP44
ENDURA STYLE UpDown 12 W WT	White	White	Glass	-20...+40 °C	15000	No	Screw terminal	I	IP44
ENDURA STYLE UpDown 12 W AL	Aluminum	Aluminum	Glass	-20...+40 °C	15000	No	Screw terminal	I	IP44



ENDURA STYLE UpDown 12 W DG,  
ENDURA STYLE UpDown 12 W WT

ENDURA STYLE UpDown 12 W AL

### EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

### APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075214064	Shipping carton box 6	240 mm x 240 mm x 195 mm	3133.00 g	11.23 dm <sup>3</sup>
4058075214088	Shipping carton box 6	240 mm x 240 mm x 195 mm	3133.00 g	11.23 dm <sup>3</sup>

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205611	Shipping carton box 6	240 mm x 240 mm x 195 mm	3133.00 g	11.23 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.