

PRODUCT FAMILY DATASHEET

ENDURA CLASSIC TRADITION PC

Timeless lantern shape with polycarbonate housing



AREAS OF APPLICATION

- Outdoor use (IP44)
- Building facades
- Entrance lighting
- Patios, balconies
- Pathway lighting
- Driveways

PRODUCT BENEFITS

- High flexibility in the choice of the light source thanks to E27 base
- Suitable for smart applications thanks to compatibility with Smart + lamps from LEDVANCE
- Easy and quick installation

PRODUCT FEATURES


- Polycarbonate housing
- Diffuser made of clear glass
- Available with and without motion sensor




TECHNICAL DATA

Product description	Electrical data		Dimensions & weight				Colors & materials			Temperatures & operating conditions	Additional product data
	Nominal voltage	Mains frequency	Length	Width	Height	Product weight	Body material	Housing color	Product color	Ambient temperature range	Equipped with lamp
ENDURA CLASSIC Trad Alu Down PC E27 BK	220...240 V	50/60 Hz	230.0 mm	170.0 mm	230.0 mm	770.00 g	Polycarbonate (PC)	Black	Black	-20...+40 °C	No
ENDURA CLASSIC Trad Alu Up E27 BK	220...240 V	50/60 Hz	270.0 mm	170.0 mm	260.0 mm	760.00 g	Polycarbonate (PC)	Black	Black	-20...+40 °C	No
ENDURA CLASSIC Trad Alu Up Sensor E27 BK	220...240 V	50/60 Hz	230.0 mm	170.0 mm	280.0 mm	830.00 g	Polycarbonate (PC)	Black	Black	-20...+40 °C	No


Product description	Capabilities			Certificates & standards	
	Dimmable	Type of connection	Holder designation	Protection class	Type of protection
ENDURA CLASSIC Trad Alu Down PC E27 BK	No	Screw terminal	E27	II	IP44
ENDURA CLASSIC Trad Alu Up E27 BK	No	Screw terminal	E27	II	IP44
ENDURA CLASSIC Trad Alu Up Sensor E27 BK	No	Screw terminal	E27	II	IP44



ENDURA CLASSIC Trad Alu Down PC
E27 BK



ENDURA CLASSIC Trad Alu Up E27 BK



ENDURA CLASSIC Trad Alu Up Sensor
E27 BK

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included
- No light sources included

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075206199	Shipping carton box 4	493 mm x 377 mm x 312 mm	4580.00 g	57.99 dm ³
4058075206250	Shipping carton box 4	493 mm x 377 mm x 312 mm	4540.00 g	57.99 dm ³

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075206311	Shipping carton box 4	493 mm x 377 mm x 312 mm	4820.00 g	57.99 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.