

# PRODUCT DATASHEET

## PLANON PLUS 600x600 36 W 3000 K

PLANON Plus | Slim panel luminaires for surface mounting



---

### AREAS OF APPLICATION

- For indoor use only
- Decorative domestic lighting
- Ceiling and wall surface mounting

---

### PRODUCT BENEFITS

- Very homogenous light
- Quick and simple installation by one person

---

### PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology



**TECHNICAL DATA**

Electrical data

<b>Nominal wattage</b>	36.00 W
<b>Operating mode</b>	Integrated LED driver
<b>Nominal voltage</b>	220...240 V
<b>Mains frequency</b>	50/60 Hz


Photometrical data

<b>Color temperature</b>	3000 K
<b>Color rendering index Ra</b>	>80
<b>Light color (designation)</b>	Warm White
<b>Luminous flux</b>	3200 lm
<b>Luminous efficacy</b>	89 lm/W

Light technical data

<b>Beam angle</b>	110 °
-------------------	-------

Dimensions & weight



<b>Length</b>	595.0 mm
<b>Width</b>	595.0 mm
<b>Height</b>	46.6 mm
<b>Product weight</b>	3387.00 g

Colors & materials

<b>Body material</b>	Aluminum
<b>Product color</b>	White
<b>Housing color</b>	White

Temperatures & operating conditions

<b>Ambient temperature range</b>	-20...+40 °C
----------------------------------	--------------

### Lifespan

<b>Number of switching cycles</b>	25000
-----------------------------------	-------

### Additional product data

<b>Mounting type</b>	Surface
<b>Mounting location</b>	Ceiling

### Capabilities

<b>Dimmable</b>	No
<b>Type of connection</b>	Screw terminal
<b>LED module replaceable</b>	Not replaceable

### Certificates & standards

<b>Protection class</b>	II
<b>Type of protection</b>	IP20
<b>Standards</b>	CE/EAC/REACH

### EQUIPMENT / ACCESSORIES

- Pre-assembled mounting kit, screws and dowels included

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075267367	Folding carton box 1	61 mm x 655 mm x 625 mm	3978.00 g	24.98 dm <sup>3</sup>
4058075267374	Shipping carton box 4	647 mm x 267 mm x 688 mm	17012.00 g	118.85 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.