


PRODUCT DATASHEET

PLANON PLUS 300x600 15 W 3000 K

PLANON Plus | Slim panel luminaires for surface mounting



AREAS OF APPLICATION

- For indoor use only
- Decorative domestic lighting
- Ceiling and wall surface mounting

PRODUCT BENEFITS

- Very homogenous light
- Quick and simple installation by one person

PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology



TECHNICAL DATA

Electrical data

Nominal wattage	15.00 W
Operating mode	Integrated LED driver
Nominal voltage	220...240 V
Mains frequency	50/60 Hz


Photometrical data

Color temperature	3000 K
Color rendering index Ra	>80
Light color (designation)	Warm White
Luminous flux	1400 lm
Luminous efficacy	93 lm/W

Light technical data

Beam angle	110 °
-------------------	-------

Dimensions & weight



Length	595.0 mm
Width	295.0 mm
Height	46.6 mm
Product weight	2100.00 g

Colors & materials

Body material	Aluminum
Product color	White
Housing color	White

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
----------------------------------	--------------

Lifespan

Number of switching cycles	25000
-----------------------------------	-------

Additional product data

Mounting type	Surface
Mounting location	Ceiling

Capabilities

Dimmable	No
Type of connection	Screw terminal
LED module replaceable	Not replaceable

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/EAC/REACH

EQUIPMENT / ACCESSORIES

- Pre-assembled mounting kit, screws and dowels included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075268043	Folding carton box 1	61 mm x 629 mm x 355 mm	2445.00 g	13.62 dm ³
4058075268050	Shipping carton box 4	647 mm x 267 mm x 388 mm	10518.00 g	67.03 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.