

PRODUCT DATASHEET

PLANON Frameless RGB CCT 300x300 24 W

PLANON Frameless RGB+CCT | Frameless panel luminaires for wall and ceiling mounting for RGB and CCT color adjustment via remote control

AREAS OF APPLICATION

- Indoor applications
- Decorative domestic lighting
- Wall and ceiling surface mounting



PRODUCT BENEFITS

- Homogenous light distribution
- Easy and quick installation

PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Available in square and rectangular form
- Color changing (RGB) and white adjustment (CCT) from 3000 K...5000 K via infrared remote control
- Dimmable from 10...100 % via infrared remote control
- Aluminum housing, frosted PMMA diffuser



TECHNICAL DATA

Electrical data

Nominal wattage	24.00 W
Operating mode	Mains voltage
Nominal voltage	220...240 V
Mains frequency	50/60 Hz


Photometrical data

Color temperature	3000 ... 5000 K
Color rendering index Ra	≥80
Light color (designation)	RGBW/Warm White...Cool White
Luminous flux	1400 lm
Luminous efficacy	58 lm/W

Light technical data

Beam angle	120 °
------------	-------

Dimensions & weight



Length	295.0 mm
Width	295.0 mm
Height	60.0 mm
Product weight	2500.00 g

Colors & materials

Body material	Aluminum
Product color	White
Housing color	White
Cover material	Polymethylmethacrylate (PMMA)
Light emitting surface material	PMMA

Temperatures & operating conditions

Ambient temperature range	-25...+35 °C
----------------------------------	--------------

Lifespan

Number of switching cycles	15000
-----------------------------------	-------

Additional product data

Mounting type	Surface
Mounting location	Ceiling

Capabilities

Dimmable	Yes
Type of connection	Screw terminal
LED module replaceable	Not replaceable

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/EAC/REACH/RoHS

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included
- Remote control and battery included
- Driver included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075257474	Folding carton box 1	83 mm x 323 mm x 325 mm	2634.00 g	8.71 dm ³
4058075257481	Shipping carton box 8	1300 mm x 180 mm x 340 mm	21747.00 g	79.56 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.