

# PRODUCT DATASHEET

## NIGHTLUX Hall White

NIGHTLUX Hall | Mobile nightlights with motion sensor and tilt function, battery-powered



---

### AREAS OF APPLICATION

- For a very large range of uses
- Indoor and outdoor
- Entrances / Hallways
- Corridors

---

### PRODUCT BENEFITS

- Attractive and functional design
- Economical operation due to low power consumption
- Easy and fast mounting on nearly every surface (adhesive tape or screws)
- Light direction individually adjustable
- Accessories for flexible mounting options included

---

### PRODUCT FEATURES

- Integrated light and motion sensor
- Available in two housing colors
- Switch for Auto- or On/Off-Mode
- Type of protection: IP54



**TECHNICAL DATA**

Electrical data

<b>Nominal wattage</b>	0.25 W
<b>Operating mode</b>	Battery
<b>Nominal voltage</b>	4.5 V
<b>Mains frequency</b>	0 Hz


Photometrical data

<b>Color temperature</b>	4000 K
<b>Color rendering index Ra</b>	>80
<b>Light color (designation)</b>	Cool White
<b>Luminous flux</b>	14 lm
<b>Luminous efficacy</b>	4 lm/W

Luminaire sensor data

<b>Type of sensor</b>	Light / Motion
<b>Sensor technology</b>	Passive infrared (PIR)

Dimensions & weight



<b>Length</b>	84.0 mm
<b>Width</b>	73.0 mm
<b>Height</b>	22.0 mm
<b>Product weight</b>	98.00 g

Colors & materials

<b>Body material</b>	Polycarbonate (PC)
<b>Product color</b>	White
<b>Housing color</b>	White

## Temperatures &amp; operating conditions

<b>Ambient temperature range</b>	0...+25 °C
----------------------------------	------------

## Lifespan

<b>Number of switching cycles</b>	10000
-----------------------------------	-------

## Additional product data

<b>Mounting type</b>	Surface
<b>Mounting location</b>	Wall

## Capabilities

<b>Dimmable</b>	No
<b>LED module replaceable</b>	Not replaceable

## Certificates &amp; standards

<b>Protection class</b>	III
<b>Type of protection</b>	IP54
<b>Standards</b>	CE/EAC/REACH/RoHS

## EQUIPMENT / ACCESSORIES

- Batteries included: 3x1.5 V LR03 (AAA)

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075260658	Blister 1	25 mm x 140 mm x 195 mm	118.00 g	0.68 dm <sup>3</sup>
4058075260665	Shipping carton box 6	163 mm x 154 mm x 210 mm	817.00 g	5.27 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.