

PRODUCT FAMILY DATASHEET

NIGHTLUX Hall

Mobile nightlights with motion sensor and tilt function, battery-powered



AREAS OF APPLICATION

- For a very large range of uses
- Indoor and outdoor
- Entrances / Hallways
- Corridors

PRODUCT BENEFITS

- Attractive and functional design
- Economical operation due to low power consumption
- Easy and fast mounting on nearly every surface (adhesive tape or screws)
- Light direction individually adjustable
- Accessories for flexible mounting options included

PRODUCT FEATURES

- Integrated light and motion sensor
- Available in two housing colors
- Switch for Auto- or On/Off-Mode
- Type of protection: IP54




TECHNICAL DATA

Product description	Electrical data			Photometrical data		Luminaire sensor data	Dimensions & weight				Colors & materials
	Nominal wattage	Nominal voltage	Mains frequency	Color temperature	Luminous flux	Type of sensor	Length	Width	Height	Product weight	Body material
NIGHTLUX Hall White	0.25 W	4.5 V	0 Hz	4000 K	14 lm	Light / Motion	84.0 mm	73.0 mm	22.0 mm	98.00 g	Polycarbonate (PC)
NIGHTLUX Hall Silver	0.25 W	4.5 V	0 Hz	4000 K	14 lm	Light / Motion	84.0 mm	73.0 mm	22.0 mm	98.00 g	Polycarbonate (PC)

Product description	Housing color	Product color	Temperatures & operating conditions	Lifespan	Capabilities		Certificates & standards	
			Ambient temperature range	Number of switching cycles	Dimmable	LED module replaceable	Protection class	Type of protection
NIGHTLUX Hall White	White	White	0...+25 °C	10000	No	Not replaceable	III	IP54
NIGHTLUX Hall Silver	Silver	Silver	0...+25 °C	10000	No	Not replaceable	III	IP54

Product description	Standards
NIGHTLUX Hall White	CE/EAC/REACH/RoHS
NIGHTLUX Hall Silver	CE/EAC/REACH/RoHS



NIGHTLUX Hall White, NIGHTLUX Hall Silver

EQUIPMENT / ACCESSORIES

- Batteries included: 3x1.5 V LR03 (AAA)

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075260665	Shipping carton box 6	163 mm x 154 mm x 210 mm	817.00 g	5.27 dm ³
4058075260689	Shipping carton box 6	163 mm x 154 mm x 210 mm	817.00 g	5.27 dm ³

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
--------------	------------------------------	--------------------------------------	--------------	--------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.