

PRODUCT DATASHEET

Linear LED Flat 12 W 4000 K

LinearLED Flat | Slim undercabinet luminaire for surface mounting

AREAS OF APPLICATION

- Undercabinet lighting



PRODUCT BENEFITS

- Connection of up to 43 (ECO version) or 18 (sensor Version) luminaires in a row
- Various accessories included: cables and connectors



TECHNICAL DATA

Electrical data

Nominal wattage	12.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	4000 K
Color rendering index Ra	>80
Light color (designation)	Cool White
Luminous flux	840 lm
Luminous efficacy	70 lm/W


Light technical data

Beam angle	120 °
-------------------	-------

Luminaire sensor data

Type of sensor	Motion
Sensor technology	Passive infrared (PIR)

Dimensions & weight



Length	527.0 mm
Width	67.0 mm
Height	19.0 mm
Product weight	425.00 g

Colors & materials

Body material	Aluminum
Product color	Silver

Housing color	Silver
Cover material	Polycarbonate (PC)

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
Temperature range in operation	-20...+40 °C

Lifespan

Number of switching cycles	100000
Rated lamp life time	20000 h

Additional product data

Mounting type	Surface
Mounting location	Cabinet undersides
Mercury content	0.0 mg

Capabilities

Dimmable	No
Type of connection	Plug, EU
LED module replaceable	Not replaceable

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/EAC/REACH/RoHS
ErP For end-consumer	yes
EEI of included LED module	A++/A+/A

Logistical data

ErP For end-consumer	yes
-----------------------------	-----

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075264618	Folding carton box 1	38 mm x 71 mm x 629 mm	447.00 g	1.70 dm ³
4058075264625	Shipping carton box 8	651 mm x 334 mm x 83 mm	4860.00 g	18.05 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.