


# PRODUCT DATASHEET

## LUMIstixx

LUMIstixx | Little helpers



---

### AREAS OF APPLICATION

- Sideboards
- Flower arrangements
- Practical adhesive surface or drill holes
- Horizontal or vertical alignment on walls or objects

---

### PRODUCT BENEFITS

- Very compact LED luminaire

---

### PRODUCT FEATURES

- Modern luminaire



## TECHNICAL DATA

### Electrical data

Nominal wattage	0.6 W
Operating mode	Battery
Nominal voltage	4.5 V


### Photometrical data

Color temperature	6200 K
Color rendering index Ra	≥80
Luminous flux	25 lm
Luminous efficacy	41 lm/W

### Light technical data

Beam angle	120 °
------------	-------

### Dimensions & weight



Length	222.0 mm
Width	16.2 mm
Diameter	16.2 mm
Height	21.0 mm
Product weight	70.00 g

### Colors & materials

Body material	Acrylonitrile butadiene styrene (ABS)
Product color	White
Housing color	White

### Temperatures & operating conditions

Ambient temperature range	-20...+60 °C
---------------------------	--------------

## Lifespan

<b>Number of switching cycles</b>	100000
-----------------------------------	--------

## Additional product data

<b>Mounting type</b>	Surface
<b>Mounting location</b>	Wall

## Capabilities

<b>Dimmable</b>	No
<b>LED module replaceable</b>	Not replaceable
<b>Adjustable</b>	Yes

## Certificates &amp; standards

<b>Protection class</b>	III
<b>Type of protection</b>	IP20
<b>Standards</b>	CE

---

**LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075227897	Blister 1	23 mm x 140 mm x 400 mm	110.00 g	1.29 dm <sup>3</sup>
4058075227903	Shipping carton box 6	413 mm x 161 mm x 158 mm	824.00 g	10.51 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.