


PRODUCT FAMILY DATASHEET

LUMIstixx

Little helpers



AREAS OF APPLICATION

- Sideboards
- Flower arrangements
- Practical adhesive surface or drill holes
- Horizontal or vertical alignment on walls or objects

PRODUCT BENEFITS

- Very compact LED luminaire

PRODUCT FEATURES

- Modern luminaire




TECHNICAL DATA

PRODUCT FAMILY DATASHEET

Product description	Electrical data		Photometrical data		Light technical data	Dimensions & weight					Colors & materials
	Nominal wattage	Nominal voltage	Color temperature	Luminous flux	Beam angle	Length	Width	Diameter	Height	Product weight	Body material
LUMIstixx	0.6 W	4.5 V	6200 K	25 lm	120 °	222.0 mm	16.2 mm	16.2 mm	21.0 mm	70.00 g	Acrylonitrile butadiene styrene (ABS)

Product description	Housing color	Product color	Temperatures & operating conditions	Lifespan	Capabilities			Certificates & standards
			Ambient temperature range	Number of switching cycles	Dimmable	LED module replaceable	Adjustable	Protection class
LUMIstixx	White	White	-20...+60 °C	100000	No	Not replaceable	Yes	III

Product description	Type of protection	Standards
LUMIstixx	IP20	CE



Product line drawing

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.