


PRODUCT FAMILY DATASHEET

ORBIS IP44

Splash-proof LED ceiling luminaire with sensor



AREAS OF APPLICATION

- Entrances / Hallways
- Bathrooms
- Ceiling and wall surface mounting
- Outdoor use (roofed areas) in residential sector

PRODUCT BENEFITS

- Very homogenous light
- Easy and quick installation

PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Circular light emission
- Type of protection: IP44
- Adjustable daylight and infrared presence sensor





TECHNICAL DATA

Product description	Electrical data			Photometrical data		Light technical data	Luminaire sensor data	Dimensions & weight			Colors & materials
	Nominal wattage	Nominal voltage	Mains frequency	Color temperature	Luminous flux	Beam angle	Type of sensor	Diameter	Height	Product weight	Body material
ORBIS IP44 300 17 W 3000 K	17.00 W	220...240 V	50/60 Hz	3000 K	1100 lm	120 °	Light / Motion	300.0 mm	85.0 mm	545.00 g	Aluminum
ORBIS IP44 400 22 W 3000 K	22.00 W	220...240 V	50/60 Hz	3000 K	1800 lm	120 °	Light / Motion	400.0 mm	88.0 mm	930.00 g	Aluminum

Product description	Housing color	Product color	Cover material	Temperatures & operating conditions	Lifespan		Capabilities	
				Ambient temperature range	Number of switching cycles	Lifespan	Dimmable	Type of connection
ORBIS IP44 300 17 W 3000 K	White	White	Polycarbonate (PC)	-20...+40 °C	40000	25000 h	No	Screw terminal
ORBIS IP44 400 22 W 3000 K	White	White	Polycarbonate (PC)	-20...+40 °C	40000	25000 h	No	Screw terminal

Product description	Certificates & standards	
	Protection class	Type of protection
ORBIS IP44 300 17 W 3000 K	I	IP44
ORBIS IP44 400 22 W 3000 K	I	IP44



ORBIS IP44 300 17 W 3000 K

ORBIS IP44 400 22 W 3000 K

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075266063	Shipping carton box 6	687 mm x 382 mm x 360 mm	4497.00 g	94.48 dm ³
4058075266087	Shipping carton box 6	652 mm x 472 mm x 450 mm	7102.00 g	138.48 dm ³

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
--------------	------------------------------	--------------------------------------	--------------	--------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.