

PRODUCT FAMILY DATASHEET

Linear LED Slim RGBW

High voltage undercabinet luminaires with RGBW technology

AREAS OF APPLICATION

- Shelf and undercabinet lighting



PRODUCT BENEFITS

- Direct connection to AC power supply thanks to integrated control gear
- Slim and sleek design
- Homogenous light distribution
- Easy and fast mounting on nearly every surface (adhesive tape or screws)

PRODUCT FEATURES

- Luminous flux: up to 350 lm
- Switch on and off, color changing and dimming via remote control
- Material: aluminum
- Color: silver
- Available in two lengths: 30 cm and 50 cm
- Connection of up to 10 luminaires (30 cm version) and up to 5 luminaires (50 cm version) possible





TECHNICAL DATA

Product description	Electrical data			Photometrical data		Light technical data	Dimensions & weight				Colors & materials
	Nominal wattage	Nominal voltage	Mains frequency	Color temperature	Luminous flux	Beam angle	Length	Width	Height	Product weight	Body material
LINEAR LED Slim RGBW 300	4.00 W	220...240 V	50/60 Hz	3000 K	230 lm	110 °	300.0 mm	49.0 mm	18.0 mm	315.00 g	Aluminum/Polycarbonate (PC)
LINEAR LED Slim RGBW 500	6.00 W	220...240 V	50/60 Hz	3000 K	350 lm	110 °	500.0 mm	49.0 mm	18.0 mm	430.00 g	Aluminum/Polycarbonate (PC)

Product description	Product color	Housing color	Cover material	Temperatures & operating conditions	Lifespan		Capabilities	
				Ambient temperature range	Number of switching cycles	Lifespan	Dimmable	Type of connection
LINEAR LED Slim RGBW 300	Gray	Gray	Polycarbonate (PC)	-20...+40 °C	100000	30000 h	Yes	Plug, EU
LINEAR LED Slim RGBW 500	Gray	Gray	Polycarbonate (PC)	-20...+40 °C	100000	30000 h	Yes	Plug, EU

Product description	Certificates & standards		Logistical data
	Protection class	Type of protection	ErP For end-consumer
LINEAR LED Slim RGBW 300	II	IP20	yes
LINEAR LED Slim RGBW 500	II	IP20	yes



LINEAR LED Slim RGBW 300

LINEAR LED Slim RGBW 500

EQUIPMENT / ACCESSORIES

- External cable (1.5 m) included
- Fixed connector and flexible connecting cable included

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075227668	Shipping carton box 8	416 mm x 303 mm x 98 mm	3714.00 g	12.35 dm ³
4058075227682	Shipping carton box 8	645 mm x 303 mm x 98 mm	4951.00 g	19.15 dm ³

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
--------------	------------------------------	--------------------------------------	--------------	--------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.