


PRODUCT DATASHEET

LUNIVE AREA 300x300 19 W 4000 K

LUNIVE | Luminaires with glass cover



AREAS OF APPLICATION

- Indoor applications
- Dining rooms, living rooms, study rooms
- Corridors

PRODUCT BENEFITS

- Available in two light colors to create the right atmosphere in your room
- Very homogenous light
- Quick and simple installation

PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Italian designs, available in various sizes and wattages
- High quality glass and metal housing finish



TECHNICAL DATA

Electrical data

Nominal wattage	19.00 W
Operating mode	Mains voltage
Nominal voltage	220...240 V
Mains frequency	50/60 Hz


Photometrical data

Color temperature	4000 K
Color rendering index Ra	>80
Light color (designation)	Cool White
Luminous flux	1050 lm
Luminous efficacy	55 lm/W

Light technical data

Beam angle	120 °
------------	-------

Dimensions & weight



Length	300.0 mm
Width	300.0 mm
Height	49.0 mm
Product weight	1640.00 g

Colors & materials

Body material	Aluminum
Product color	White
Housing color	White
Cover material	Glass
Light emitting surface material	Glass

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
----------------------------------	--------------

Lifespan

Number of switching cycles	50000
Lifespan	20000 h

Additional product data

Mounting type	Surface
Mounting location	Wall / Ceiling

Capabilities

Dimmable	No
Type of connection	Push and screw terminal
LED module replaceable	Not replaceable

Certificates & standards

Protection class	I
Type of protection	IP20
Standards	CE/REACH/RoHS

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075228450	Folding carton box 1	337 mm x 328 mm x 105 mm	1933.00 g	11.61 dm ³
4058075228467	Shipping carton box 2	351 mm x 342 mm x 228 mm	4282.00 g	27.37 dm ³
4058075228481	UN4 1	463 mm x 454 mm x 171 mm	2208.00 g	35.94 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.