

PRODUCT DATASHEET

LUNETTA Shine RGB

LUNETTA Shine RGB | Socket nightlight with RGB color adjustment and daylight sensor



AREAS OF APPLICATION

- Children's bedrooms
- Decorative domestic lighting
- For indoor use only

PRODUCT BENEFITS

- Attractive and functional design
- Plug and Play due to EU Plug
- Automatically switches on and off according to the amount of available daylight

PRODUCT FEATURES

- Integrated day/night sensor
- Direct connection to a 220...240 V AC supply
- Color change
- RGB color control



TECHNICAL DATA


Electrical data

Nominal wattage	0.28 W
Operating mode	Mains voltage
Nominal voltage	220...240 V
Mains frequency	50/60 Hz
Nominal current	0.024 A
Power factor λ	≥ 0.3

Photometrical data

Color temperature	2700 ... 6000 K
Color rendering index Ra	≥ 80
Light color (designation)	Red/Green/Blue

Dimensions & weight



Length	60.0 mm
Width	60.0 mm
Height	90.0 mm
Product weight	40.00 g

Colors & materials

Body material	Polycarbonate (PC)
Product color	White
Housing color	White

Lifespan

Number of switching cycles	10000
----------------------------	-------

Additional product data

Mounting location	Socket
--------------------------	--------

Capabilities

Dimmable	No
LED module replaceable	Not replaceable
Type of connection	Plug, EU

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/EAC/REACH/RoHS

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075266841	Blister 1	62 mm x 140 mm x 195 mm	59.00 g	1.69 dm ³
4058075266858	Shipping carton box 6	385 mm x 154 mm x 210 mm	528.00 g	12.45 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.