

PRODUCT DATASHEET

SubMARINE Integrated Slim Value 600 10 W 4000 K

SUBMARINE Integrated Slim Value | Flat and slim dampproof luminaires with integrated LED module

AREAS OF APPLICATION

- Basements, garages, warehouses



PRODUCT BENEFITS

- Easy installation, no tools required for connection
- Impressive for its low-profile design

PRODUCT FEATURES

- Damp-proof luminaires
- Dust-protected and jet-proof (IP65)
- Extremely low profile
- Not dimmable



TECHNICAL DATA

Electrical data

Nominal wattage	10.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	4000 K
Color rendering index Ra	≥80
Light color (designation)	Cool White
Luminous flux	900 lm
Luminous efficacy	90 lm/W

Light technical data

Beam angle	120 °
------------	-------

Dimensions & weight



Length	715.0 mm
Width	53.0 mm
Height	35.0 mm
Product weight	194.00 g

Colors & materials

Body material	Polycarbonate (PC)
Product color	White
Housing color	White

Temperatures & operating conditions

Ambient temperature range	-20...+35 °C
---------------------------	--------------

Temperature range in operation	-20...+35 °C
--------------------------------	--------------

Lifespan

Number of switching cycles	100000
Rated lamp life time	30000 h

Additional product data

Mounting type	Surface
Mounting location	Ceiling / Wall
Mercury content	0.0 mg

Capabilities

Dimmable	No
Type of connection	Terminal, 2-Pole (L, N)
LED module replaceable	Not replaceable

Certificates & standards

Protection class	II
Type of protection	IP65
Standards	CE/EAC/REACH/RoHS
EEL of included LED module	A++/A+/A

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075266391	Folding carton box 1	42 mm x 58 mm x 702 mm	213.00 g	1.71 dm ³
4058075266407	Shipping carton box 20	750 mm x 249 mm x 225 mm	4809.00 g	42.02 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.