

PRODUCT FAMILY DATASHEET

PANAN Disc Single

Mobile table luminaires with continuous dimming



AREAS OF APPLICATION

- Where light is required but a socket is not available
- Whenever a cableless solution is preferred
- When flexible lighting is required
- Living areas
- Tables, Desks

PRODUCT BENEFITS

- Can easily be moved to where light is needed thanks to battery operation
- Switching and stepless dimming via a touch sensitive sensor on the luminaire base
- Bendable luminaire neck for free orientation of light source

PRODUCT FEATURES

- Integrated rechargeable lithium battery which can be charged via USB cable
- Light color: Warm White
- Housing made of plastic, luminaire neck made of silicone rubber
- Battery discharge time: up to 4 h




TECHNICAL DATA

Product description	Electrical data			Photometrical data		Light technical data	Dimensions & weight				Colors & materials
	Nominal wattage	Nominal voltage	Mains frequency	Color temperature	Luminous flux	Beam angle	Length	Width	Height	Product weight	Body material
PANAN Disc Single White	5.00 W	5 V	0 Hz	3000 K	220 lm	105 ° 1)	350.0 mm	170.0 mm	370.0 mm	370.00 g	Acrylonitrile butadiene styrene (ABS)
PANAN Disc Single Grey	5.00 W	5 V	0 Hz	3000 K	220 lm	105 ° 1)	350.0 mm	170.0 mm	370.0 mm	370.00 g	Acrylonitrile butadiene styrene (ABS)


Product description	Product color	Housing color	Cover material	Light emitting surface material	Temperatures & operating conditions	Lifespan			
					Ambient temperature range	Number of switching cycles	Lifespan	Lifespan	
PANAN Disc Single White	White	White	Plastic		0...+40 °C	100000		30000 h	
PANAN Disc Single Grey	Gray	Gray	Plastic	Plastic	0...+40 °C	100000		30000 h	30000 h

Product description	Additional product data	Capabilities		Certificates & standards	
	Equipped with lamp	Dimmable	Adjustable	Protection class	Type of protection
PANAN Disc Single White	Yes	Yes	Yes	III	IP20
PANAN Disc Single Grey	Yes	Yes	Yes	III	IP20

1) ZMP_110132



PANAN Disc Single White



PANAN Disc Single Grey

EQUIPMENT / ACCESSORIES

- USB cable, length: 1 m

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075321274	Shipping carton box 4	364 mm x 364 mm x 381 mm	2587.00 g	50.48 dm ³
4058075472761	Shipping carton box 4	364 mm x 364 mm x 381 mm	2587.00 g	50.48 dm ³

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
--------------	------------------------------	--------------------------------------	--------------	--------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.