

PRODUCT DATASHEET

LEDstixx USB Silver

LEDSTIXX USB | Light bar, dimmable, multiple mounting options and recharging via USB

AREAS OF APPLICATION

- Bathrooms
- Where light is required but a socket is not available



PRODUCT BENEFITS

- Very homogenous light
- Multiple mounting options
- Can be removed from the holder for use as a portable light
- Can be rotated and swiveled for optimum illumination

PRODUCT FEATURES

- Integrated rechargeable lithium battery which can be charged via USB cable
- Dimmable in three steps by repeated switching



TECHNICAL DATA

Electrical data

Nominal wattage	2.00 W
Operating mode	Battery
Nominal voltage	5 V
Mains frequency	0 Hz


Photometrical data

Color temperature	4000 K
Color rendering index Ra	90
Light color (designation)	Cool White
Luminous flux	150 lm
Luminous efficacy	75 lm/W

Light technical data

Beam angle	110 °
-------------------	-------

Dimensions & weight



Length	206.0 mm
Width	17.0 mm
Height	17.0 mm
Product weight	85.00 g

Colors & materials

Body material	Aluminum
Product color	Silver
Housing color	Silver

Temperatures & operating conditions

Ambient temperature range	-10...+35 °C
----------------------------------	--------------

Lifespan

Number of switching cycles	15000
Lifespan	30000 h

Additional product data

Mounting type	Surface
Mounting location	Wall

Capabilities

Dimmable	Yes
LED module replaceable	Not replaceable
Adjustable	Yes
Type of connection	USB

Certificates & standards

Protection class	III
Type of protection	IP44
Standards	CE/EAC/REACH/RoHS

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075399723	Blister 1	140 mm x 32 mm x 400 mm	111.00 g	1.79 dm ³
4058075399730	Shipping carton box 6	408 mm x 206 mm x 152 mm	1027.00 g	12.78 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.