

# PRODUCT FAMILY DATASHEET

## SMART+ GARDEN POLE

Decorative light poles for outdoor use with WiFi technology



---

### AREAS OF APPLICATION

- Gardens, balconies and other outdoor areas

---

### PRODUCT BENEFITS

- Easy and quick installation
- Colorful garden lighting with smart and intelligent control options

---

### PRODUCT FEATURES

- Controllable via LEDVANCE SMART+ WiFi App (with minimum Android 4.4 or iOS 9.0)
- Controllable via voice control available: Google Assistant or Amazon Alexa
- RGB color control, approx. 16 million color options adjustable
- Dimmable
- Color temperature: 3,000 K (Warm White)
- Protection class (pole): IP65
- Protection class (power supply): IP44
- Extension up to maximum 8 poles



TECHNICAL DATA

Product description	Electrical data				Photometrical data					Light technical data	Dimensions & weight
	Nominal wattage	Operating mode	Mains frequency	Nominal voltage	Color rendering index Ra	Luminous flux	Luminous efficacy	Light color (designation)	Color temperature	Beam angle	Diameter
SMART+ WIFI GARDEN 5 Pole <sup>1)</sup>	5.70 W	Mains voltage	50/60 Hz	220...240 V	≥80	180 lm	32 lm/W	RGBW	3000 K	280 °	38.0 mm
SMART+ WIFI GARDEN 3 Pole extension <sup>1)</sup>	3.10 W	Mains voltage	50/60 Hz	220...240 V	≥80	45 lm	15 lm/W	RGBW	3000 K	280 °	38.0 mm
SMART+ WIFI GARDEN 5 Pole mini <sup>1)</sup>	3.80 W	Mains voltage	50/60 Hz	220...240 V	≥80	80 lm	21 lm/W	RGBW	3000 K	280 °	22.0 mm
SMART+ WIFI GARDEN 3 Pole mini extension <sup>1)</sup>	1.90 W	Mains voltage	50/60 Hz	220...240 V	≥80	108 lm	57 lm/W	RGBW	3000 K	280 °	22.0 mm


Product description	Height	Width	Colors & materials				Temperatures & operating conditions	Lifespan	Additional product data
			Cover material	Housing color	Body material	Product color	Ambient temperature range	Number of switching cycles	Mounting type
SMART+ WIFI GARDEN 5 Pole <sup>1)</sup>	365.0 mm	38.0 mm	Polycarbonate (PC)	Steel	Stainless steel	Steel	-20...+40 °C	12500	Ground spike
SMART+ WIFI GARDEN 3 Pole extension <sup>1)</sup>	365.0 mm	38.0 mm	Polycarbonate (PC)	Steel	Stainless steel	Steel	-20...+40 °C	12500	Ground spike
SMART+ WIFI GARDEN 5 Pole mini <sup>1)</sup>	227.0 mm	22.0 mm	Polycarbonate (PC)	Steel	Stainless steel	Steel	-20...+40 °C	12500	Ground spike
SMART+ WIFI GARDEN 3 Pole mini extension <sup>1)</sup>	227.0 mm	22.0 mm	Polycarbonate (PC)	Steel	Stainless steel	Steel	-20...+40 °C	12500	Ground spike

Product description	Mounting location	Capabilities			Certificates & standards	
		Compatible smart home technology	Type of connection	Dimmable	Standards	Type of protection
SMART+ WIFI GARDEN 5 Pole <sup>1)</sup>	Ground	Google Assistant / Amazon Alexa	Plug, EU	Yes	CE/EAC/RE ACH/RoHS	IP65
SMART+ WIFI GARDEN 3 Pole extension <sup>1)</sup>	Ground	Google Assistant / Amazon Alexa	Plug, EU	Yes	CE/EAC/RE ACH/RoHS	IP65
SMART+ WIFI GARDEN 5 Pole mini <sup>1)</sup>	Ground	Google Assistant / Amazon Alexa	Plug, EU	Yes	CE/EAC/RE ACH/RoHS	IP65


Product description	Mounting location	Capabilities			Certificates & standards	
		Compatible smart home technology	Type of connection	Dimmable	Standards	Type of protection
SMART+ WIFI GARDEN 3 Pole mini extension <sup>1)</sup>	Ground	Google Assistant / Amazon Alexa	Plug, EU	Yes	CE/EAC/RE ACH/RoHS	IP65

Product description	Protection class
SMART+ WIFI GARDEN 5 Pole <sup>1)</sup>	II
SMART+ WIFI GARDEN 3 Pole extension <sup>1)</sup>	III
SMART+ WIFI GARDEN 5 Pole mini <sup>1)</sup>	II
SMART+ WIFI GARDEN 3 Pole mini extension <sup>1)</sup>	III


<sup>1)</sup> Reset settings to default by switching the product on for three seconds and off for three seconds and repeating this five times.




SMART+ WIFI GARDEN 5 Pole



SMART+ WIFI GARDEN 3 Pole extension



SMART+ WIFI GARDEN 5 Pole mini



SMART+ WIFI GARDEN 3 Pole mini extension

## EQUIPMENT / ACCESSORIES

- Power supply included only in basic set
- Control via app or voice control requires compatible Smart home system
- For control via LEDVANCE SMART + WiFi App, a smart phone or Tablet PC is required

## APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075478220	Shipping carton box 4	460 mm x 300 mm x 180 mm	5185.00 g	24.84 dm <sup>3</sup>
4058075478268	Shipping carton box 4	270 mm x 220 mm x 180 mm	2734.00 g	10.69 dm <sup>3</sup>
4058075478206	Shipping carton box 4	220 mm x 220 mm x 200 mm	4804.00 g	9.68 dm <sup>3</sup>
4058075478244	Shipping carton box 4	180 mm x 180 mm x 120 mm	1107.00 g	3.89 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.