

# PRODUCT DATASHEET

## SMART+ WIFI CURVE DG

SMART+ CURVE MULTICOLOR | Luminaires with WiFi technology



---

### AREAS OF APPLICATION

- General illumination
- Gardens
- Patios, balconies

---

### PRODUCT BENEFITS

- Easy and quick installation
- Colorful garden lighting with smart and intelligent control options
- Combines the functionality of general lighting and mood lighting

---

### PRODUCT FEATURES

- Controllable via LEDVANCE SMART+ WiFi App (with minimum Android 4.4 or iOS 9.0)
- Controllable via voice control available: Google Assistant or Amazon Alexa
- RGB color control, approx. 16 million color options adjustable
- Dimmable
- Color temperature: 3,000 K (Warm White)
- Network protocol: WiFi
- Type of protection: IP44



## TECHNICAL DATA

### Electrical data

Nominal wattage	9.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz
Operating mode	Mains voltage


### Photometrical data

Color temperature	3000 K
Color rendering index Ra	≥80
Light color (designation)	RGBW
Luminous efficacy	58 lm/W
Luminous flux	520 lm

### Light technical data

Beam angle	260 °
------------	-------

### Dimensions & weight



Product weight	950.00 g
Length	93.0 mm
Width	100.0 mm
Height	248.0 mm

### Colors & materials

Product color	Dark gray
Body material	Aluminum
Cover material	Polycarbonate (PC)
Housing color	Dark gray

## Temperatures &amp; operating conditions

<b>Ambient temperature range</b>	-20...+40 °C
----------------------------------	--------------

## Lifespan

<b>Number of switching cycles</b>	12500
-----------------------------------	-------

## Additional product data

<b>Product remark</b>	Reset settings to default by switching the product on for three seconds and off for three seconds and repeating this five times.
<b>Mounting location</b>	Wall
<b>Mounting type</b>	Surface

## Capabilities

<b>Dimmable</b>	Yes
<b>Type of connection</b>	Terminal, 3-Pole (L, N, PE)
<b>Compatible smart home technology</b>	Google Assistant / Amazon Alexa

## Certificates &amp; standards

<b>Standards</b>	CE/EAC/REACH/RoHS
<b>Protection class</b>	I
<b>Type of protection</b>	IP44

## EQUIPMENT / ACCESSORIES

- Mounting screws and dowels included
- Control via app or voice control requires compatible Smart home system
- For control via LEDVANCE SMART + WiFi App, a smart phone or Tablet PC is required

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075478336	Folding carton box 1	112 mm x 112 mm x 264 mm	1023.00 g	3.31 dm <sup>3</sup>
4058075478343	Shipping carton box 4	278 mm x 238 mm x 249 mm	4463.00 g	16.47 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.