

PRODUCT DATASHEET LS AY -PF02/U/16X5/10/1

LED STRIP VALUE-600 50 meter reel | LED strips 50m long with 600 lm/m for general applications



Areas of application

- General indoor illumination

Product benefits

- Low profile
- Quick and simple installation

TECHNICAL DATA

Dimensions & Weight

Length	1000 mm
Width	16.0 mm
Height	5.0 mm
Product weight	70.00 g

Colors & materials

Product color	Grey

Temperatures & operating conditions

Ambient temperature range	-15+45 °C
Temperature range in operation	-15+45 °C

Additional product data

	Can be combined with SUPERIOR UNPROTECTED Strips excluding	
	connectors / Cannot be combined with SUPERIOR PROTECTED	
	Strips / Can be combined with PERFORMANCE UNPROTECTED	
Product remark	Strips excluding connectors / Cannot be combined with	
	PERFORMANCE PROTECTED Strips / Can be combined with VALUE	
	UNPROTECTED Strips / Cannot be combined with VALUE	
	PROTECTED Strips	

LOGISTICAL DATA

Accessories Optional

Product image	Product name	EAN
	LS AY -PC/P01/D/1	4058075279339
	LS AY -PF02/MB	4058075276741
	LS AY -PC/P01/C/1	4058075402195
	LS AY -PF02/EC/H	4058075277601

Product image	Product name	EAN



LS AY -PF02/EC

4058075277571

DOWNLOAD DATA

Documents and certificates		Document name	
PDF	Declarations of conformity	LS AY PM_PF_PW_PC	

Tender texts	Document name
Tender documents	Flat Profiles for LED Strips PF02U16X5101-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075278233	Bundle 10	500 mm x 55 mm	711.00 g	
4058075278240	Shipping box 50	1,030 mm x 110 mm x 90 mm	3866.00 g	10.20 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.