

# PRODUCT DATASHEET TRUSYS FLEX FEED IN 5P

TruSys® FLEX FEED-IN CONNECTOR | Feed-In connector for mounting rail



## Product features

- Toolfree feed-In 5 and 8 poles connector



# TECHNICAL DATA

# Dimensions & Weight

Length	39.0 mm
Width	27.0 mm
Height	14.0 mm
Product weight	10.00 g



## TRUSYS FLEX FEED IN 5P

## Materials & Colors

Product color	White
Body material	Polyamid (PA)

# **Application & Mounting**

Mounting location	Mounting rail
Replaceable light source	No

#### Certificates & Standards

Standards	CE / CB / UKCA / ENEC / EAC

# DOWNLOAD DATA

	Documents and certificates	Document name
POF	User instruction / safety instructions	TRUSYS FLEX P RAIL
PDF	Legal information	Informationstext 18 Abs 4 ElektroG

	Documents and certificates	Document name	
PDF	Declarations of conformity	CE Declaration of Conformity TRUSYS FLEX	
PDF	Declarations of conformity UKCA	UKCA Declaration of Conformity TRUSYS FLEX	
	Tender texts	Document name	
	Tender documents	TruSys FLEX FEED-IN CONNECTOR FEED IN 5P-EN	

# LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075781931	BAG 1	94 mm x 155 mm x 1 mm	17.00 g	0.01 dm <sup>3</sup>
4058075781948	Shipping box 300	440 mm x 440 mm x 260 mm	5510.00 g	50.34 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.