

# PRODUCT DATASHEET

## TRUSYS FLEX FEED OUT BOX 8P WT

TruSys® FLEX FEED-OUT BOX | Feed-out connector box



---

### Product features


- Feed-out connector box 5- and 8- pole



## TECHNICAL DATA

### Dimensions & Weight

Length	296 mm
Width	92 mm
Height	58.0 mm
Product weight	530.00 g



### TRUSYS FLEX FEED OUT BOX

### Materials & Colors

Product color	White
Body material	Steel/Polycarbonate (PC)



### Application & Mounting





Mounting location	Mounting rail
-------------------	---------------


### Certificates & Standards

Standards	CE / CB / UKCA / ENEC / EAC
-----------	-----------------------------

## DOWNLOAD DATA

Documents and certificates	Document name
 User instruction / safety instructions	TRUSYS FLEX FEED WT
 Legal information	Legal insert TRUSYS FLEX Sensor Track

Documents and certificates		Document name
	Legal information	Informationstext 18 Abs 4 ElektroG
	Declarations of conformity	CE Declaration of Conformity TRUSYS FLEX
	Declarations of conformity UKCA	UKCA Declaration of Conformity TRUSYS FLEX
	Declarations of conformity UKCA	TRUSYS FLEX

Tender texts	Document name
	Tender documents TruSys FLEX FEED-OUT BOX FEED OUT BOX 8P WT-EN

**LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075782037	Folding box 1	358 mm x 100 mm x 70 mm	609.00 g	2.51 dm <sup>3</sup>
4058075782044	Shipping box 20	685 mm x 510 mm x 167 mm	13769.00 g	58.34 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.