

PRODUCT DATASHEET

TRUSYS FLEX SPOT TRACK 1500 WT

TruSys® FLEX SPOT TRACK | Track rail insert for mounting spot lighting



Product benefits

- Suitable for LEDVANCE Trackspots
- Up to 3 track spots can be installed

Product features


- 150 cm insert with a 90 cm track rail in powergear layout



TECHNICAL DATA

Dimensions & Weight

Length	1500 mm
Width	70.0 mm
Height	15.2 mm
Product weight	1600.00 g



Materials & Colors

Product color	White
Body material	Aluminium




Application & Mounting





Mounting location	Mounting rail
Replaceable light source	No

Certificates & Standards

Standards	CE / CB / UKCA / ENEC / EAC
-----------	-----------------------------

DOWNLOAD DATA

	Documents and certificates	Document name
	User instruction / safety instructions	UI Trusys Flex Spot Track
	Legal information	Legal insert TRUSYS FLEX Sensor Track
	Legal information	Informationstext 18 Abs 4 ElektroG

Documents and certificates		Document name
	Declarations of conformity	CE Declaration of Conformity TRUSYS FLEX
	Declarations of conformity UKCA	UKCA Declaration of Conformity TRUSYS FLEX
CAD/BIM files		Document name
	CAD STEP 3D	TruSys FLEX SPOT TRACK
Tender texts		Document name
	Tender documents	TruSys FLEX SPOT TRACK SPOT TRACK 1500 WT-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075782051	Folding box 1	1,531 mm x 102 mm x 76 mm	1893.00 g	11.87 dm ³
4058075782068	Shipping box 4	1,541 mm x 214 mm x 167 mm	8672.00 g	55.07 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.