

# PRODUCT DATASHEET

## TRUSYS FLEX T03-NODE 5P WT

TruSys® FLEX T-NODE | T-shaped rail connector for corners



PERFOR-  
MANCE  
CLASS

---

### Product benefits

- Simple installation

---

### Product features

- Through-wired with 5- or 8-core cable
- A node connector consists of at least one feeder and one exit with through-wiring
- Steel-sheet housing




TECHNICAL DATA

Electrical data

Protection class	I
------------------	---

Dimensions & Weight

Length	800 mm
Width	296 mm
Height	59 mm
Product weight	1750.00 g



TRUSYS FLEX T03-NODE

Materials & Colors

Product color	White
Body material	Steel


Application & Mounting



Mounting location	Ceiling
-------------------	---------

Certificates & Standards

Standards	CE / CB / UKCA / ENEC / EAC
-----------	-----------------------------

DOWNLOAD DATA

Documents and certificates		Document name
	Declarations of conformity	TRUSYS FLEX NODE 5P

Documents and certificates		Document name
	Declarations of conformity UKCA	TRUSYS FLEX NODE 5P
Tender texts		Document name
	Tender documents	TruSys FLEX T NODE T03 NODE 5P WT-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075782136	Shipping box 2	685 mm x 685 mm x 185 mm	6524.00 g	86.81 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.