

PRODUCT DATASHEET

LED FILAMENTO CLB FR 2,5W/6500K 250lm BIV E14

FILAMENTO CLASSIC B (VELA) | Led bulb Filament with candle format, bases E14 and E27



Areas of application

- All domestic rooms, especially where the lamps are visible
- For indoor use only

Product benefits

- Lamps with innovative LED "filament" technology
- Instant 100 % light, no warm-up time
- Low energy consumption
- Three year guarantee

Product features

- Lifetime up to 15,000 h
- Uniform illumination
- Type of protection: IP20
- Base: E27, E14



TECHNICAL DATA

Electrical data

Nominal wattage	2.5 W
Construction wattage	2.50 W
Nominal voltage	100...240 V
Nominal current	21 mA
Type of current	AC
Power factor λ	≥ 0.7

Photometrical data

Luminous flux	250 lm
Luminous efficacy	100 lm/W
Color temperature	6500 K
Color rendering index Ra	≥ 80
Light color	865
Standard deviation of color matching	≤ 6 sdc _m

Light technical data

Beam angle	320 °
Starting time	< 0.5 s

Dimensions & Weight

Overall length	98.00 mm
Diameter	35.00 mm
Product weight	14.00 g

Lifespan

Number of switching cycles	20000
----------------------------	-------

Additional product data

Base (standard designation)	E14
-----------------------------	-----

Capabilities

Dimmable	No
----------	----

Certificates & Standards

Energy efficiency class	A
-------------------------	---

Type of protection	IP20
Photobiological safety group acc. to EN62778	RG0

Country-specific categorizations

Order reference	LED CLB FR 2,5W
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E14
Correlated colour temperature type	SINGLE_VALUE
Length	98.00 mm
Height	35.00 mm
Width	35.00 mm

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075787988	Folding box 1	39 mm x 39 mm x 118 mm	25.00 g	0.18 dm ³
4058075787995	Shipping box 12	170 mm x 130 mm x 136 mm	462.00 g	3.01 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

– For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.