

# PRODUCT DATASHEET

## TRUSYS FLEX SENSOR TRACK 600 8P WT

TruSys® FLEX SENSOR TRACK | Track rail insert for mounting of the sensor



---

### Product benefits

- Simple installation

---

### Product features

- 60 cm and 150 cm insert with a sensor fitting hole and preinstalled wires
- Including optional side covers for luminaire inserts




TECHNICAL DATA

Electrical data

Protection class	I
------------------	---

Dimensions & Weight

Length	598.5 mm
Width	69.8 mm
Height	56 mm
Product weight	320.00 g



TRUSYS FLEX SENSOR TRACK  
600 8P WT

Materials & Colors

Product color	White
Body material	Aluminium







Application & Mounting

Mounting location	Mounting rail
Replaceable light source	No

Certificates & Standards

Standards	CE / CB / UKCA / ENEC / EAC
-----------	-----------------------------

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	TRUSYS FLEX SENSOR TRACK
	Legal information	Legal insert TRUSYS FLEX Sensor Track
	Legal information	Informationstext 18 Abs 4 ElektroG
	Declarations of conformity	TRUSYS FLEX RAIL ST COVER
	Declarations of conformity UKCA	TRUSYS FLEX RAIL ST COVER
Tender texts		Document name
	Tender documents	TruSys FLEX SENSOR TRACK 600 8P WT-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854193637	Folding box 1	105 mm x 634 mm x 80 mm	496.00 g	5.33 dm³
4099854193644	Shipping box 4	652 mm x 227 mm x 187 mm	2536.00 g	27.68 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.