

PRODUCT DATASHEET LN INV CORNER CONNECTOR BK

LINEAR INDIVILED CORNER CONNECTOR | Mechanical and electrical connector for light line installation between luminaires



Product benefits

- Easy and quick connection of luminaires for light line installations
- Very solid connector for long operation

Product features


- Mechanical and electric connector (profile, 5 x 2.5 mm² internal wiring and terminal plug, male-female AC plug)
- Connector made of aluminum, white powder-coated
- Available in black and white color



TECHNICAL DATA

Dimensions & Weight

Length	350 mm
Width	350 mm
Height	43 mm
Product weight	1120.00 g



LN INV CORNER CONNECTOR WT

Materials & Colors

Product color	Black
Body material	Steel

Application & Mounting

Replaceable ligh	nt source	No
i iopiaooabio ligi	11 3041 30	140

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

DOWNLOAD DATA

	Documents and certificates	Document name
POF	User instruction / safety instructions	LN INV accessories
PDF	Legal information	Safety Insert G11218828

	Documents and certificates		Document name	
PDF	Legal information		Informationstext 18 Abs 4 ElektroG	
PDF	Legal information		LN INV Accessories	
PDF	Declarations of conformity		LN INV	
POF	Declarations of conformity UKCA		LN INV	
	Tender texts	Document name		

LINEAR INDIVILED CORNER CONNECTOR BK-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854308079	Folding box 1	404 mm x 404 mm x 142 mm	1342.00 g	23.18 dm ³
4099854308086	Shipping box 4	597 mm x 427 mm x 434 mm	6622.00 g	110.63 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ADDITIONAL CATALOG INFORMATION

Tender documents



DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.