



LEDVANCE

PRODUCT DATASHEET

FLASHLIGHT COMPACT

FLASHLIGHT COMPACT | Outdoor mobiles



Areas of application

- Multifunctional

Product benefits

- 3 operating modes: 1 press: bright light 400 lm, 2nd press: soft light 120 lm, 3rd press: flashing mode
- 4 hours of running at full brightness
- 7 hours to fully charge from empty-to-full
- Battery capacity: 3000mAh
- Stylish design
- Power Bank mode

Product features

- Rugged and durable housing: IPX2 and can withstands drop test up to two meters
- USB-port with Powerbank function
- Durable and high-quality materials
- Magnet and hook (easy to install under the hood of the car; hanging in a closet or camping tent)

TECHNICAL DATA

Electrical data

Nominal wattage	4.00 W
Inrush current	1 A
Inrush current time T _{h50}	0.5 s
Operating mode	Battery

Photometrical data

Luminous flux	400 lm
Luminous efficacy	100 lm/W
Color temperature	6500 K
Light color (designation)	Cool White
Color rendering index Ra	80

Dimensions & Weight

Length	113.00 mm
Width	68.00 mm
Height	26.50 mm
Product weight	145.00 g

Materials & Colors

Product color	Orange
Housing color	Orange
Body material	ABS I TPR (Thermoplastic rubber)
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20...+40 °C
Type of connection	USB Type-C
Dimmable	No
Adjustable	No
With light source	Yes
Replaceable light source	No

Lifespan

Lifespan L70/B50 at 25 °C	30000 h ¹⁾
---------------------------	-----------------------

1) t[h]: L70 / B50 @ 25 °C (Ta), t[h]: L80 / B10 @ 25 °C (Ta), t[h]: L90 / B10 @ 25 °C (Ta)

BATTERY

Battery size [GMS]	Others
Battery charging time	7 h




Certificates & Standards

Standards	CE / UKCA
Replaceable light source (EPREL)	Not replaceable

EQUIPMENT / ACCESSORIES

– USB C cable

DOWNLOAD DATA

Documents and certificates		Document name
	Legal information	Informationstext 18 Abs 4 ElektroG
	Legal information	FLASHL
	Declarations of conformity	CE Declaration Flashlight

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854175473	Blister 1	150 mm x 220 mm x 28 mm	154.00 g	0.92 dm ³
4099854584015	Shipping box 8	290 mm x 190 mm x 175 mm	1545.00 g	9.64 dm ³
4099854175480	Shipping box 40	300 mm x 245 mm x 345 mm	6541.00 g	25.36 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.