

PRODUCT DATASHEET SENSOR CEILING MOUNTING KIT

SENSOR CEILING MOUNTING KIT | Adapter for surface mounting installations



Areas of application

Compatible with SENSOR DALI-2 LS-PD-8 IR CI, SENSOR DALI-2 LS-PD-40X5 IR CI, SENSOR DALI-2 LS-PD-24 IR CM, SENSOR DALI-2 LS-PD-HB-21 IR CM



Product benefits

- Simple ceiling installation with spring clips
- Integrated cable clamp

Product features

- Enables surface or ceiling integrated mounting
- Surface mounting: protection class IP54
- Ceiling integration: protection class IP20

TECHNICAL DATA

Dimensions & Weight





Length	68.00 mm
Width	68.00 mm
Height	44.00 mm
Product weight	80.00 g

Colors & materials

Capabilities

Dimmable	No
Type of installation	Surface mounting

Certificates & Standards

Approval marks – approval	CE
Protection class	II
Type of protection	IP20

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	SENSOR CM KIT
PDF	Declarations of conformity	SENSOR CM KIT

Tender texts	Document name
Tender documents	DALI-2 SENSORS CEILING MOUNTING KIT-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075843905	Folding box 1	110 mm x 110 mm x 100 mm	144.00 g	1.21 dm ³
4058075843912	Shipping box 48	630 mm x 460 mm x 244 mm	8032.00 g	70.71 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- For current information see www.ledvance.com/light-management-systems

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.