

PRODUCT DATASHEET SMART+ WIFI CO DETECTOR White

SMART+ CO DETECTOR | SMART+ sensor to detect carbon monoxide with WiFi technology



Areas of application

- Smart home indoors

Product benefits

- Triple alarm function features a loud audible alarm (>85 dB), flashing red warning lights and push notification via smart home apps
- Advanced electrochemical carbon monoxide (CO) sensor technology, CO alarm sensitivity from 50 ppm
- Performs a regular self-test, checks the battery status, the Wi-Fi connection and reports problems immediately
- Long battery life (>5 years operating time) and easy to replace battery (2x AA)
- Connected to other smart products, alarms can be made even more recognizable
- Always informed about dangers in the smart home even when not at home
- Easy installation thanks to wireless and very compact design

Product features

- Certified according to EN 50291
- Compatible with Google Home
- Network protocol: WiFi (2.4 GHz)
- Controllable via SMART+ App (with minimum Android 8.0 or iOS 14.0)

TECHNICAL DATA

Electrical data

| Nominal voltage | 3 V |
|-----------------|---------|
| Operating mode | Battery |

Dimensions & Weight



| Product weight | 149.5 g |
|----------------|----------|
| Length | 85.00 mm |
| Width | 27.30 mm |
| Height | 85.00 mm |

Colors & materials

| Product color | White |
|---------------|---------|
| Body material | Plastic |

Capabilities

| Dimmable | No |
|----------------------------------|------------------|
| Compatible smart home technology | Google Assistant |

Certificates & Standards

| Standards | CE / UKCA |
|--------------------|-----------|
| Protection class | 111 |
| Type of protection | IP20 |

Safety advice

- If the battery compartment (if applicable) does not close securely, stop using the product and keep it away from children. If you think batteries might have been swallowed or placed inside any part of the body, seek immediate medical attention.

– Please avoid: Maximal ambient temperature: +35 °C. Replacement of a battery with an incorrect type that can defeat safeguard (for example, in the case of some lithium battery types). Altitude during operation: 2000 m. Disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that can result in an explosion.

DOWNLOAD DATA

| | Documents and certificates | Document name |
|-----|--|------------------------|
| PDF | User instruction / safety instructions | SMART CO DETECTOR |
| PDF | Declarations of conformity | SMART WIFI CO DETECTOR |
| PDF | Declarations of conformity UKCA | SMART WIFI CO DETECTOR |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4058075846180 | Folding box 1 | 33 mm x 112 mm x 112 mm | 172.00 g | 0.41 dm ³ |
| 4058075846197 | Shipping box 4 | 236 mm x 123 mm x 83 mm | 884.00 g | 2.41 dm ³ |
| 4099854369940 | Shipping box 48 | 500 mm x 395 mm x 190 mm | 11189.00 g | 37.53 dm³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- Further information and frequently asked questions (FAQs) at www.ledvance.com/consumer/smart/faq

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.